





Ergebnis:	379	(398.7)
Serien:	98 95 92 94	
Zähler:	20 19 1 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	509 (30), 497 (8), 488 (31)	
beste Teiler	16.0 (17.) 33.8 (34.) 34.1 (22.)	
Trefferlage	0.78 mm rechts, 0.47 mm hoch	
Streuwert	1.92, horizontal: 1.91, vertikal: 1.94	




Serie 1:					
	10.7 *	10.1 →	10.0 ↗	10.0 ↘	9.7 ↗
	10.6 *	10.2 *	9.0 ↑	10.5 *	10.4 *
beste Teiler	59.0 (1.)	100.6 (6.)	121.8 (9.)		
Trefferlage	0.29 mm rechts, 1.32 mm hoch				
Streuwert	1.50, horizontal: 1.52, vertikal: 1.48				



Serie 2:					
	10.1 ↘	9.1 ←	9.8 ↘	9.9 →	9.5 ↑
	9.8 →	10.9 *	10.6 *	10.2 *	10.2 *
beste Teiler	16.0 (17.)	79.3 (18.)	188.8 (19.)		
Trefferlage	0.38 mm rechts, 0.73 mm hoch				
Streuwert	1.90, horizontal: 2.12, vertikal: 1.64				



Serie 3:					
	9.2 →	10.8 *	10.1 ↙	9.9 ↘	9.2 ↗
	9.9 ↗	10.6 *	9.6 ↓	9.6 →	8.9 ↗
beste Teiler	34.1 (22.)	84.7 (27.)	211.3 (23.)		
Trefferlage	1.69 mm rechts, 0.44 mm hoch				
Streuwert	2.08, horizontal: 1.71, vertikal: 2.40				





Serie 4:					
	9.0 ↙	9.9 →	10.6 *	10.8 *	9.8 ↓
	9.6 ↑	9.7 →	10.7 *	9.2 →	10.3 *
beste Teiler	33.8 (34.)	69.0 (38.)	91.2 (33.)		
Trefferlage	0.76 mm rechts, 0.59 mm tief				
Streuwert	2.03, horizontal: 2.18, vertikal: 1.87				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(397.3)
Serien:	94 93 96 97	
Zähler:	21 18 1 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	525 (11), 500 (24), 489 (21)	
beste Teiler	41.0 (18.) 51.4 (40.) 72.0 (6.)	
Trefferlage	0.30 mm rechts, 0.18 mm hoch	
Streuwert	2.05, horizontal: 2.47, vertikal: 1.50	




Serie 1:					
	10.0 ↘	9.7 ↓	9.8 ↘	10.6 *	9.7 →
	10.7 *	10.6 *	9.5 ←	9.4 ←	9.7 ↓
beste Teiler	72.0 (6.) 82.3 (4.) 85.6 (7.)				
Trefferlage	0.03 mm rechts, 0.71 mm tief				
Streuwert	1.95, horizontal: 2.22, vertikal: 1.62				



Serie 2:					
	8.9 →	9.3 ←	10.1 ←	9.2 →	10.2 *
	10.3 *	9.5 ↑	10.8 *	9.7 ↘	9.1 ↑
beste Teiler	41.0 (18.) 167.0 (16.) 178.7 (15.)				
Trefferlage	0.16 mm links, 0.98 mm hoch				
Streuwert	2.48, horizontal: 3.00, vertikal: 1.82				



Serie 3:					
	9.0 ←	10.2 *	10.4 *	9.0 →	10.4 *
	9.4 →	10.5 *	10.4 *	10.2 *	9.6 →
beste Teiler	124.6 (27.) 136.6 (23.) 138.6 (28.)				
Trefferlage	0.65 mm rechts, 0.35 mm hoch				
Streuwert	2.15, horizontal: 2.86, vertikal: 1.05				





Serie 4:					
	10.0 →	9.9 →	10.5 *	10.4 *	10.2 *
	9.5 ↙	9.9 ←	10.3 *	10.0 →	10.7 *
beste Teiler	51.4 (40.) 107.0 (33.) 134.1 (34.)				
Trefferlage	0.68 mm rechts, 0.11 mm hoch				
Streuwert	1.57, horizontal: 1.94, vertikal: 1.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.3)
 Serien: 95 94 94 95
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 551 (11), 517 (27), 485 (40)
 beste Teiler 66.7 (38.) 88.4 (37.) 94.3 (28.)
 Trefferlage 0.22 mm links, 0.09 mm tief
 Streuwert 2.07, horizontal: 2.59, vertikal: 1.35




Serie 1:
 10.5 * 10.3 * 9.6 ↘ 9.8 ↙ 9.5 ←
 9.6 ↙ 10.3 * 9.9 ← 10.1 → 10.3 *
 beste Teiler 122.0 (1.) 152.2 (7.) 157.8 (2.)
 Trefferlage 0.62 mm links, 0.69 mm tief
 Streuwert 1.75, horizontal: 2.00, vertikal: 1.44



Serie 2:
 8.7 → 9.1 → 10.2 * 10.4 * 10.2 *
 9.7 ← 10.1 ↗ 10.4 * 9.8 ↗ 9.6 ↙
 beste Teiler 144.8 (18.) 149.8 (14.) 180.3 (15.)
 Trefferlage 0.12 mm rechts, 0.33 mm hoch
 Streuwert 2.31, horizontal: 2.88, vertikal: 1.54



Serie 3:
 10.4 * 10.1 → 10.0 ← 9.9 → 9.6 ↘
 9.6 ↘ 8.9 → 10.6 * 10.5 * 9.9 ←
 beste Teiler 94.3 (28.) 110.2 (29.) 139.0 (21.)
 Trefferlage 0.38 mm links, 0.08 mm tief
 Streuwert 2.06, horizontal: 2.71, vertikal: 1.07





Serie 4:
 9.7 ↘ 10.4 * 10.3 * 9.7 → 9.1 ←
 10.1 ↘ 10.6 * 10.7 * 9.1 ← 9.0 →
 beste Teiler 66.7 (38.) 88.4 (37.) 135.3 (32.)
 Trefferlage 0.01 mm links, 0.07 mm hoch
 Streuwert 2.32, horizontal: 3.01, vertikal: 1.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	375	(393.2)
Serien:	91	95 95 94
Zähler:	19	17 4 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	552 (5),	538 (9), 509 (1)
beste Teiler	23.7 (21.)	25.4 (26.) 29.1 (31.)
Trefferlage	0.28 mm links, 0.30 mm hoch	
Streuwert	2.26, horizontal: 2.57, vertikal: 1.89	




Serie 1:	8.9 ↑	10.3 *	9.5 ↘	10.2 *	8.7 →
	10.3 *	10.4 *	9.5 ←	8.8 ↖	9.8 ↘
beste Teiler	146.1 (7.) 163.9 (2.) 171.1 (6.)				
Trefferlage	0.02 mm links, 0.75 mm hoch				
Streuwert	2.66, horizontal: 3.14, vertikal: 2.08				



Serie 2:	10.3 *	9.6 ↘	9.6 ↑	9.9 ↘	10.1 ↓
	10.1 ↓	10.1 ↘	10.6 *	8.9 ↖	10.0 ↘
beste Teiler	81.3 (18.) 160.0 (11.) 207.9 (17.)				
Trefferlage	0.05 mm links, 0.12 mm hoch				
Streuwert	2.10, horizontal: 1.93, vertikal: 2.25				





Serie 3:	10.9 *	9.5 →	9.6 ↖	9.8 ↖	9.4 →
	10.9 *	10.2 *	9.2 →	10.2 *	10.8 *
beste Teiler	23.7 (21.) 25.4 (26.) 49.0 (30.)				
Trefferlage	0.48 mm rechts, 0.50 mm hoch				
Streuwert	1.95, horizontal: 2.65, vertikal: 0.78				




Serie 4:	10.8 *	10.4 *	10.1 →	9.3 ↙	9.0 ←
	9.9 ↑	9.4 ↖	9.2 ↙	10.0 ↘	9.0 ↖
beste Teiler	29.1 (31.) 144.0 (32.) 211.2 (33.)				
Trefferlage	1.54 mm links, 0.15 mm tief				
Streuwert	2.30, horizontal: 2.35, vertikal: 2.24				

Unterschrift des Schützen


Ergebnis:	369	(388.5)
Serien:	89 95 92 93	
Zähler:	16 18 5 1 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	787 (7), 557 (21), 551 (25)	
beste Teiler	34.5 (33.) 50.4 (4.) 98.9 (24.)	
Trefferlage	1.65 mm rechts, 0.72 mm hoch	
Streuwert	2.17, horizontal: 2.67, vertikal: 1.51	




Serie 1:	9.0 ←	8.9 ↗	9.5 ↗	10.8 *	10.4 *
	9.9 ↙	7.8 →	8.8 →	9.3 →	10.2 *
beste Teiler	50.4 (4.) 136.4 (5.) 188.6 (10.)				
Trefferlage	1.60 mm rechts, 0.57 mm hoch				
Streuwert	2.92, horizontal: 3.95, vertikal: 1.20				



Serie 2:	9.8 ↗	10.4 *	9.2 ↗	9.7 →	9.8 →
	9.4 ↗	10.5 *	10.2 *	10.3 *	10.2 *
beste Teiler	104.6 (17.) 133.4 (12.) 157.4 (19.)				
Trefferlage	1.47 mm rechts, 0.55 mm hoch				
Streuwert	1.64, horizontal: 1.28, vertikal: 1.94				



Serie 3:	8.7 ↗	9.1 →	9.6 →	10.6 *	8.7 →
	10.1 ↙	10.0 ↘	10.5 *	9.7 ↑	9.3 →
beste Teiler	98.9 (24.) 117.6 (28.) 211.4 (26.)				
Trefferlage	1.64 mm rechts, 0.71 mm hoch				
Streuwert	2.38, horizontal: 2.98, vertikal: 1.58				



Serie 4:	9.2 →	10.5 *	10.8 *	9.5 →	10.3 *
	10.5 *	9.2 ↗	8.8 →	9.9 ↗	9.4 ↗
beste Teiler	34.5 (33.) 102.1 (36.) 115.8 (32.)				
Trefferlage	1.90 mm rechts, 1.05 mm hoch				
Streuwert	1.84, horizontal: 2.17, vertikal: 1.44				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **361** (381.1)

Serien: 90 88 91 92

Zähler: 14 14 11 1 0 0 0 0 0 0



Innenzehner: 9

weiteste: 773 (28), 721 (14), 601 (2)

beste Teiler 26.6 (27.) 107.0 (36.) 138.7 (10.)

Trefferlage 0.05 mm links, 0.38 mm hoch

Streuwert 2.85, horizontal: 3.00, vertikal: 2.68




Serie 1:

8.6 ↖	8.5 ↘	10.1 ↙	9.5 ↗	8.6 ←
10.3 *	8.6 ↖	10.1 →	9.6 ↘	10.4 *

beste Teiler 138.7 (10.) 157.7 (6.) 201.1 (3.)

Trefferlage 0.02 mm rechts, 0.60 mm hoch

Streuwert 3.12, horizontal: 3.75, vertikal: 2.32




Serie 2:

9.9 ↓	9.3 ↙	10.0 ↘	8.1 ↘	9.4 ↗
8.6 ↗	10.3 *	8.9 ↑	9.9 ↓	8.8 ↖

beste Teiler 175.0 (17.) 247.8 (13.) 262.1 (19.)

Trefferlage 0.03 mm links, 0.54 mm hoch

Streuwert 3.27, horizontal: 2.40, vertikal: 3.95




Serie 3:

9.7 →	9.5 →	9.4 ↙	10.2 *	10.2 *
9.2 ↓	10.8 *	7.9 ↗	10.2 *	8.8 ←

beste Teiler 26.6 (27.) 180.8 (25.) 185.5 (24.)

Trefferlage 0.60 mm rechts, 0.31 mm tief

Streuwert 2.91, horizontal: 3.45, vertikal: 2.26



Serie 4:

9.8 ↖	10.3 *	10.0 ↖	8.9 ↖	9.8 ↖
10.5 *	8.9 ↖	9.5 ↘	9.9 ↓	10.1 ↑

beste Teiler 107.0 (36.) 152.7 (32.) 224.0 (40.)



Trefferlage 0.82 mm links, 0.69 mm hoch

Streuwert 2.30, horizontal: 2.49, vertikal: 2.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(391.2)
Serien:	89 98 92 92	
Zähler:	16 19 5 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	613 (8), 570 (3), 542 (9)	
beste Teiler	38.0 (12.) 65.1 (17.) 72.4 (38.)	
Trefferlage	0.46 mm links, 0.09 mm hoch	
Streuwert	2.35, horizontal: 2.76, vertikal: 1.86	




Serie 1:	9.5 ↘	10.0 ↑	8.7 ↗	9.6 →	9.9 ↖
	10.3 *	9.2 ↘	8.5 ↘	8.8 →	9.8 ←
beste Teiler	171.9 (6.)	237.2 (2.)	258.5 (5.)		
Trefferlage	0.51 mm links, 1.63 mm hoch				
Streuwert	2.77, horizontal: 3.58, vertikal: 1.61				



Serie 2:	10.2 *	10.8 *	10.3 *	10.5 *	10.5 *
	10.2 *	10.7 *	10.2 *	8.9 →	10.5 *
beste Teiler	38.0 (12.)	65.1 (17.)	110.1 (14.)		
Trefferlage	0.07 mm rechts, 0.03 mm tief				
Streuwert	1.61, horizontal: 1.90, vertikal: 1.24				





Serie 3:	9.9 ↘	9.0 →	8.8 ↘	9.5 ←	10.3 *
	9.5 ←	9.6 ←	9.1 ←	10.4 *	10.4 *
beste Teiler	129.2 (30.)	133.8 (29.)	162.6 (25.)		
Trefferlage	1.12 mm links, 0.51 mm tief				
Streuwert	2.49, horizontal: 3.17, vertikal: 1.52				



Serie 4:	10.2 *	9.8 ↓	9.2 ↙	9.6 ↙	9.7 →
	9.6 →	9.8 ←	10.7 *	9.3 ↓	9.7 ↘
beste Teiler	72.4 (38.)	198.7 (31.)	278.2 (32.)		
Trefferlage	0.30 mm links, 0.70 mm tief				
Streuwert	2.29, horizontal: 2.40, vertikal: 2.17				


Unterschrift des Schützen

Ergebnis:	357	(374.3)
Serien:	85	90 88 94
Zähler:	12 16 10 1 1	0 0 0 0 0
Innenzehner:	10	
weiteste:	1148 (2), 824 (1), 668 (18)	
beste Teiler	39.3 (9.)	110.1 (21.) 117.7 (33.)
Trefferlage	0.01 mm rechts, 1.18 mm hoch	
Streuwert	3.16, horizontal: 3.91, vertikal: 2.17	




Serie 1:

7.7 ↖	6.4 ←	9.1 ↖	9.0 ↓	9.7 ↗
8.3 ↖	10.3 *	8.5 ↖	10.8 *	9.8 ↑
beste Teiler	39.3 (9.)	156.2 (7.)	298.7 (10.)	
Trefferlage	2.70 mm links, 2.03 mm hoch			
Streuwert	3.58, horizontal: 4.04, vertikal: 3.06			




Serie 2:

9.9 ↖	9.5 ↖	9.7 ←	9.7 ↖	10.2 *
8.9 →	9.3 →	8.3 ↗	10.2 *	9.0 ↖
beste Teiler	181.1 (15.)	181.6 (19.)	270.3 (11.)	
Trefferlage	0.37 mm links, 1.41 mm hoch			
Streuwert	2.74, horizontal: 3.39, vertikal: 1.87			



Serie 3:

10.5 *	9.8 ↗	9.6 →	8.9 →	8.5 →
8.3 →	8.4 ←	10.2 *	8.4 ↖	10.3 *
beste Teiler	110.1 (21.)	153.2 (30.)	190.8 (28.)	
Trefferlage	1.12 mm rechts, 0.63 mm hoch			
Streuwert	3.32, horizontal: 4.22, vertikal: 2.05			





Serie 4:

9.1 →	10.0 ↖	10.5 *	8.8 →	10.4 *
10.0 →	9.4 →	9.0 →	10.4 *	9.5 ↗
beste Teiler	117.7 (33.)	126.1 (39.)	150.0 (35.)	
Trefferlage	2.00 mm rechts, 0.64 mm hoch			
Streuwert	2.02, horizontal: 2.54, vertikal: 1.31			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	386	(404.6)
Serien:	95	98 96 97
Zähler:	26	14 0 0 0 0 0 0 0 0
Innenzehner:	21	
weiteste:	463 (23),	431 (5), 361 (2)
beste Teiler	12.0 (27.)	60.4 (39.) 68.0 (11.)
Trefferlage	0.22 mm links, 0.14 mm tief	
Streuwert	1.65, horizontal: 1.85, vertikal: 1.41	




Serie 1:

10.2 *	9.5 →	10.2 *	9.6 ↗	9.2 ←
10.4 *	9.8 ↖	9.6 ↓	10.3 *	10.2 *
beste Teiler	145.0 (6.) 166.4 (9.) 176.6 (10.)			
Trefferlage	0.15 mm links, 0.25 mm tief			
Streuwert	2.07, horizontal: 2.23, vertikal: 1.89			




Serie 2:

10.7 *	10.5 *	10.2 *	10.6 *	10.1 ↗
9.6 ↓	10.5 *	10.5 *	9.9 ↑	10.5 *
beste Teiler	68.0 (11.) 99.6 (14.) 104.3 (18.)			
Trefferlage	0.14 mm links, 0.25 mm hoch			
Streuwert	1.33, horizontal: 1.07, vertikal: 1.55			



Serie 3:

10.5 *	10.2 *	9.1 ←	10.0 ←	10.0 →
9.9 ←	10.9 *	9.7 ↖	9.9 →	10.3 *
beste Teiler	12.0 (27.) 104.6 (21.) 151.9 (30.)			
Trefferlage	0.82 mm links, 0.03 mm hoch			
Streuwert	1.76, horizontal: 2.27, vertikal: 1.01			





Serie 4:

10.1 ←	10.5 *	10.5 *	10.5 *	9.8 →
10.1 ↘	9.8 ←	10.3 *	10.7 *	9.7 ↓
beste Teiler	60.4 (39.) 102.8 (34.) 103.3 (32.)			
Trefferlage	0.22 mm rechts, 0.59 mm tief			
Streuwert	1.43, horizontal: 1.71, vertikal: 1.09			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **314** (331.7)
 Serien: 74 73 84 83
 Zähler: 7 8 10 10 1 0 4 0 0 0
 Innenzehner: 5
 weiteste: 1706 (11), 1649 (14), 1595 (1)
 beste Teiler 95.5 (16.) 117.0 (35.) 130.6 (26.)
 Trefferlage 2.86 mm links, 2.56 mm hoch
 Streuwert 4.86, horizontal: 6.11, vertikal: 3.15




Serie 1:
 4.6 ← 7.0 ↗ 8.1 ↘ 7.3 ↗ 7.7 ↗
 8.2 ↗ 7.9 ← 9.1 → 10.0 → 7.8 ↑
 beste Teiler 247.3 (9.) 458.5 (8.) 696.4 (6.)
 Trefferlage 0.06 mm rechts, 3.97 mm hoch
 Streuwert 5.73, horizontal: 7.40, vertikal: 3.31



Serie 2:
 4.1 ← 8.0 ↘ 9.2 ↘ 4.4 ↘ 9.4 ↑
 10.6 * 4.9 ↘ 7.9 ↘ 9.6 ↓ 9.9 ←
 beste Teiler 95.5 (16.) 275.1 (20.) 331.3 (19.)
 Trefferlage 6.37 mm links, 2.83 mm hoch
 Streuwert 5.09, horizontal: 6.25, vertikal: 3.56





Serie 3:
 10.2 * 6.5 ↘ 8.2 ↘ 8.6 ← 9.0 ↘
 10.4 * 9.7 → 7.2 ← 8.9 ↘ 9.0 ↗
 beste Teiler 130.6 (26.) 197.0 (21.) 313.1 (27.)
 Trefferlage 3.43 mm links, 1.36 mm hoch
 Streuwert 3.67, horizontal: 4.64, vertikal: 2.33




Serie 4:
 7.7 ↘ 8.7 ↘ 8.8 ↑ 7.9 ↘ 10.5 *
 10.0 ↗ 7.2 ↘ 10.2 * 8.8 ↗ 8.5 ←
 beste Teiler 117.0 (35.) 194.5 (38.) 250.2 (36.)
 Trefferlage 1.72 mm links, 2.07 mm hoch
 Streuwert 3.93, horizontal: 4.59, vertikal: 3.14

Unterschrift des Schützen


Ergebnis: **352** (372.8)
 Serien: 88 90 90 84
 Zähler: 8 21 6 5 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 919 (20), 819 (9), 785 (2)
 beste Teiler 25.7 (6.) 79.2 (5.) 98.9 (18.)
 Trefferlage 0.30 mm rechts, 1.34 mm hoch
 Streuwert 3.16, horizontal: 3.98, vertikal: 2.01




Serie 1:
 9.8 ↙ 7.8 ← 9.9 ↖ 9.9 ↗ 10.6 *
 10.9 * 9.3 ↗ 9.7 ↗ 7.7 ← 9.1 ←
 beste Teiler 25.7 (6.) 79.2 (5.) 258.6 (3.)
 Trefferlage 1.47 mm links, 0.70 mm hoch
 Streuwert 3.10, horizontal: 4.09, vertikal: 1.58



Serie 2:
 9.9 ↗ 8.6 → 9.3 ↘ 9.4 ↗ 10.3 *
 10.0 ↘ 9.1 → 10.6 * 9.2 ↘ 7.3 →
 beste Teiler 98.9 (18.) 172.1 (15.) 246.4 (16.)
 Trefferlage 1.56 mm rechts, 1.01 mm hoch
 Streuwert 3.12, horizontal: 3.95, vertikal: 1.95



Serie 3:
 10.2 * 8.7 ↑ 9.6 ↘ 9.8 ↘ 9.0 ←
 9.9 → 9.2 ↗ 9.4 ↙ 10.1 ↖ 8.8 ↗
 beste Teiler 197.3 (21.) 225.7 (29.) 262.2 (26.)
 Trefferlage 0.11 mm rechts, 1.32 mm hoch
 Streuwert 2.77, horizontal: 3.09, vertikal: 2.41





Serie 4:
 8.5 ↗ 8.6 ← 7.8 ↘ 9.4 ↗ 9.7 ↖
 10.0 ↗ 9.7 ↑ 7.9 → 9.8 ↗ 8.3 →
 beste Teiler 230.7 (36.) 288.4 (39.) 316.3 (35.)
 Trefferlage 0.99 mm rechts, 2.32 mm hoch
 Streuwert 3.52, horizontal: 4.58, vertikal: 1.95

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	342	(358.3)
Serien:	88 88 82 84	
Zähler:	9 12 14 3 1 1 0 0 0 0	
Innenzehner:	6	
weiteste:	1481 (31), 1142 (21), 909 (13)	
beste Teiler	25.4 (18.) 27.1 (36.) 84.2 (37.)	
Trefferlage	1.40 mm rechts, 0.51 mm hoch	
Streuwert	3.99, horizontal: 4.36, vertikal: 3.59	




Serie 1:

9.5 ↘	10.0 ↘	9.3 ←	8.3 ↓	9.3 ↗
8.7 ←	10.4 *	9.5 ↙	7.8 ↓	9.0 ↘
beste Teiler	139.0 (7.)	242.6 (2.)	354.2 (8.)	
Trefferlage	0.81 mm links, 1.54 mm tief			
Streuwert	3.33, horizontal: 2.85, vertikal: 3.75			




Serie 2:

8.6 ↑	10.2 *	7.3 →	10.1 ↓	9.0 ↗
8.8 ↙	9.9 ↑	10.9 *	9.0 ←	8.5 →
beste Teiler	25.4 (18.)	183.3 (12.)	224.3 (14.)	
Trefferlage	0.46 mm rechts, 0.74 mm hoch			
Streuwert	3.65, horizontal: 4.17, vertikal: 3.03			



Serie 3:

6.4 →	8.7 →	8.0 ↗	8.1 →	8.2 ↗
10.2 *	9.2 ↗	9.8 ↘	8.4 ↗	8.9 ↘
beste Teiler	193.1 (26.)	299.6 (28.)	430.8 (27.)	
Trefferlage	3.04 mm rechts, 2.70 mm hoch			
Streuwert	3.72, horizontal: 4.71, vertikal: 2.35			





Serie 4:

5.0 →	8.6 ↘	8.4 ↘	8.2 ↘	7.9 ↗
10.8 *	10.6 *	10.0 ↘	9.4 ↑	9.4 →
beste Teiler	27.1 (36.)	84.2 (37.)	227.1 (38.)	
Trefferlage	2.91 mm rechts, 0.16 mm hoch			
Streuwert	4.44, horizontal: 4.76, vertikal: 4.09			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	349	(365.8)
Serien:	91 91 90 77	
Zähler:	9 18 9 2 1 1 0 0 0 0	
Innenzehner:	6	
weiteste:	1453 (38), 1062 (34), 769 (40)	
beste Teiler	58.6 (22.) 106.8 (11.) 130.8 (20.)	
Trefferlage	1.34 mm links, 0.78 mm tief	
Streuwert	3.59, horizontal: 4.11, vertikal: 2.98	




Serie 1:	8.4 ←	9.8 ↘	9.6 ↘	10.3 *	10.0 →
	9.4 ↗	8.2 ↓	9.2 ↗	9.6 ↘	10.0 ↘
beste Teiler	170.6 (4.) 236.1 (10.) 239.7 (5.)				
Trefferlage	1.16 mm links, 0.89 mm tief				
Streuwert	2.82, horizontal: 2.65, vertikal: 2.98				



Serie 2:	10.5 *	8.6 ←	9.8 ↑	9.2 →	9.5 ←
	9.9 ↘	8.3 ↖	9.5 ↘	10.1 ←	10.4 *
beste Teiler	106.8 (11.) 130.8 (20.) 201.7 (19.)				
Trefferlage	1.19 mm links, 0.22 mm hoch				
Streuwert	2.69, horizontal: 3.28, vertikal: 1.94				



Serie 3:	8.4 ↗	10.7 *	9.5 ↘	9.5 ↑	10.3 *
	9.1 ←	9.1 ↖	9.8 ↖	8.6 ↗	9.1 →
beste Teiler	58.6 (22.) 169.9 (25.) 293.1 (28.)				
Trefferlage	1.26 mm links, 0.44 mm tief				
Streuwert	2.97, horizontal: 3.08, vertikal: 2.85				





Serie 4:	8.2 ↓	10.3 *	9.2 →	6.7 ↘	8.2 →
	8.2 ↘	9.7 →	5.1 ↗	7.9 ↗	7.9 ←
beste Teiler	157.6 (32.) 322.3 (37.) 443.0 (33.)				
Trefferlage	1.75 mm links, 2.01 mm tief				
Streuwert	5.49, horizontal: 6.75, vertikal: 3.84				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **319** (334.7)
 Serien: 84 81 77 77
 Zähler: 9 6 12 7 2 2 2 0 0 0
 Innenzehner: 8
 weiteste: 1732 (34), 1555 (19), 1469 (18)
 beste Teiler 34.0 (6.) 99.3 (38.) 124.2 (39.)
 Trefferlage 2.29 mm links, 1.15 mm tief
 Streuwert 5.19, horizontal: 6.31, vertikal: 3.77




Serie 1:
 8.4 → 8.1 ↖ 8.8 → 7.2 ↓ 10.4 *
 10.8 * 7.0 ↙ 9.3 ↗ 7.2 ← 10.3 *
 beste Teiler 34.0 (6.) 136.1 (5.) 156.2 (10.)
 Trefferlage 1.79 mm links, 1.25 mm tief
 Streuwert 4.55, horizontal: 5.25, vertikal: 3.73



Serie 2:
 8.6 ← 10.4 * 10.2 * 10.4 * 8.0 ↘
 10.0 ← 9.4 ↙ 5.1 ← 4.7 ← 7.0 →
 beste Teiler 142.3 (14.) 143.1 (12.) 198.6 (13.)
 Trefferlage 3.21 mm links, 1.67 mm tief
 Streuwert 5.49, horizontal: 6.85, vertikal: 3.64



Serie 3:
 9.2 ↘ 8.5 ← 8.0 ↖ 6.7 → 7.4 ↓
 8.2 ↘ 9.2 ↗ 8.3 ↙ 8.6 ← 6.7 ←
 beste Teiler 438.5 (27.) 441.8 (21.) 591.3 (29.)
 Trefferlage 1.75 mm links, 1.33 mm tief
 Streuwert 5.35, horizontal: 6.41, vertikal: 4.03





Serie 4:
 9.7 ↗ 5.5 → 7.8 ↓ 4.0 ← 8.7 ↖
 9.6 ↖ 7.7 ↘ 10.6 * 10.5 * 8.5 ←
 beste Teiler 99.3 (38.) 124.2 (39.) 324.8 (31.)
 Trefferlage 2.42 mm links, 0.36 mm tief
 Streuwert 6.01, horizontal: 7.43, vertikal: 4.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (366.6)
 Serien: 83 88 84 93
 Zähler: 12 12 10 4 2 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1017 (22), 1008 (1), 950 (14)
 beste Teiler 44.5 (16.) 84.0 (38.) 94.0 (34.)
 Trefferlage 0.92 mm rechts, 0.59 mm hoch
 Streuwert 3.69, horizontal: 4.82, vertikal: 1.98




Serie 1:
 6.9 ← 8.3 ← 10.4 * 8.7 → 9.7 ↗
 10.4 * 7.3 → 7.2 ↗ 9.7 ← 9.5 ←
 beste Teiler 134.1 (3.) 139.1 (6.) 304.0 (9.)
 Trefferlage 0.14 mm rechts, 0.61 mm hoch
 Streuwert 4.60, horizontal: 6.28, vertikal: 1.67



Serie 2:
 9.6 ↖ 10.2 * 10.4 * 7.2 → 9.0 ↘
 10.8 * 8.7 → 9.8 ↖ 8.6 → 8.8 ↘
 beste Teiler 44.5 (16.) 127.0 (13.) 190.9 (12.)
 Trefferlage 0.47 mm rechts, 0.30 mm hoch
 Streuwert 3.61, horizontal: 4.73, vertikal: 1.91





Serie 3:
 8.6 → 6.9 ↗ 7.9 ↗ 8.1 ↘ 9.5 ↗
 9.3 → 10.5 * 9.0 → 10.0 → 8.7 ↗
 beste Teiler 111.2 (27.) 235.1 (29.) 351.3 (25.)
 Trefferlage 3.36 mm rechts, 2.19 mm hoch
 Streuwert 3.16, horizontal: 4.09, vertikal: 1.79




Serie 4:
 8.0 ↘ 9.2 → 9.2 ← 10.6 * 10.5 *
 10.3 * 10.2 * 10.6 * 9.8 ← 8.5 ←
 beste Teiler 84.0 (38.) 94.0 (34.) 116.4 (35.)
 Trefferlage 0.28 mm links, 0.72 mm tief
 Streuwert 2.79, horizontal: 3.63, vertikal: 1.55

Unterschrift des Schützen


Ergebnis:	330	(345.1)
Serien:	80	76 89 85
Zähler:	7	13 9 6 4 1 0 0 0 0
Innenzehner:	4	
weiteste:	1263 (12), 1206 (10), 1168 (17)	
beste Teiler	89.4 (25.) 144.5 (23.) 145.9 (33.)	
Trefferlage	1.62 mm links, 0.66 mm hoch	
Streuwert	4.58, horizontal: 4.69, vertikal: 4.46	




Serie 1:	8.3 ↘	7.2 ↓	9.4 ↘	9.6 →	9.3 ↓
	7.0 ↗	10.0 ↘	9.5 ↓	6.8 ←	6.1 ↖
beste Teiler	238.0 (7.) 350.1 (4.) 355.7 (8.)				
Trefferlage	2.02 mm links, 0.58 mm hoch				
Streuwert	5.29, horizontal: 5.14, vertikal: 5.44				



Serie 2:	10.0 ↘	5.9 ↓	8.9 ↓	7.4 ↗	6.6 ↘
	9.6 ↙	6.3 ↖	8.5 →	9.8 ↑	8.3 ↓
beste Teiler	239.2 (11.) 297.5 (19.) 332.4 (16.)				
Trefferlage	0.39 mm links, 0.30 mm hoch				
Streuwert	5.89, horizontal: 5.38, vertikal: 6.36				



Serie 3:	9.0 →	8.7 →	10.4 *	7.5 ↘	10.6 *
	10.1 ↗	8.0 ←	10.3 *	8.6 ↙	9.4 ←
beste Teiler	89.4 (25.) 144.5 (23.) 169.0 (28.)				
Trefferlage	1.51 mm links, 0.86 mm hoch				
Streuwert	3.43, horizontal: 4.26, vertikal: 2.32				





Serie 4:	9.4 ↓	8.1 ←	10.4 *	7.5 ←	9.4 ←
	9.2 ↗	7.6 ↘	9.1 ↘	9.2 ↘	8.1 ↖
beste Teiler	145.9 (33.) 383.4 (31.) 395.8 (35.)				
Trefferlage	2.55 mm links, 0.92 mm hoch				
Streuwert	3.85, horizontal: 4.36, vertikal: 3.27				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (408.1)
 Serien: 97 97 99 99
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 396 (34), 386 (17), 377 (16)
 beste Teiler 20.2 (25.) 35.4 (7.) 48.6 (29.)
 Trefferlage 0.33 mm rechts, 0.39 mm hoch
 Streuwert 1.44, horizontal: 1.74, vertikal: 1.06




Serie 1:
 9.9 → 10.4 * 10.3 * 10.3 * 9.7 ←
 10.2 * 10.8 * 9.7 ↙ 10.3 * 10.7 *
 beste Teiler 35.4 (7.) 66.0 (10.) 141.7 (2.)
 Trefferlage 0.28 mm links, 0.36 mm hoch
 Streuwert 1.46, horizontal: 1.75, vertikal: 1.08



Serie 2:
 10.7 * 10.2 * 9.5 → 10.5 * 10.0 ↑
 9.4 → 9.4 ↗ 10.2 * 10.5 * 10.0 →
 beste Teiler 58.8 (11.) 103.3 (19.) 109.4 (14.)
 Trefferlage 1.20 mm rechts, 0.76 mm hoch
 Streuwert 1.52, horizontal: 1.89, vertikal: 1.05





Serie 3:
 10.5 * 10.0 → 9.7 ↖ 10.0 ↘ 10.9 *
 10.2 * 10.6 * 10.5 * 10.8 * 10.0 ↖
 beste Teiler 20.2 (25.) 48.6 (29.) 78.2 (27.)
 Trefferlage 0.04 mm links, 0.05 mm tief
 Streuwert 1.33, horizontal: 1.51, vertikal: 1.12




Serie 4:
 10.4 * 10.2 * 10.4 * 9.4 → 10.3 *
 10.4 * 10.3 * 10.2 * 10.4 * 10.2 *
 beste Teiler 127.4 (33.) 128.9 (31.) 134.1 (39.)
 Trefferlage 0.48 mm rechts, 0.49 mm hoch
 Streuwert 1.37, horizontal: 1.67, vertikal: 0.99

Unterschrift des Schützen


Ergebnis: **379** (399.8)
 Serien: 95 94 95 95
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 597 (31), 591 (39), 431 (21)
 beste Teiler 17.0 (17.) 41.4 (35.) 58.0 (29.)
 Trefferlage 0.19 mm rechts, 0.13 mm tief
 Streuwert 1.96, horizontal: 2.17, vertikal: 1.73




Serie 1:
 9.8 ↖ 10.3 * 9.8 ↗ 10.5 * 10.6 *
 9.3 ↙ 9.8 ↘ 9.9 ↘ 10.1 → 10.2 *
 beste Teiler 91.7 (5.) 118.5 (4.) 155.3 (2.)
 Trefferlage 0.33 mm rechts, 0.41 mm tief
 Streuwert 1.80, horizontal: 1.76, vertikal: 1.84



Serie 2:
 9.9 → 9.4 ↖ 10.0 ↑ 9.4 ↖ 9.9 ↘
 9.8 ↙ 10.9 * 9.5 ↘ 10.1 ↖ 10.4 *
 beste Teiler 17.0 (17.) 139.6 (20.) 210.7 (19.)
 Trefferlage 0.16 mm links, 0.19 mm hoch
 Streuwert 2.07, horizontal: 2.01, vertikal: 2.13





Serie 3:
 9.2 → 9.8 ↖ 9.5 → 9.6 ↙ 10.2 *
 9.9 ↖ 10.2 * 10.6 * 10.7 * 10.6 *
 beste Teiler 58.0 (29.) 90.3 (30.) 92.6 (28.)
 Trefferlage 0.05 mm links, 0.26 mm tief
 Streuwert 1.93, horizontal: 2.26, vertikal: 1.52




Serie 4:
 8.6 ↘ 10.4 * 10.0 ↙ 10.0 ↗ 10.8 *
 10.5 * 10.7 * 9.8 ← 8.6 → 10.5 *
 beste Teiler 41.4 (35.) 65.2 (37.) 116.0 (40.)
 Trefferlage 0.66 mm rechts, 0.03 mm tief
 Streuwert 2.26, horizontal: 2.79, vertikal: 1.56

Unterschrift des Schützen


Ergebnis: **389** (406.3)
 Serien: 97 95 99 98
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 471 (16), 360 (14), 347 (3)
 beste Teiler 58.7 (20.) 72.9 (4.) 83.0 (2.)
 Trefferlage 0.36 mm links, 0.23 mm tief
 Streuwert 1.54, horizontal: 1.54, vertikal: 1.55




Serie 1:
 10.2 * 10.6 * 9.6 ↘ 10.7 * 10.5 *
 9.9 ← 10.5 * 10.2 * 9.9 ↖ 10.5 *
 beste Teiler 72.9 (4.) 83.0 (2.) 105.3 (5.)
 Trefferlage 0.12 mm links, 0.37 mm tief
 Streuwert 1.44, horizontal: 1.71, vertikal: 1.10



Serie 2:
 10.4 * 9.9 ↓ 10.1 ↑ 9.5 ↑ 9.7 ↖
 9.1 ← 10.5 * 10.0 ← 9.7 ↓ 10.7 *
 beste Teiler 58.7 (20.) 118.3 (17.) 146.1 (11.)
 Trefferlage 1.36 mm links, 0.07 mm hoch
 Streuwert 1.80, horizontal: 1.52, vertikal: 2.05





Serie 3:
 10.5 * 10.4 * 10.4 * 10.2 * 9.7 ↘
 10.0 ↘ 10.6 * 10.2 * 10.4 * 10.1 ↗
 beste Teiler 96.2 (27.) 102.1 (21.) 127.3 (23.)
 Trefferlage 0.30 mm rechts, 0.51 mm tief
 Streuwert 1.33, horizontal: 1.30, vertikal: 1.36




Serie 4:
 9.8 ↑ 10.4 * 10.4 * 10.0 → 10.5 *
 10.3 * 10.1 ← 9.9 ↙ 10.0 ↓ 10.2 *
 beste Teiler 118.2 (35.) 129.2 (32.) 142.8 (33.)
 Trefferlage 0.25 mm links, 0.10 mm tief
 Streuwert 1.52, horizontal: 1.27, vertikal: 1.73

Unterschrift des Schützen


Ergebnis: **351** (367.4)
 Serien: 90 86 85 90
 Zähler: 12 13 11 2 2 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1223 (37), 1040 (13), 852 (25)
 beste Teiler 68.6 (35.) 89.8 (34.) 92.6 (40.)
 Trefferlage 1.22 mm rechts, 0.28 mm tief
 Streuwert 3.56, horizontal: 4.43, vertikal: 2.39




Serie 1:
 8.9 ↗ 10.0 ↘ 8.3 ↖ 9.7 ↗ 10.4 *
 9.4 ↘ 8.0 ↗ 10.3 * 9.6 ↗ 9.9 →
 beste Teiler 126.4 (5.) 168.6 (8.) 227.6 (2.)
 Trefferlage 1.20 mm rechts, 1.22 mm hoch
 Streuwert 2.85, horizontal: 3.34, vertikal: 2.26



Serie 2:
 8.8 → 10.0 ← 6.8 → 8.4 → 9.2 ←
 8.2 ← 10.2 * 9.1 ← 9.6 ← 9.1 ←
 beste Teiler 178.5 (17.) 239.8 (12.) 344.7 (19.)
 Trefferlage 0.27 mm links, 0.52 mm tief
 Streuwert 4.12, horizontal: 5.65, vertikal: 1.43



Serie 3:
 8.6 → 9.8 → 9.2 ↙ 8.5 ↘ 7.5 ↘
 8.8 → 10.0 ↖ 9.5 ↖ 10.5 * 7.9 ↘
 beste Teiler 103.3 (29.) 226.6 (27.) 277.0 (22.)
 Trefferlage 2.41 mm rechts, 1.06 mm tief
 Streuwert 3.42, horizontal: 3.91, vertikal: 2.84





Serie 4:
 10.0 ↑ 10.0 ↓ 8.6 → 10.6 * 10.7 *
 9.4 ↓ 6.1 → 8.2 ↖ 9.0 ↘ 10.6 *
 beste Teiler 68.6 (35.) 89.8 (34.) 92.6 (40.)
 Trefferlage 1.56 mm rechts, 0.76 mm tief
 Streuwert 3.77, horizontal: 4.73, vertikal: 2.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (399.9)
 Serien: 93 96 96 94
 Zähler: 21 17 2 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 555 (1), 538 (38), 477 (2)
 beste Teiler 20.8 (15.) 57.2 (29.) 66.3 (14.)
 Trefferlage 0.08 mm rechts, 0.20 mm hoch
 Streuwert 2.00, horizontal: 2.16, vertikal: 1.83




Serie 1:
 8.7 ↘ 9.0 → 9.9 ↗ 10.7 * 10.7 *
 10.7 * 10.5 * 9.5 ↑ 9.1 → 9.9 →
 beste Teiler 68.8 (4.) 71.5 (5.) 75.7 (6.)
 Trefferlage 1.12 mm rechts, 0.40 mm hoch
 Streuwert 2.22, horizontal: 2.41, vertikal: 2.01



Serie 2:
 9.1 ↑ 10.5 * 10.0 ↙ 10.7 * 10.9 *
 10.3 * 10.1 ↘ 9.8 → 9.9 ↙ 9.6 ←
 beste Teiler 20.8 (15.) 66.3 (14.) 102.5 (12.)
 Trefferlage 0.37 mm links, 0.07 mm tief
 Streuwert 1.87, horizontal: 1.83, vertikal: 1.92





Serie 3:
 10.2 * 9.8 → 10.1 ← 9.3 ← 10.4 *
 10.6 * 9.6 ↗ 10.6 * 10.7 * 9.9 ←
 beste Teiler 57.2 (29.) 95.9 (28.) 96.1 (26.)
 Trefferlage 0.08 mm links, 0.68 mm hoch
 Streuwert 1.71, horizontal: 2.19, vertikal: 1.01




Serie 4:
 10.4 * 9.6 ↑ 9.6 ↘ 9.5 ↘ 10.0 →
 10.7 * 10.4 * 8.8 ↙ 10.6 * 9.5 ←
 beste Teiler 70.6 (36.) 83.2 (39.) 133.5 (31.)
 Trefferlage 0.34 mm links, 0.20 mm tief
 Streuwert 2.20, horizontal: 2.12, vertikal: 2.28

Unterschrift des Schützen


Ergebnis:	377	(392.8)
Serien:	93 92 95 97	
Zähler:	20 17 3 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	586 (18), 511 (6), 504 (1)	
beste Teiler	23.5 (5.) 104.8 (35.) 109.1 (7.)	
Trefferlage	0.02 mm rechts, 0.35 mm hoch	
Streuwert	2.23, horizontal: 2.76, vertikal: 1.53	




Serie 1:	8.9 ←	10.4 *	10.5 *	9.7 ←	10.9 *
	8.9 →	10.5 *	10.0 ←	9.6 ↖	9.8 ↗
beste Teiler	23.5 (5.)	109.1 (7.)	111.0 (3.)		
Trefferlage	0.81 mm links, 0.41 mm hoch				
Streuwert	2.15, horizontal: 2.75, vertikal: 1.29				



Serie 2:	9.1 ←	9.3 ↖	10.4 *	9.3 ↗	9.8 →
	10.2 *	9.6 ↗	8.6 →	10.4 *	9.9 ↖
beste Teiler	128.7 (19.)	135.7 (13.)	198.3 (16.)		
Trefferlage	0.26 mm rechts, 1.26 mm hoch				
Streuwert	2.44, horizontal: 3.20, vertikal: 1.28				





Serie 3:	9.0 ←	10.0 →	10.5 *	10.0 ←	10.0 ↓
	10.1 ↓	9.3 ↗	9.6 ↖	9.5 →	9.2 →
beste Teiler	117.8 (23.)	210.6 (26.)	236.3 (25.)		
Trefferlage	0.41 mm rechts, 0.00 mm				
Streuwert	2.44, horizontal: 2.94, vertikal: 1.80				




Serie 4:	9.4 →	10.4 *	10.2 *	10.1 ↖	10.5 *
	9.3 →	10.2 *	10.2 *	9.4 ↓	10.1 ↖
beste Teiler	104.8 (35.)	131.2 (32.)	182.4 (37.)		
Trefferlage	0.24 mm rechts, 0.24 mm tief				
Streuwert	1.94, horizontal: 2.32, vertikal: 1.45				

Unterschrift des Schützen


Ergebnis:	374	(390.0)
Serien:	95	94 93 92
Zähler:	15	24 1 0 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	518 (23), 488 (32), 488 (36)	
beste Teiler	66.4 (26.) 86.3 (22.) 100.4 (8.)	
Trefferlage	0.03 mm rechts, 0.01 mm hoch	
Streuwert	2.35, horizontal: 2.49, vertikal: 2.20	




Serie 1:	10.3 *	9.8 ↓	9.2 ↗	10.4 *	10.1 →
	9.9 ↑	9.2 ↑	10.6 *	10.1 ↗	9.9 ↘
beste Teiler	100.4 (8.) 146.4 (4.) 156.8 (1.)				
Trefferlage	1.15 mm rechts, 0.75 mm hoch				
Streuwert	1.79, horizontal: 0.89, vertikal: 2.37				



Serie 2:	10.1 ↓	10.0 ←	9.4 ←	9.1 ↗	10.1 ↙
	9.9 ↓	9.5 ←	9.1 ↘	9.0 ←	10.4 *
beste Teiler	136.7 (20.) 207.4 (15.) 214.3 (11.)				
Trefferlage	1.05 mm links, 0.34 mm tief				
Streuwert	2.43, horizontal: 2.93, vertikal: 1.78				





Serie 3:	9.6 ↙	10.6 *	8.9 →	9.9 ↙	10.5 *
	10.7 *	10.5 *	9.3 →	9.6 ↗	9.8 →
beste Teiler	66.4 (26.) 86.3 (22.) 103.3 (25.)				
Trefferlage	0.94 mm rechts, 0.29 mm tief				
Streuwert	2.05, horizontal: 2.50, vertikal: 1.47				




Serie 4:	10.1 ↙	9.0 ↙	10.1 ↙	9.9 ↓	9.1 ↗
	9.0 ←	9.3 ↖	9.2 ↘	9.4 ↙	9.4 →
beste Teiler	220.0 (31.) 223.3 (33.) 264.7 (34.)				
Trefferlage	0.89 mm links, 0.04 mm tief				
Streuwert	2.82, horizontal: 2.59, vertikal: 3.03				

Unterschrift des Schützen


Ergebnis: **364** (383.9)
 Serien: 93 91 92 88
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 801 (39), 724 (13), 679 (14)
 beste Teiler 28.0 (6.) 31.9 (22.) 69.2 (26.)
 Trefferlage 0.77 mm rechts, 0.64 mm hoch
 Streuwert 2.66, horizontal: 2.47, vertikal: 2.85




Serie 1:
 8.9 → 8.7 ↙ 10.6 * 9.8 ↗ 9.2 ↘
 10.8 * 10.2 * 10.2 * 9.8 → 10.0 ↘
 beste Teiler 28.0 (6.) 92.9 (3.) 180.7 (8.)
 Trefferlage 0.19 mm rechts, 0.03 mm tief
 Streuwert 2.43, horizontal: 2.52, vertikal: 2.33



Serie 2:
 9.3 → 10.6 * 8.1 ↑ 8.2 ↖ 9.9 ↖
 9.4 ↑ 10.5 * 9.1 → 10.2 * 9.5 →
 beste Teiler 100.4 (12.) 104.1 (17.) 188.0 (19.)
 Trefferlage 0.57 mm rechts, 1.85 mm hoch
 Streuwert 2.78, horizontal: 2.74, vertikal: 2.82



Serie 3:
 9.8 ↘ 10.8 * 9.9 → 9.9 ↘ 8.6 ↘
 10.7 * 10.3 * 9.6 ↗ 9.9 ↘ 9.4 →
 beste Teiler 31.9 (22.) 69.2 (26.) 161.6 (27.)
 Trefferlage 1.37 mm rechts, 0.79 mm tief
 Streuwert 1.93, horizontal: 1.48, vertikal: 2.29





Serie 4:
 9.5 → 9.2 ↖ 9.5 ↘ 9.9 → 10.3 *
 9.2 ↙ 9.0 ↗ 9.0 ↗ 7.7 ↑ 8.7 ↗
 beste Teiler 158.0 (35.) 256.7 (34.) 364.3 (31.)
 Trefferlage 0.97 mm rechts, 1.55 mm hoch
 Streuwert 3.21, horizontal: 3.07, vertikal: 3.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (406.1)
 Serien: 97 100 97 94
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 482 (36), 451 (5), 432 (2)
 beste Teiler 35.5 (33.) 48.0 (37.) 65.0 (1.)
 Trefferlage 0.17 mm rechts, 0.08 mm tief
 Streuwert 1.63, horizontal: 1.72, vertikal: 1.53




Serie 1:
 10.7 * 9.2 ↘ 10.5 * 10.2 * 9.1 ↘
 10.4 * 10.2 * 9.9 ↑ 10.3 * 10.7 *
 beste Teiler 65.0 (1.) 75.1 (10.) 104.2 (3.)
 Trefferlage 0.64 mm links, 0.85 mm hoch
 Streuwert 1.63, horizontal: 1.66, vertikal: 1.61



Serie 2:
 10.2 * 10.1 ← 10.3 * 10.5 * 10.4 *
 10.7 * 10.7 * 10.2 * 10.3 * 10.2 *
 beste Teiler 67.0 (17.) 67.2 (16.) 109.3 (14.)
 Trefferlage 0.12 mm rechts, 0.05 mm hoch
 Streuwert 1.13, horizontal: 1.38, vertikal: 0.82



Serie 3:
 10.5 * 9.7 ↘ 10.6 * 10.0 ↗ 10.0 ↘
 10.2 * 10.7 * 10.5 * 9.9 ↘ 9.8 ←
 beste Teiler 66.7 (27.) 97.0 (23.) 110.4 (28.)
 Trefferlage 0.12 mm rechts, 0.31 mm hoch
 Streuwert 1.54, horizontal: 1.75, vertikal: 1.30





Serie 4:
 9.9 ↓ 10.2 * 10.8 * 9.8 ↘ 10.0 →
 9.0 ↘ 10.8 * 9.4 ↓ 9.6 → 9.9 ↓
 beste Teiler 35.5 (33.) 48.0 (37.) 191.6 (32.)
 Trefferlage 1.10 mm rechts, 1.56 mm tief
 Streuwert 1.58, horizontal: 1.83, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.6)
 Serien: 93 92 90 91
 Zähler: 14 19 6 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 757 (31), 642 (23), 632 (26)
 beste Teiler 114.0 (29.) 124.4 (40.) 128.3 (8.)
 Trefferlage 0.35 mm rechts, 0.12 mm tief
 Streuwert 2.65, horizontal: 2.96, vertikal: 2.30




Serie 1:
 9.8 ↓ 9.4 ↗ 9.8 → 9.4 ↘ 9.9 ↗
 10.2 * 10.3 * 10.4 * 9.4 ↘ 9.5 ↖
 beste Teiler 128.3 (8.) 168.4 (7.) 191.4 (6.)
 Trefferlage 0.77 mm rechts, 0.25 mm hoch
 Streuwert 2.19, horizontal: 2.46, vertikal: 1.87



Serie 2:
 9.7 ↖ 10.1 ↖ 9.9 ↖ 8.7 ↘ 9.3 ←
 9.1 → 9.4 ↘ 9.2 ↘ 10.4 * 10.2 *
 beste Teiler 128.8 (19.) 187.3 (20.) 222.2 (12.)
 Trefferlage 0.39 mm rechts, 0.92 mm tief
 Streuwert 2.57, horizontal: 2.96, vertikal: 2.10



Serie 3:
 10.0 ↖ 9.9 ↖ 8.4 ↘ 9.1 ↖ 9.5 ↓
 8.4 → 8.7 ↗ 10.1 ↖ 10.5 * 9.3 ↗
 beste Teiler 114.0 (29.) 221.1 (28.) 235.0 (21.)
 Trefferlage 1.02 mm rechts, 0.41 mm tief
 Streuwert 3.10, horizontal: 3.55, vertikal: 2.57





Serie 4:
 7.9 ← 10.4 * 10.3 * 8.8 ↗ 10.1 ↖
 8.9 ↓ 9.8 ↖ 9.9 ↖ 10.0 ↗ 10.5 *
 beste Teiler 124.4 (40.) 134.0 (32.) 161.4 (33.)
 Trefferlage 0.75 mm links, 0.57 mm hoch
 Streuwert 2.76, horizontal: 2.90, vertikal: 2.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (404.8)
 Serien: 96 95 99 97
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 489 (5), 415 (17), 410 (1)
 beste Teiler 40.7 (21.) 47.4 (4.) 80.5 (40.)
 Trefferlage 0.06 mm rechts, 0.54 mm hoch
 Streuwert 1.64, horizontal: 1.95, vertikal: 1.25




Serie 1:
 9.3 ↘ 10.4 * 9.9 ↙ 10.8 * 9.0 ↘
 10.6 * 10.1 ↘ 10.2 * 9.9 ↙ 10.4 *
 beste Teiler 47.4 (4.) 97.0 (6.) 135.8 (10.)
 Trefferlage 0.69 mm links, 0.18 mm tief
 Streuwert 1.88, horizontal: 2.09, vertikal: 1.65



Serie 2:
 9.3 → 10.1 ↘ 9.9 ↗ 10.4 * 9.8 ↙
 9.7 → 9.3 → 10.5 * 10.5 * 10.4 *
 beste Teiler 118.1 (19.) 122.4 (18.) 128.8 (20.)
 Trefferlage 0.56 mm rechts, 0.57 mm hoch
 Streuwert 1.89, horizontal: 2.38, vertikal: 1.22





Serie 3:
 10.8 * 10.3 * 10.3 * 10.0 → 10.0 →
 9.8 ↗ 10.3 * 10.3 * 10.4 * 10.6 *
 beste Teiler 40.7 (21.) 92.6 (30.) 141.8 (29.)
 Trefferlage 0.89 mm rechts, 0.47 mm hoch
 Streuwert 1.15, horizontal: 1.45, vertikal: 0.75




Serie 4:
 10.4 * 10.3 * 9.9 ↘ 9.5 ↗ 10.4 *
 10.1 ↘ 10.5 * 9.8 ↘ 10.0 ↘ 10.6 *
 beste Teiler 80.5 (40.) 109.5 (37.) 139.2 (31.)
 Trefferlage 0.51 mm links, 1.31 mm hoch
 Streuwert 1.23, horizontal: 1.50, vertikal: 0.89

Unterschrift des Schützen


Ergebnis: **375** (393.3)
 Serien: 93 93 97 92
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 644 (31), 528 (16), 454 (40)
 beste Teiler 4.0 (23.) 47.9 (24.) 68.0 (35.)
 Trefferlage 0.68 mm rechts, 0.32 mm tief
 Streuwert 2.17, horizontal: 2.17, vertikal: 2.18




Serie 1:
 9.8 ↗ 10.2 * 10.7 * 9.9 ↖ 9.2 ↓
 9.2 ↗ 10.3 * 9.5 ↓ 9.1 ↖ 9.3 →
 beste Teiler 70.0 (3.) 155.6 (7.) 193.0 (2.)
 Trefferlage 0.16 mm links, 0.63 mm hoch
 Streuwert 2.43, horizontal: 1.91, vertikal: 2.85



Serie 2:
 9.6 ↘ 9.8 → 9.3 ↘ 10.2 * 10.3 *
 8.8 ↙ 9.6 ↘ 10.1 → 9.5 ← 10.3 *
 beste Teiler 152.2 (20.) 154.3 (15.) 196.2 (14.)
 Trefferlage 0.78 mm rechts, 1.57 mm tief
 Streuwert 2.02, horizontal: 2.40, vertikal: 1.53



Serie 3:
 10.1 ← 9.6 → 10.9 * 10.8 * 10.3 *
 9.6 ↘ 9.7 → 10.3 * 10.1 ↗ 10.6 *
 beste Teiler 4.0 (23.) 47.9 (24.) 79.4 (30.)
 Trefferlage 0.94 mm rechts, 0.10 mm tief
 Streuwert 1.47, horizontal: 1.67, vertikal: 1.24





Serie 4:
 8.4 → 9.5 ↖ 9.5 ↘ 10.1 ↗ 10.7 *
 9.2 ↘ 10.5 * 9.7 ↓ 9.9 → 9.1 ↖
 beste Teiler 68.0 (35.) 111.0 (37.) 213.0 (34.)
 Trefferlage 1.16 mm rechts, 0.23 mm tief
 Streuwert 2.52, horizontal: 2.65, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (410.5)
 Serien: 95 99 99 99
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 470 (8), 385 (28), 349 (6)
 beste Teiler 21.4 (34.) 41.5 (33.) 47.5 (11.)
 Trefferlage 0.27 mm rechts, 0.08 mm hoch
 Streuwert 1.42, horizontal: 1.43, vertikal: 1.40




Serie 1:
 10.5 * 10.7 * 10.2 * 9.7 ↘ 10.4 *
 9.6 → 10.5 * 9.1 ↙ 9.8 ↗ 9.8 ↘
 beste Teiler 68.2 (2.) 118.8 (7.) 120.0 (1.)
 Trefferlage 0.19 mm rechts, 0.16 mm hoch
 Streuwert 1.94, horizontal: 2.13, vertikal: 1.71



Serie 2:
 10.8 * 10.0 ↘ 10.2 * 10.0 ↓ 10.6 *
 10.4 * 10.2 * 9.9 ↓ 10.5 * 10.1 ↘
 beste Teiler 47.5 (11.) 99.3 (15.) 101.1 (19.)
 Trefferlage 0.45 mm rechts, 0.30 mm tief
 Streuwert 1.33, horizontal: 1.16, vertikal: 1.48



Serie 3:
 10.3 * 10.0 ↑ 10.0 ↑ 10.5 * 10.5 *
 10.6 * 10.6 * 9.4 ↘ 10.0 ← 10.4 *
 beste Teiler 92.6 (27.) 95.3 (26.) 106.0 (25.)
 Trefferlage 0.03 mm rechts, 0.30 mm hoch
 Streuwert 1.47, horizontal: 1.29, vertikal: 1.62





Serie 4:
 10.5 * 10.5 * 10.8 * 10.9 * 10.2 *
 10.6 * 9.9 → 10.6 * 10.6 * 10.6 *
 beste Teiler 21.4 (34.) 41.5 (33.) 76.0 (38.)
 Trefferlage 0.41 mm rechts, 0.16 mm hoch
 Streuwert 0.91, horizontal: 1.06, vertikal: 0.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (400.4)
 Serien: 94 95 95 95
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 617 (11), 553 (1), 403 (25)
 beste Teiler 39.9 (12.) 50.5 (23.) 84.4 (19.)
 Trefferlage 0.09 mm rechts, 0.56 mm tief
 Streuwert 1.84, horizontal: 1.75, vertikal: 1.93




Serie 1:
 8.7 ↘ 10.4 * 9.9 ↘ 10.1 ↗ 9.9 →
 10.0 ↙ 10.4 * 9.9 ↗ 9.5 ↘ 10.4 *
 beste Teiler 127.7 (2.) 141.6 (10.) 148.4 (7.)
 Trefferlage 0.90 mm rechts, 0.70 mm tief
 Streuwert 1.93, horizontal: 1.99, vertikal: 1.88



Serie 2:
 8.5 ↓ 10.8 * 9.9 ↘ 10.1 ↓ 10.4 *
 9.8 ↘ 9.6 ↘ 10.1 ↓ 10.6 * 10.2 *
 beste Teiler 39.9 (12.) 84.4 (19.) 127.0 (15.)
 Trefferlage 0.39 mm rechts, 0.87 mm tief
 Streuwert 2.00, horizontal: 1.53, vertikal: 2.39



Serie 3:
 9.7 ↗ 9.8 ← 10.8 * 10.5 * 9.3 ←
 10.1 ↙ 9.9 ↘ 9.9 ↓ 10.4 * 10.3 *
 beste Teiler 50.5 (23.) 125.2 (24.) 132.1 (29.)
 Trefferlage 0.62 mm links, 0.38 mm tief
 Streuwert 1.72, horizontal: 1.80, vertikal: 1.64





Serie 4:
 9.9 ↓ 10.3 * 10.5 * 9.5 ↓ 9.8 ↗
 9.9 ↗ 10.1 → 10.4 * 10.2 * 9.9 ↑
 beste Teiler 121.2 (33.) 149.8 (38.) 166.8 (32.)
 Trefferlage 0.31 mm links, 0.30 mm tief
 Streuwert 1.75, horizontal: 1.48, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(398.1)
Serien:	95 96 96 93	
Zähler:	20 20 0 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	480 (5), 471 (38), 428 (36)	
beste Teiler	21.4 (22.) 51.0 (29.) 55.5 (25.)	
Trefferlage	0.03 mm rechts, 0.46 mm hoch	
Streuwert	1.94, horizontal: 2.26, vertikal: 1.56	




Serie 1:	9.3 →	10.0 →	10.0 ↖	10.3 *	9.0 ←
	10.2 *	10.1 ↑	9.6 ↙	9.9 ↓	9.7 →
beste Teiler	168.3 (4.)	200.1 (6.)	220.3 (7.)		
Trefferlage	0.14 mm rechts, 0.01 mm hoch				
Streuwert	2.25, horizontal: 2.77, vertikal: 1.55				



Serie 2:	9.5 ↘	9.7 ↗	10.1 →	10.3 *	10.2 *
	9.5 →	10.4 *	10.2 *	10.5 *	9.8 →
beste Teiler	124.6 (19.)	131.3 (17.)	153.3 (14.)		
Trefferlage	0.60 mm rechts, 0.73 mm hoch				
Streuwert	1.70, horizontal: 2.10, vertikal: 1.17				





Serie 3:	9.3 ↘	10.9 *	10.6 *	9.5 ↘	10.7 *
	9.7 ↗	10.3 *	9.8 ↗	10.7 *	10.2 *
beste Teiler	21.4 (22.)	51.0 (29.)	55.5 (25.)		
Trefferlage	0.42 mm rechts, 0.43 mm hoch				
Streuwert	1.71, horizontal: 1.75, vertikal: 1.67				




Serie 4:	9.7 ↘	9.9 →	9.6 ↖	10.0 ↑	10.4 *
	9.2 ↘	10.7 *	9.1 ↖	9.6 ↖	9.9 ↙
beste Teiler	69.3 (37.)	147.9 (35.)	242.8 (34.)		
Trefferlage	1.05 mm links, 0.69 mm hoch				
Streuwert	2.09, horizontal: 2.28, vertikal: 1.89				

Unterschrift des Schützen


Ergebnis: **373** (391.9)
 Serien: 94 95 93 91
 Zähler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 793 (40), 729 (22), 628 (8)
 beste Teiler 18.0 (3.) 50.2 (27.) 57.0 (19.)
 Trefferlage 0.76 mm rechts, 0.38 mm hoch
 Streuwert 2.36, horizontal: 2.45, vertikal: 2.27




Serie 1:
 8.5 ↑ 10.4 * 10.9 * 10.5 * 10.3 *
 9.9 → 10.2 * 8.4 ↓ 10.0 ↑ 9.9 ↗
 beste Teiler 18.0 (3.) 110.7 (4.) 134.1 (2.)
 Trefferlage 0.96 mm rechts, 0.52 mm hoch
 Streuwert 2.27, horizontal: 1.45, vertikal: 2.87



Serie 2:
 9.4 → 10.2 * 10.5 * 9.9 → 9.3 →
 10.1 ↘ 9.6 ↘ 10.3 * 10.7 * 9.9 ↓
 beste Teiler 57.0 (19.) 114.2 (13.) 154.8 (18.)
 Trefferlage 1.64 mm rechts, 0.42 mm tief
 Streuwert 1.55, horizontal: 1.80, vertikal: 1.24



Serie 3:
 9.5 ↘ 8.0 ← 9.9 ↙ 9.8 → 9.9 →
 10.3 * 10.8 * 10.6 * 10.1 ↖ 9.0 ↖
 beste Teiler 50.2 (27.) 85.5 (28.) 161.9 (26.)
 Trefferlage 1.37 mm links, 0.70 mm hoch
 Streuwert 2.32, horizontal: 2.99, vertikal: 1.36





Serie 4:
 9.2 → 9.1 ↑ 9.2 → 9.5 → 10.2 *
 10.6 * 10.3 * 9.7 ↘ 9.5 → 7.8 ↑
 beste Teiler 88.1 (36.) 161.6 (37.) 200.5 (35.)
 Trefferlage 1.83 mm rechts, 0.75 mm hoch
 Streuwert 2.67, horizontal: 2.13, vertikal: 3.12

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	360	(376.5)
Serien:	85	92 93 90
Zähler:	10 21 8 1 0 0 0 0 0 0	
Innenzehner:	2	
weiteste:	2688 (2), 2314 (5), 2182 (32)	
beste Teiler	213.8 (22.) 300.0 (28.) 526.6 (24.)	
Trefferlage	3.19 mm links, 0.24 mm tief	
Streuwert	9.43, horizontal: 9.44, vertikal: 9.41	




Serie 1:

9.7 →	7.6 ←	9.0 ↓	9.1 ↑	8.1 ↘
8.9 ↖	9.0 ↗	8.3 ←	10.2 ↖	8.6 ↖
beste Teiler	578.7 (9.) 963.8 (1.) 1483.4 (4.)			
Trefferlage	10.81 mm links, 3.39 mm hoch			
Streuwert	10.25, horizontal: 10.98, vertikal: 9.45			




Serie 2:

8.9 ↖	9.5 ↘	9.7 ↘	10.2 →	10.1 ↑
10.2 ↗	9.4 ↘	9.2 ↑	9.6 ↓	9.4 ↗
beste Teiler	621.0 (16.) 623.1 (14.) 706.3 (15.)			
Trefferlage	1.06 mm rechts, 0.69 mm hoch			
Streuwert	8.33, horizontal: 7.24, vertikal: 9.29			



Serie 3:

9.8 ↓	10.7 *	10.2 ←	10.3 ↘	9.4 ↑
8.9 ↓	9.8 ←	10.6 *	9.3 ↓	9.9 ↖
beste Teiler	213.8 (22.) 300.0 (28.) 526.6 (24.)			
Trefferlage	1.52 mm links, 2.51 mm tief			
Streuwert	6.82, horizontal: 4.61, vertikal: 8.47			





Serie 4:

9.3 ↗	8.2 ↖	9.6 ↓	9.2 ↖	9.4 ←
10.1 ↗	10.1 ↘	9.2 ↗	9.6 ↑	8.2 ↖
beste Teiler	642.2 (37.) 670.6 (36.) 1099.6 (33.)			
Trefferlage	1.52 mm links, 2.55 mm tief			
Streuwert	10.25, horizontal: 10.07, vertikal: 10.43			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (358.3)
 Serien: 87 90 83 82
 Zähler: 4 21 11 2 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4262 (34), 3407 (26), 2906 (25)
 beste Teiler 373.9 (21.) 531.2 (16.) 722.3 (12.)
 Trefferlage 1.19 mm links, 3.34 mm tief
 Streuwert 12.47, horizontal: 11.15, vertikal: 13.65




Serie 1:
 8.4 ↗ 9.9 ➤ 10.0 ➔ 8.4 ↑ 9.6 ←
 9.3 ➤ 8.4 ↙ 9.3 ➤ 9.7 ↑ 8.1 ←
 beste Teiler 738.6 (3.) 844.5 (2.) 1040.8 (9.)
 Trefferlage 1.01 mm rechts, 0.87 mm hoch
 Streuwert 11.68, horizontal: 12.15, vertikal: 11.19



Serie 2:
 9.3 ← 10.0 ↙ 8.5 ↓ 9.4 ← 9.6 ↑
 10.3 ↘ 9.3 ↓ 8.9 ↙ 9.4 ➤ 9.5 ↙
 beste Teiler 531.2 (16.) 722.3 (12.) 1119.5 (15.)
 Trefferlage 3.05 mm links, 5.60 mm tief
 Streuwert 8.40, horizontal: 8.33, vertikal: 8.47





Serie 3:
 10.5 * 9.1 ➔ 9.9 ↙ 9.8 ↓ 7.3 ↙
 6.7 ↑ 8.0 ↙ 8.0 ↙ 9.0 ➔ 8.3 ↓
 beste Teiler 373.9 (21.) 818.3 (23.) 915.5 (24.)
 Trefferlage 3.81 mm links, 4.17 mm tief
 Streuwert 14.60, horizontal: 11.49, vertikal: 17.16




Serie 4:
 9.5 ↓ 8.1 ↓ 7.6 ↙ 5.6 ↗ 8.9 ➔
 9.1 ← 9.6 ↓ 9.2 ↙ 9.4 ↘ 9.4 ➔
 beste Teiler 1096.1 (37.) 1129.0 (31.) 1206.5 (40.)
 Trefferlage 1.08 mm rechts, 4.46 mm tief
 Streuwert 15.10, horizontal: 12.94, vertikal: 16.98

Unterschrift des Schützen


Ergebnis: **351** (370.9)
 Serien: 87 85 92 87
 Zähler: 9 18 8 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3099 (3), 3003 (27), 2990 (11)
 beste Teiler 156.6 (9.) 170.2 (24.) 279.4 (30.)
 Trefferlage 2.37 mm links, 2.70 mm hoch
 Streuwert 10.86, horizontal: 10.09, vertikal: 11.57




Serie 1:
 8.4 ↘ 9.8 ↗ 7.1 ↖ 9.2 ↗ 10.1 ←
 9.5 ↖ 7.9 ← 9.8 → 10.8 * 9.8 ↙
 beste Teiler 156.6 (9.) 660.0 (5.) 899.1 (10.)
 Trefferlage 5.04 mm links, 5.59 mm hoch
 Streuwert 10.67, horizontal: 10.82, vertikal: 10.51



Serie 2:
 7.2 ↓ 8.9 ← 8.2 ↗ 8.6 ↘ 9.7 ↓
 9.4 ↙ 7.7 ↘ 9.7 → 10.3 ↓ 10.0 ←
 beste Teiler 540.2 (19.) 737.0 (20.) 970.0 (18.)
 Trefferlage 4.05 mm links, 1.48 mm tief
 Streuwert 12.79, horizontal: 12.25, vertikal: 13.30



Serie 3:
 9.6 → 9.7 ↗ 10.3 ↘ 10.7 * 10.4 *
 9.6 ↗ 7.2 ↗ 8.2 ↙ 10.3 ↗ 10.6 *
 beste Teiler 170.2 (24.) 279.4 (30.) 473.3 (25.)
 Trefferlage 3.01 mm rechts, 3.74 mm hoch
 Streuwert 9.43, horizontal: 8.64, vertikal: 10.17





Serie 4:
 9.8 ↓ 8.6 ↗ 9.5 ← 8.2 ↖ 9.9 ↑
 9.3 ↗ 9.8 ↘ 9.3 ↙ 9.5 ↖ 8.3 ↓
 beste Teiler 846.4 (35.) 915.1 (31.) 919.5 (37.)
 Trefferlage 3.43 mm links, 2.94 mm hoch
 Streuwert 10.35, horizontal: 7.40, vertikal: 12.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.6)
 Serien: 84 82 86 88
 Zähler: 8 15 8 7 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3929 (17), 3640 (13), 3078 (27)
 beste Teiler 262.5 (11.) 424.4 (23.) 437.3 (1.)
 Trefferlage 1.43 mm rechts, 9.03 mm tief
 Streuwert 11.64, horizontal: 11.80, vertikal: 11.49




Serie 1:
 10.4 * 9.1 ↓ 9.3 ↓ 8.1 ↑ 7.4 ↙
 9.5 ↓ 7.9 ↖ 9.2 → 8.0 ↓ 8.5 ↓
 beste Teiler 437.3 (1.) 1195.9 (6.) 1337.5 (3.)
 Trefferlage 0.94 mm rechts, 6.79 mm tief
 Streuwert 13.23, horizontal: 10.67, vertikal: 15.38



Serie 2:
 10.6 * 8.1 ↖ 6.4 ↓ 7.7 ↓ 10.3 ↙
 9.5 ↓ 6.0 ↓ 9.7 ↘ 8.4 ↓ 9.2 ↓
 beste Teiler 262.5 (11.) 554.1 (15.) 1034.8 (18.)
 Trefferlage 2.33 mm rechts, 16.14 mm tief
 Streuwert 11.24, horizontal: 9.85, vertikal: 12.48



Serie 3:
 9.6 ← 9.5 ↖ 10.4 * 8.8 → 9.4 →
 7.3 ↙ 7.1 ↘ 7.4 ↙ 10.3 ↓ 10.0 ↓
 beste Teiler 424.4 (23.) 517.9 (29.) 787.0 (30.)
 Trefferlage 0.47 mm rechts, 5.53 mm tief
 Streuwert 13.12, horizontal: 16.82, vertikal: 7.83





Serie 4:
 9.9 → 10.0 ← 9.4 ↙ 8.5 ↙ 7.8 ↓
 8.8 ↓ 9.6 ↙ 9.5 ↓ 9.8 ↓ 10.2 ↓
 beste Teiler 563.7 (40.) 736.0 (32.) 879.6 (31.)
 Trefferlage 1.99 mm rechts, 7.68 mm tief
 Streuwert 8.61, horizontal: 10.35, vertikal: 6.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	345	(363.2)			
Serien:	83	86	83	93	
Zähler:	8	15	12	4	1 0 0 0 0 0
Innenzehner:	2				
weiteste:	3330 (26), 3118 (30), 2879 (13)				
beste Teiler	256.6 (15.) 363.0 (32.) 528.4 (31.)				
Trefferlage	1.80 mm links, 3.39 mm hoch				
Streuwert	11.65, horizontal: 10.79, vertikal: 12.46				




Serie 1:	9.1 ←	9.6 ↘	9.6 ←	8.3 ↘	8.6 ↗
	8.9 ↑	8.9 ↗	9.1 ↑	8.5 ↗	7.8 ↑
beste Teiler	1077.4 (3.) 1112.1 (2.) 1441.3 (8.)				
Trefferlage	2.23 mm links, 10.46 mm hoch				
Streuwert	10.26, horizontal: 11.87, vertikal: 8.33				



Serie 2:	8.4 →	8.0 ↑	7.4 ↑	9.6 ↘	10.6 *
	10.3 ↑	8.9 ↗	10.1 ↑	7.7 ↓	9.7 ↘
beste Teiler	256.6 (15.) 531.4 (16.) 674.7 (18.)				
Trefferlage	2.90 mm rechts, 6.04 mm hoch				
Streuwert	12.01, horizontal: 9.15, vertikal: 14.31				





Serie 3:	8.9 →	8.9 ↘	9.7 ←	9.9 ↓	10.1 ↘
	6.8 ↙	9.2 ↑	9.2 ↘	8.3 ↘	7.1 ↙
beste Teiler	645.0 (25.) 870.0 (24.) 1027.3 (23.)				
Trefferlage	5.92 mm links, 3.14 mm tief				
Streuwert	13.41, horizontal: 13.28, vertikal: 13.53				




Serie 4:	10.3 ↘	10.5 *	10.0 ↘	9.0 →	9.1 ↓
	9.8 ←	9.5 ↑	9.2 ↙	10.0 ↘	8.6 ↑
beste Teiler	363.0 (32.) 528.4 (31.) 731.9 (39.)				
Trefferlage	1.97 mm links, 0.23 mm hoch				
Streuwert	8.75, horizontal: 7.72, vertikal: 9.67				

Unterschrift des Schützen


Ergebnis: **332** (351.5)
 Serien: 80 89 85 78
 Zähler: 6 13 12 5 4 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3448 (1), 3436 (3), 3245 (26)
 beste Teiler 347.3 (16.) 352.1 (11.) 383.2 (8.)
 Trefferlage 1.08 mm rechts, 5.17 mm hoch
 Streuwert 13.41, horizontal: 14.33, vertikal: 12.42




Serie 1:
 6.6 ↑ 10.4 * 6.7 ↗ 8.8 ↓ 8.2 ↑
 9.6 → 9.4 ↓ 10.5 * 8.7 ↘ 6.9 ↗
 beste Teiler 383.2 (8.) 468.2 (2.) 1092.0 (6.)
 Trefferlage 6.03 mm rechts, 7.66 mm hoch
 Streuwert 14.62, horizontal: 9.36, vertikal: 18.44



Serie 2:
 10.5 * 9.4 ↖ 9.3 ↖ 9.9 → 9.7 ↖
 10.5 * 8.2 ↖ 8.0 → 9.1 ← 8.9 ↗
 beste Teiler 347.3 (16.) 352.1 (11.) 858.0 (14.)
 Trefferlage 2.28 mm links, 2.54 mm hoch
 Streuwert 10.44, horizontal: 13.54, vertikal: 5.90



Serie 3:
 9.6 ↗ 8.5 ↑ 10.4 * 8.4 ↖ 8.5 ↑
 6.9 ↗ 8.5 → 9.1 ↑ 10.0 ← 9.9 ↓
 beste Teiler 423.8 (23.) 726.7 (29.) 813.2 (30.)
 Trefferlage 3.71 mm rechts, 7.57 mm hoch
 Streuwert 11.50, horizontal: 11.79, vertikal: 11.20





Serie 4:
 7.9 ↖ 8.2 ↖ 9.6 ↓ 7.5 → 9.1 ↖
 8.1 ↘ 7.9 ← 9.6 ↖ 7.0 ← 7.5 →
 beste Teiler 1046.5 (33.) 1082.2 (38.) 1483.2 (35.)
 Trefferlage 3.12 mm links, 2.89 mm hoch
 Streuwert 16.63, horizontal: 20.29, vertikal: 11.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (349.1)
 Serien: 83 79 87 79
 Zähler: 5 14 7 12 2 0 0 0 0
 Innenzehner: 3
 weiteste: 3543 (12), 3454 (10), 3187 (34)
 beste Teiler 268.3 (30.) 278.1 (40.) 303.1 (23.)
 Trefferlage 6.62 mm links, 3.85 mm hoch
 Streuwert 13.22, horizontal: 11.19, vertikal: 14.97




Serie 1:
 9.6 ← 8.7 ↘ 9.9 ↖ 8.8 ↑ 7.9 ↑
 9.2 ↘ 9.2 ↗ 10.3 ↘ 8.5 ↙ 6.6 ↑
 beste Teiler 548.0 (8.) 832.8 (3.) 1091.1 (1.)
 Trefferlage 4.00 mm links, 9.02 mm hoch
 Streuwert 11.63, horizontal: 8.07, vertikal: 14.33



Serie 2:
 7.5 ↘ 6.5 ↙ 9.7 ↗ 7.1 ↑ 7.0 ←
 7.9 ↙ 9.9 ↑ 9.1 ↙ 9.0 ← 9.1 ↘
 beste Teiler 848.6 (17.) 967.4 (13.) 1444.0 (20.)
 Trefferlage 11.31 mm links, 2.45 mm hoch
 Streuwert 14.97, horizontal: 11.69, vertikal: 17.65



Serie 3:
 8.6 ↑ 7.7 ↓ 10.6 * 7.5 ↗ 8.8 ←
 10.2 ↑ 9.2 ← 9.9 → 9.6 ↑ 10.6 *
 beste Teiler 268.3 (30.) 303.1 (23.) 609.6 (26.)
 Trefferlage 0.57 mm links, 2.13 mm hoch
 Streuwert 11.75, horizontal: 8.95, vertikal: 14.00





Serie 4:
 8.7 ↘ 9.8 ↓ 9.5 ↗ 7.0 ↘ 7.7 ←
 8.4 ↓ 7.9 ↘ 7.7 ↘ 7.6 ← 10.6 *
 beste Teiler 278.1 (40.) 917.9 (32.) 1198.6 (33.)
 Trefferlage 10.62 mm links, 1.80 mm hoch
 Streuwert 13.94, horizontal: 13.05, vertikal: 14.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.0)
 Serien: 87 85 84 85
 Zähler: 5 15 16 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3144 (13), 2907 (22), 2751 (11)
 beste Teiler 189.8 (29.) 321.4 (38.) 535.1 (19.)
 Trefferlage 2.45 mm links, 2.78 mm tief
 Streuwert 11.88, horizontal: 12.64, vertikal: 11.08




Serie 1:
 9.9 ↘ 8.7 ← 9.0 ← 9.7 ↑ 9.2 ↙
 9.2 → 9.3 ↘ 8.9 → 8.2 ↓ 9.7 ↙
 beste Teiler 839.4 (1.) 970.9 (4.) 997.4 (10.)
 Trefferlage 0.52 mm rechts, 4.19 mm tief
 Streuwert 10.60, horizontal: 12.60, vertikal: 8.13



Serie 2:
 7.5 ↓ 10.3 ↓ 7.0 → 9.1 ↓ 8.6 ↓
 9.2 ↓ 9.1 ↙ 8.9 ↓ 10.3 ↑ 8.7 ↘
 beste Teiler 535.1 (19.) 539.3 (12.) 1437.0 (16.)
 Trefferlage 1.05 mm rechts, 6.92 mm tief
 Streuwert 12.71, horizontal: 11.52, vertikal: 13.80



Serie 3:
 8.7 ↘ 7.3 ↙ 9.9 → 9.8 → 9.4 ↑
 8.8 ↗ 7.6 ↙ 9.3 ↘ 10.7 * 8.0 ↘
 beste Teiler 189.8 (29.) 832.9 (23.) 930.3 (24.)
 Trefferlage 4.61 mm links, 3.15 mm hoch
 Streuwert 12.67, horizontal: 13.45, vertikal: 11.84





Serie 4:
 8.6 ↘ 8.8 ↓ 9.2 ↙ 8.4 ← 8.6 →
 8.5 ← 8.4 ← 10.5 * 10.3 ↓ 8.7 ↙
 beste Teiler 321.4 (38.) 547.8 (39.) 1420.3 (33.)
 Trefferlage 6.77 mm links, 3.19 mm tief
 Streuwert 11.07, horizontal: 13.07, vertikal: 8.61

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	370	(387.6)
Serien:	92 93 95 90	
Zähler:	18 15 6 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2419 (4), 2207 (39), 1874 (13)	
beste Teiler	203.6 (20.) 251.0 (8.) 319.6 (36.)	
Trefferlage	0.39 mm rechts, 1.13 mm hoch	
Streuwert	8.19, horizontal: 8.45, vertikal: 7.93	




Serie 1:

9.6 ↘	10.2 ↑	9.3 ↘	7.9 ↗	10.1 ↖
10.3 ↙	9.1 ←	10.6 *	10.2 ←	8.7 ↖
beste Teiler	251.0 (8.)	506.6 (6.)	584.1 (2.)	
Trefferlage	0.46 mm links, 1.38 mm hoch			
Streuwert	9.28, horizontal: 10.42, vertikal: 7.98			




Serie 2:

10.0 ←	10.3 ↖	8.6 ↑	8.9 ↘	9.3 ↑
10.3 →	9.7 ↙	10.5 *	9.6 ↗	10.7 *
beste Teiler	203.6 (20.)	394.4 (18.)	514.4 (16.)	
Trefferlage	0.69 mm rechts, 3.36 mm hoch			
Streuwert	7.53, horizontal: 6.76, vertikal: 8.23			



Serie 3:

10.2 ↑	9.9 ↓	10.1 ↖	10.1 →	9.2 ↓
9.0 ↑	10.5 *	9.9 ↗	9.4 ↖	10.5 *
beste Teiler	362.0 (30.)	398.6 (27.)	575.6 (21.)	
Trefferlage	0.75 mm links, 0.11 mm tief			
Streuwert	7.00, horizontal: 5.23, vertikal: 8.41			





Serie 4:

8.9 ↗	10.2 ↖	9.4 ↙	8.7 ↖	9.8 →
10.6 *	9.7 →	10.1 ↙	8.2 →	9.3 ↓
beste Teiler	319.6 (36.)	626.3 (32.)	699.4 (38.)	
Trefferlage	2.10 mm rechts, 0.08 mm tief			
Streuwert	9.57, horizontal: 11.04, vertikal: 7.83			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.2)
 Serien: 92 97 93 92
 Zähler: 19 17 3 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2947 (7), 2074 (32), 1733 (34)
 beste Teiler 200.9 (9.) 217.9 (14.) 250.5 (2.)
 Trefferlage 1.17 mm links, 2.63 mm tief
 Streuwert 7.37, horizontal: 6.20, vertikal: 8.38




Serie 1:
 10.2 ← 10.6 * 9.2 ↓ 10.0 ↘ 9.5 ↙
 8.9 ↓ 7.3 ↙ 9.3 ↗ 10.7 * 10.3 →
 beste Teiler 200.9 (9.) 250.5 (2.) 540.5 (10.)
 Trefferlage 2.30 mm links, 8.69 mm tief
 Streuwert 7.35, horizontal: 5.76, vertikal: 8.66



Serie 2:
 10.0 ↖ 9.6 ↗ 10.6 * 10.7 * 10.5 *
 10.3 ↖ 9.9 ↓ 10.6 * 10.0 ↓ 9.3 ↑
 beste Teiler 217.9 (14.) 296.7 (18.) 301.9 (13.)
 Trefferlage 2.45 mm links, 0.05 mm hoch
 Streuwert 5.15, horizontal: 3.40, vertikal: 6.44





Serie 3:
 10.4 * 9.6 ↓ 9.5 ↘ 10.5 * 9.7 ↗
 9.5 ↘ 10.1 ↑ 9.6 → 9.8 ↗ 9.9 ↗
 beste Teiler 349.0 (24.) 459.1 (21.) 686.0 (27.)
 Trefferlage 2.79 mm rechts, 1.56 mm tief
 Streuwert 6.33, horizontal: 6.29, vertikal: 6.37




Serie 4:
 10.0 ← 8.4 ↗ 9.5 ↗ 8.8 ↓ 10.0 ↗
 9.4 ↗ 10.5 * 9.3 ← 9.9 ↖ 10.3 ↑
 beste Teiler 334.7 (37.) 548.1 (40.) 737.3 (31.)
 Trefferlage 2.72 mm links, 0.34 mm tief
 Streuwert 8.66, horizontal: 7.67, vertikal: 9.56

Unterschrift des Schützen


Ergebnis: **365** (380.9)
 Serien: 90 92 88 95
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2254 (10), 2097 (7), 1906 (28)
 beste Teiler 236.3 (8.) 340.5 (36.) 342.5 (33.)
 Trefferlage 0.10 mm rechts, 0.77 mm tief
 Streuwert 8.87, horizontal: 9.07, vertikal: 8.67




Serie 1:
 9.2 ↙ 10.4 * 8.7 ↓ 9.2 → 10.0 ↘
 9.6 ↖ 8.3 ↘ 10.7 * 9.5 ↓ 8.1 →
 beste Teiler 236.3 (8.) 430.0 (2.) 733.6 (5.)
 Trefferlage 2.66 mm rechts, 5.70 mm tief
 Streuwert 9.47, horizontal: 10.03, vertikal: 8.88



Serie 2:
 10.0 ↖ 9.5 ↑ 9.4 ↙ 9.9 ↓ 9.3 ↖
 9.1 ↓ 9.9 ↙ 10.2 ↖ 9.3 ↗ 9.3 →
 beste Teiler 574.6 (18.) 733.5 (11.) 804.7 (17.)
 Trefferlage 1.57 mm links, 1.39 mm tief
 Streuwert 8.11, horizontal: 7.22, vertikal: 8.91





Serie 3:
 10.0 ↖ 9.5 ↖ 8.6 ↖ 9.2 ↗ 9.9 →
 9.2 ↗ 9.5 ↓ 8.6 ↘ 8.6 ← 9.7 ↖
 beste Teiler 730.9 (21.) 855.8 (25.) 978.9 (30.)
 Trefferlage 1.90 mm links, 0.27 mm hoch
 Streuwert 10.24, horizontal: 11.97, vertikal: 8.14




Serie 4:
 10.5 * 8.9 ↖ 10.5 * 10.2 ↗ 10.0 →
 10.5 * 9.1 ↑ 9.1 ↖ 9.4 → 10.3 ↘
 beste Teiler 340.5 (36.) 342.5 (33.) 358.8 (31.)
 Trefferlage 1.22 mm rechts, 3.69 mm hoch
 Streuwert 6.88, horizontal: 6.66, vertikal: 7.09

Unterschrift des Schützen


Ergebnis: **357** (373.6)
 Serien: 92 87 89 89
 Zähler: 11 19 7 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3344 (40), 2624 (18), 2471 (19)
 beste Teiler 243.5 (20.) 251.4 (23.) 268.3 (36.)
 Trefferlage 0.10 mm rechts, 5.26 mm tief
 Streuwert 9.73, horizontal: 8.62, vertikal: 10.72




Serie 1:
 9.3 → 10.0 ↓ 9.0 ↗ 10.1 ↘ 9.7 ↓
 10.1 ← 8.6 ↙ 8.5 ↓ 10.2 ↘ 9.1 ←
 beste Teiler 614.9 (9.) 675.9 (4.) 704.7 (6.)
 Trefferlage 3.05 mm links, 4.46 mm tief
 Streuwert 8.69, horizontal: 8.01, vertikal: 9.32



Serie 2:
 9.9 ↗ 9.2 ↓ 9.0 ↙ 9.7 ↘ 10.2 ↗
 8.2 ↘ 9.8 ↓ 7.7 ↘ 7.9 ↙ 10.6 *
 beste Teiler 243.5 (20.) 638.5 (15.) 829.0 (11.)
 Trefferlage 1.38 mm rechts, 6.86 mm tief
 Streuwert 10.63, horizontal: 11.09, vertikal: 10.14



Serie 3:
 9.1 ↓ 9.2 ↓ 10.6 * 9.1 ↗ 10.1 →
 8.9 ↗ 9.1 → 9.7 ↗ 8.6 ↙ 8.5 ↓
 beste Teiler 251.4 (23.) 674.8 (25.) 1004.6 (28.)
 Trefferlage 1.06 mm rechts, 3.26 mm tief
 Streuwert 10.30, horizontal: 7.94, vertikal: 12.22





Serie 4:
 9.1 ↘ 10.3 ↘ 9.1 ↗ 10.1 ↘ 9.9 ↙
 10.6 * 9.4 ↘ 8.7 ↓ 9.9 → 6.8 ↙
 beste Teiler 268.3 (36.) 496.8 (32.) 711.0 (34.)
 Trefferlage 1.04 mm rechts, 6.48 mm tief
 Streuwert 10.14, horizontal: 7.52, vertikal: 12.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.1)
 Serien: 91 84 89 86
 Zähler: 9 15 13 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2877 (25), 2737 (20), 2525 (5)
 beste Teiler 346.0 (10.) 387.7 (27.) 424.4 (6.)
 Trefferlage 2.21 mm rechts, 4.29 mm hoch
 Streuwert 10.44, horizontal: 10.19, vertikal: 10.69




Serie 1:
 8.8 ↖ 10.4 * 10.4 * 9.7 ↖ 7.8 ↖
 10.4 * 10.1 → 9.3 ↓ 8.2 ↙ 10.5 *
 beste Teiler 346.0 (10.) 424.4 (6.) 458.0 (3.)
 Trefferlage 2.53 mm links, 3.06 mm hoch
 Streuwert 9.53, horizontal: 7.38, vertikal: 11.28



Serie 2:
 9.1 ↑ 9.2 → 8.7 ↙ 9.8 ↗ 8.6 ↗
 8.8 ↙ 9.8 → 9.3 ↗ 8.9 ↙ 7.5 ↗
 beste Teiler 929.0 (17.) 943.8 (14.) 1282.3 (18.)
 Trefferlage 2.16 mm rechts, 3.62 mm hoch
 Streuwert 11.93, horizontal: 11.28, vertikal: 12.55



Serie 3:
 10.3 ↑ 9.5 → 8.0 ↑ 9.9 ↙ 7.4 →
 9.8 ← 10.5 * 10.2 ↙ 8.6 → 9.3 ↑
 beste Teiler 387.7 (27.) 495.0 (21.) 602.6 (28.)
 Trefferlage 4.74 mm rechts, 3.76 mm hoch
 Streuwert 10.35, horizontal: 11.24, vertikal: 9.38





Serie 4:
 9.6 → 10.3 ↖ 9.0 ↗ 8.9 ↓ 8.5 ↑
 9.3 ↑ 8.1 → 8.8 ↑ 8.5 ↗ 9.3 ←
 beste Teiler 493.4 (32.) 1097.5 (31.) 1330.3 (40.)
 Trefferlage 4.46 mm rechts, 6.72 mm hoch
 Streuwert 10.43, horizontal: 10.18, vertikal: 10.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.8)
 Serien: 90 86 91 91
 Zähler: 9 20 11 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2366 (39), 2264 (26), 2098 (18)
 beste Teiler 157.0 (30.) 265.2 (13.) 396.2 (35.)
 Trefferlage 2.59 mm rechts, 1.34 mm hoch
 Streuwert 9.42, horizontal: 9.30, vertikal: 9.55




Serie 1:
 9.9 ← 9.2 ↘ 8.7 ↑ 9.9 ↙ 9.9 ↗
 9.1 ↘ 9.3 ↓ 9.1 ↗ 9.8 ↖ 10.3 →
 beste Teiler 495.1 (10.) 824.5 (4.) 854.7 (5.)
 Trefferlage 0.05 mm rechts, 0.35 mm hoch
 Streuwert 8.93, horizontal: 7.76, vertikal: 9.96



Serie 2:
 9.8 ← 8.5 ↑ 10.6 * 9.6 → 9.2 ↗
 8.7 → 9.5 ↙ 8.3 ↓ 8.7 ↑ 8.8 ↗
 beste Teiler 265.2 (13.) 881.5 (11.) 1076.7 (14.)
 Trefferlage 3.30 mm rechts, 2.55 mm hoch
 Streuwert 10.83, horizontal: 9.89, vertikal: 11.70





Serie 3:
 9.4 ↖ 9.4 ↖ 9.0 ↘ 9.5 → 10.3 ↙
 8.1 ↗ 9.8 ↘ 8.9 → 10.4 * 10.8 *
 beste Teiler 157.0 (30.) 447.3 (29.) 515.3 (25.)
 Trefferlage 2.80 mm rechts, 0.84 mm hoch
 Streuwert 9.16, horizontal: 8.90, vertikal: 9.40




Serie 4:
 10.4 * 8.3 → 9.3 ↖ 10.4 * 10.5 *
 9.3 ↓ 9.1 ↗ 10.1 ↙ 8.0 → 8.9 ↗
 beste Teiler 396.2 (35.) 413.5 (34.) 469.0 (31.)
 Trefferlage 4.21 mm rechts, 1.63 mm hoch
 Streuwert 9.85, horizontal: 11.26, vertikal: 8.20

Unterschrift des Schützen


Ergebnis: **326** (343.5)
 Serien: 77 82 83 84
 Zähler: 6 15 8 6 3 1 0 0 1 0
 Innenzehner: 2
 weiteste: 6666 (6), 4497 (27), 3646 (4)
 beste Teiler 340.8 (30.) 466.0 (2.) 496.1 (21.)
 Trefferlage 1.54 mm rechts, 4.08 mm tief
 Streuwert 15.82, horizontal: 15.61, vertikal: 16.03




Serie 1:
 9.3 ↑ 10.4 * 9.2 ↙ 6.4 ↗ 9.5 ↑
 2.6 ↙ 7.4 → 6.7 ↓ 10.0 ↓ 9.4 ↘
 beste Teiler 466.0 (2.) 762.1 (9.) 1139.1 (5.)
 Trefferlage 3.06 mm links, 3.41 mm tief
 Streuwert 21.49, horizontal: 20.69, vertikal: 22.26



Serie 2:
 8.3 ↙ 7.7 ↘ 8.2 ↘ 7.3 ↓ 9.5 ↗
 10.1 ↓ 9.7 ↓ 9.7 ↘ 8.5 ↑ 7.8 →
 beste Teiler 720.9 (16.) 985.1 (17.) 1001.4 (18.)
 Trefferlage 4.58 mm rechts, 6.98 mm tief
 Streuwert 13.25, horizontal: 11.73, vertikal: 14.61



Serie 3:
 10.3 ↘ 8.6 → 8.9 ↘ 9.2 ↙ 9.1 ↑
 9.1 → 5.3 ↙ 6.9 ↑ 9.8 ↘ 10.5 *
 beste Teiler 340.8 (30.) 496.1 (21.) 937.8 (29.)
 Trefferlage 1.60 mm rechts, 1.14 mm tief
 Streuwert 15.71, horizontal: 14.53, vertikal: 16.81





Serie 4:
 9.2 ↗ 9.3 ↖ 7.9 → 8.1 ↙ 10.2 ↙
 9.4 → 8.2 ↘ 8.5 → 9.7 ↘ 7.6 ↙
 beste Teiler 627.8 (35.) 1017.2 (39.) 1205.3 (36.)
 Trefferlage 3.03 mm rechts, 4.78 mm tief
 Streuwert 13.13, horizontal: 15.57, vertikal: 10.13

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **356** (373.1)
 Serien: 87 88 87 94
 Zähler: 10 18 10 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2583 (16), 2546 (8), 2109 (25)
 beste Teiler 305.0 (10.) 390.8 (30.) 511.0 (38.)
 Trefferlage 0.26 mm links, 1.84 mm hoch
 Streuwert 10.06, horizontal: 10.06, vertikal: 10.06




Serie 1:
 9.0 ← 9.6 ↖ 8.5 ↑ 8.7 ↗ 9.0 ↘
 8.6 ↗ 9.3 ↖ 7.8 ↓ 10.3 ↘ 10.6 *

beste Teiler 305.0 (10.) 559.8 (9.) 1072.9 (2.)
 Trefferlage 1.78 mm links, 4.68 mm hoch
 Streuwert 11.20, horizontal: 9.20, vertikal: 12.90




Serie 2:
 8.9 ↗ 9.1 ↘ 9.6 → 9.9 ↖ 10.3 ↘
 7.7 ↗ 10.2 ↗ 9.8 ↘ 8.7 ↙ 9.0 ←

beste Teiler 530.1 (15.) 588.5 (17.) 840.8 (14.)
 Trefferlage 1.52 mm rechts, 3.30 mm hoch
 Streuwert 10.32, horizontal: 11.55, vertikal: 8.91



Serie 3:
 8.5 ↖ 8.4 → 10.1 → 8.7 ↘ 8.3 →
 8.7 ↘ 9.1 ← 9.0 ← 9.1 ↙ 10.5 *

beste Teiler 390.8 (30.) 641.2 (23.) 1451.9 (27.)
 Trefferlage 0.43 mm rechts, 1.40 mm hoch
 Streuwert 11.98, horizontal: 13.55, vertikal: 10.17



Serie 4:
 9.9 ↘ 10.0 ↗ 9.7 ↘ 10.0 ← 9.3 ↙
 9.7 ↙ 10.2 ↗ 10.3 ↓ 9.2 ↖ 9.8 ↙

beste Teiler 511.0 (38.) 573.5 (37.) 730.3 (32.)
 Trefferlage 1.23 mm links, 2.02 mm tief
 Streuwert 6.72, horizontal: 5.41, vertikal: 7.82

Unterschrift des Schützen