





Ergebnis: **395** (410.8)
 Serien: 99 97 99 100
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 488 (19), 399 (12), 328 (29)
 beste Teiler 12.2 (33.) 48.2 (24.) 55.0 (32.)
 Trefferlage 0.13 mm links, 0.19 mm hoch
 Streuwert 1.40, horizontal: 1.50, vertikal: 1.29




Serie 1:
 10.4 * 10.6 * 9.8 ↙ 10.3 * 10.4 *
 10.6 * 10.5 * 10.0 ↙ 10.1 ↓ 10.1 ↗
 beste Teiler 82.0 (6.) 83.6 (2.) 107.0 (7.)
 Trefferlage 0.30 mm links, 0.36 mm tief
 Streuwert 1.31, horizontal: 1.28, vertikal: 1.34



Serie 2:
 10.7 * 9.4 ← 9.9 ↓ 10.6 * 10.1 ←
 10.1 ↘ 10.0 ↗ 10.7 * 9.0 → 10.0 ↘
 beste Teiler 60.2 (18.) 72.0 (11.) 97.6 (14.)
 Trefferlage 0.19 mm links, 0.07 mm hoch
 Streuwert 1.94, horizontal: 2.40, vertikal: 1.35



Serie 3:
 10.0 ← 10.2 * 10.5 * 10.8 * 10.3 *
 10.3 * 10.2 * 10.6 * 9.6 ↑ 10.1 ↘
 beste Teiler 48.2 (24.) 92.2 (28.) 111.2 (23.)
 Trefferlage 0.36 mm links, 0.78 mm hoch
 Streuwert 1.28, horizontal: 1.26, vertikal: 1.29





Serie 4:
 10.4 * 10.7 * 10.9 * 10.2 * 10.3 *
 10.5 * 10.7 * 10.7 * 10.1 ↓ 10.4 *
 beste Teiler 12.2 (33.) 55.0 (32.) 62.6 (37.)
 Trefferlage 0.33 mm rechts, 0.30 mm hoch
 Streuwert 0.91, horizontal: 0.67, vertikal: 1.10

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	385	(405.6)
Serien:	94 99 94 98	
Zähler:	26 13 1 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	584 (22), 451 (36), 373 (11)	
beste Teiler	22.2 (39.) 31.8 (15.) 45.0 (5.)	
Trefferlage	0.71 mm rechts, 0.83 mm tief	
Streuwert	1.50, horizontal: 1.65, vertikal: 1.34	




Serie 1:

9.9 ↘	10.3 *	9.9 ↘	9.9 ↓	10.8 *
10.4 *	10.3 *	9.9 ↓	9.6 ↘	9.8 ↓
beste Teiler	45.0 (5.) 150.3 (6.) 170.2 (7.)			
Trefferlage	0.41 mm rechts, 1.80 mm tief			
Streuwert	1.14, horizontal: 1.25, vertikal: 1.03			




Serie 2:

9.5 ↘	10.1 ↓	10.3 *	10.2 *	10.8 *
10.8 *	10.2 *	10.7 *	10.5 *	10.4 *
beste Teiler	31.8 (15.) 48.6 (16.) 60.1 (18.)			
Trefferlage	0.95 mm rechts, 0.35 mm tief			
Streuwert	1.08, horizontal: 1.14, vertikal: 1.02			



Serie 3:

10.0 ↑	8.6 ↘	9.8 ↘	10.7 *	9.7 →
9.7 →	10.2 *	9.8 ←	10.4 *	10.5 *
beste Teiler	65.1 (24.) 104.0 (30.) 128.2 (29.)			
Trefferlage	1.41 mm rechts, 0.66 mm tief			
Streuwert	1.85, horizontal: 2.15, vertikal: 1.48			





Serie 4:

10.6 *	10.5 *	10.1 ↘	10.3 *	10.3 *
9.1 ←	9.8 ↓	10.1 ↓	10.9 *	10.2 *
beste Teiler	22.2 (39.) 90.2 (31.) 124.1 (32.)			
Trefferlage	0.10 mm rechts, 0.51 mm tief			
Streuwert	1.62, horizontal: 1.78, vertikal: 1.46			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398** (414.4)
 Serien: 100 99 100 99
 Zähler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 470 (20), 260 (33), 249 (11)
 beste Teiler 17.0 (38.) 37.3 (35.) 44.4 (32.)
 Trefferlage 0.57 mm rechts, 0.19 mm hoch
 Streuwert 1.15, horizontal: 1.19, vertikal: 1.10




Serie 1:
 10.2 * 10.6 * 10.1 ↘ 10.2 * 10.3 *
 10.6 * 10.6 * 10.7 * 10.1 ↗ 10.5 *
 beste Teiler 55.9 (8.) 79.7 (2.) 85.0 (6.)
 Trefferlage 0.07 mm links, 0.16 mm hoch
 Streuwert 1.11, horizontal: 1.07, vertikal: 1.14



Serie 2:
 10.0 ↘ 10.1 ↗ 10.1 ↑ 10.7 * 10.3 *
 10.2 * 10.2 * 10.2 * 10.2 * 9.1 →
 beste Teiler 73.9 (14.) 161.1 (15.) 185.0 (18.)
 Trefferlage 1.29 mm rechts, 0.07 mm tief
 Streuwert 1.46, horizontal: 1.49, vertikal: 1.44





Serie 3:
 10.2 * 10.0 ↗ 10.5 * 10.5 * 10.4 *
 10.7 * 10.7 * 10.5 * 10.1 ↙ 10.1 ↗
 beste Teiler 55.0 (26.) 63.2 (27.) 117.9 (23.)
 Trefferlage 0.52 mm rechts, 0.19 mm hoch
 Streuwert 1.12, horizontal: 1.06, vertikal: 1.17




Serie 4:
 10.7 * 10.8 * 9.9 ↗ 10.6 * 10.8 *
 10.6 * 10.3 * 10.9 * 10.6 * 10.5 *
 beste Teiler 17.0 (38.) 37.3 (35.) 44.4 (32.)
 Trefferlage 0.54 mm rechts, 0.49 mm hoch
 Streuwert 0.69, horizontal: 0.77, vertikal: 0.59

Unterschrift des Schützen


Ergebnis: **387** (404.5)
 Serien: 98 95 99 95
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 562 (31), 494 (15), 434 (1)
 beste Teiler 6.4 (28.) 6.7 (32.) 72.0 (22.)
 Trefferlage 0.71 mm rechts, 0.72 mm hoch
 Streuwert 1.57, horizontal: 1.74, vertikal: 1.37




Serie 1:
 9.2 ↘ 10.5 * 10.5 * 10.4 * 10.3 *
 10.1 ↖ 10.5 * 9.8 ← 10.6 * 10.2 *
 beste Teiler 86.0 (9.) 104.6 (3.) 112.3 (7.)
 Trefferlage 0.34 mm links, 0.05 mm tief
 Streuwert 1.56, horizontal: 1.87, vertikal: 1.15



Serie 2:
 10.4 * 9.9 → 9.7 ↗ 10.5 * 9.0 ↗
 9.4 ↗ 10.2 * 9.9 ↘ 10.1 ↗ 10.5 *
 beste Teiler 113.8 (14.) 116.8 (20.) 128.8 (11.)
 Trefferlage 0.84 mm rechts, 1.66 mm hoch
 Streuwert 1.50, horizontal: 1.76, vertikal: 1.20



Serie 3:
 10.1 → 10.7 * 10.4 * 10.0 → 10.4 *
 10.3 * 9.8 ↖ 10.9 * 10.4 * 10.1 →
 beste Teiler 6.4 (28.) 72.0 (22.) 128.6 (23.)
 Trefferlage 1.00 mm rechts, 0.72 mm hoch
 Streuwert 0.94, horizontal: 1.12, vertikal: 0.72





Serie 4:
 8.7 ↗ 10.9 * 9.8 ↘ 10.2 * 9.9 ↓
 10.4 * 10.0 → 9.3 → 10.4 * 10.1 ↑
 beste Teiler 6.7 (32.) 136.9 (39.) 138.0 (36.)
 Trefferlage 1.35 mm rechts, 0.56 mm hoch
 Streuwert 1.82, horizontal: 1.85, vertikal: 1.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (405.7)
 Serien: 98 97 97 96
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 419 (2), 403 (24), 381 (34)
 beste Teiler 55.6 (19.) 67.1 (18.) 67.4 (33.)
 Trefferlage 0.10 mm links, 0.35 mm tief
 Streuwert 1.58, horizontal: 1.68, vertikal: 1.47




Serie 1:
 10.0 ← 9.3 ← 9.8 ← 10.1 ↗ 10.4 *
 10.3 * 10.4 * 10.2 * 10.0 ↘ 10.5 *
 beste Teiler 112.0 (10.) 139.2 (5.) 143.0 (7.)
 Trefferlage 0.60 mm links, 0.19 mm hoch
 Streuwert 1.64, horizontal: 1.95, vertikal: 1.26



Serie 2:
 10.5 * 9.7 ↘ 10.4 * 10.2 * 10.1 →
 9.8 ↓ 10.6 * 10.7 * 10.7 * 9.8 →
 beste Teiler 55.6 (19.) 67.1 (18.) 91.4 (17.)
 Trefferlage 0.97 mm rechts, 0.36 mm tief
 Streuwert 1.29, horizontal: 1.18, vertikal: 1.40



Serie 3:
 10.3 * 10.4 * 10.1 ↘ 9.3 ← 10.1 ↘
 10.6 * 10.5 * 9.8 ↓ 10.6 * 9.8 ↓
 beste Teiler 80.3 (29.) 92.1 (26.) 105.7 (27.)
 Trefferlage 0.57 mm links, 0.45 mm tief
 Streuwert 1.55, horizontal: 1.57, vertikal: 1.53





Serie 4:
 9.5 ↘ 10.2 * 10.7 * 9.4 ↓ 10.2 *
 10.6 * 9.8 ↓ 10.0 ↘ 10.4 * 9.9 →
 beste Teiler 67.4 (33.) 97.4 (36.) 144.9 (39.)
 Trefferlage 0.21 mm links, 0.80 mm tief
 Streuwert 1.69, horizontal: 1.69, vertikal: 1.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(413.7)
Serien:	97 98 100 97	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	30	
weiteste:	449 (14), 375 (13), 375 (40)	
beste Teiler	26.4 (30.) 43.7 (29.) 44.9 (9.)	
Trefferlage	0.08 mm rechts, 0.26 mm tief	
Streuwert	1.30, horizontal: 1.60, vertikal: 0.92	




Serie 1:	10.4 *	10.6 *	10.4 *	10.7 *	9.6 ↘
	9.9 ←	9.8 →	10.3 *	10.8 *	10.4 *
beste Teiler	44.9 (9.)	53.1 (4.)	84.3 (2.)		
Trefferlage	0.32 mm rechts, 0.47 mm tief				
Streuwert	1.36, horizontal: 1.73, vertikal: 0.84				



Serie 2:	10.5 *	10.1 ←	9.5 →	9.2 →	10.5 *
	10.4 *	10.7 *	10.5 *	10.4 *	10.7 *
beste Teiler	62.2 (20.)	67.7 (17.)	108.0 (18.)		
Trefferlage	0.47 mm rechts, 0.06 mm hoch				
Streuwert	1.57, horizontal: 2.14, vertikal: 0.63				



Serie 3:	10.4 *	10.0 ↘	10.5 *	10.7 *	10.5 *
	10.5 *	10.3 *	10.7 *	10.8 *	10.8 *
beste Teiler	26.4 (30.)	43.7 (29.)	65.1 (28.)		
Trefferlage	0.11 mm rechts, 0.63 mm tief				
Streuwert	0.81, horizontal: 0.81, vertikal: 0.80				





Serie 4:	9.9 ←	10.4 *	10.5 *	10.6 *	10.7 *
	9.9 ↙	10.5 *	10.7 *	10.4 *	9.5 ↘
beste Teiler	71.6 (35.)	75.0 (38.)	96.2 (34.)		
Trefferlage	0.57 mm links, 0.02 mm tief				
Streuwert	1.35, horizontal: 1.46, vertikal: 1.24				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	395	(411.1)
Serien:	98 98 100 99	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	321 (11), 306 (13), 277 (3)	
beste Teiler	41.1 (6.) 55.9 (31.) 70.7 (19.)	
Trefferlage	0.01 mm rechts, 0.18 mm hoch	
Streuwert	1.30, horizontal: 1.29, vertikal: 1.31	




Serie 1:	10.5 *	10.5 *	9.8 ↓	10.0 ↘	10.5 *
	10.8 *	9.8 ↗	10.5 *	10.5 *	10.0 ↖
beste Teiler	41.1 (6.)	101.1 (5.)	105.7 (8.)		
Trefferlage	0.06 mm rechts, 0.08 mm tief				
Streuwert	1.36, horizontal: 1.32, vertikal: 1.39				



Serie 2:	9.7 ↑	10.0 ←	9.7 ↖	10.3 *	10.1 ↓
	10.0 ←	10.5 *	10.5 *	10.7 *	10.4 *
beste Teiler	70.7 (19.)	102.9 (18.)	103.4 (17.)		
Trefferlage	0.42 mm links, 0.55 mm hoch				
Streuwert	1.45, horizontal: 1.48, vertikal: 1.41				





Serie 3:	10.2 *	10.6 *	10.6 *	10.5 *	10.3 *
	10.5 *	10.0 →	10.5 *	10.3 *	10.0 ↓
beste Teiler	80.1 (23.)	91.2 (22.)	112.3 (26.)		
Trefferlage	0.02 mm links, 0.23 mm tief				
Streuwert	1.19, horizontal: 1.32, vertikal: 1.05				




Serie 4:	10.7 *	10.5 *	10.2 *	10.1 ↑	10.6 *
	10.2 *	9.9 ↗	10.1 →	10.4 *	10.1 ↗
beste Teiler	55.9 (31.)	95.0 (35.)	104.6 (32.)		
Trefferlage	0.43 mm rechts, 0.51 mm hoch				
Streuwert	1.23, horizontal: 1.06, vertikal: 1.37				

Unterschrift des Schützen


Ergebnis: **394** (409.8)
 Serien: 97 99 99 99
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 484 (8), 417 (10), 402 (39)
 beste Teiler 10.7 (6.) 14.7 (5.) 49.2 (30.)
 Trefferlage 0.09 mm links, 0.08 mm hoch
 Streuwert 1.47, horizontal: 1.89, vertikal: 0.87




Serie 1:
 9.8 → 10.3 * 10.2 * 10.0 ← 10.9 *
 10.9 * 10.2 * 9.0 ← 10.5 * 9.3 ←
 beste Teiler 10.7 (6.) 14.7 (5.) 118.3 (9.)
 Trefferlage 0.39 mm links, 0.31 mm hoch
 Streuwert 1.85, horizontal: 2.54, vertikal: 0.64



Serie 2:
 10.5 * 10.2 * 10.2 * 10.2 * 10.8 *
 10.3 * 9.4 ← 10.6 * 10.4 * 10.2 *
 beste Teiler 50.0 (15.) 79.8 (18.) 116.1 (11.)
 Trefferlage 0.08 mm rechts, 0.02 mm hoch
 Streuwert 1.41, horizontal: 1.73, vertikal: 0.99



Serie 3:
 10.3 * 10.7 * 10.4 * 9.8 → 10.7 *
 10.2 * 10.6 * 10.0 ↙ 10.0 ← 10.8 *
 beste Teiler 49.2 (30.) 69.8 (25.) 74.7 (22.)
 Trefferlage 0.35 mm links, 0.31 mm tief
 Streuwert 1.24, horizontal: 1.55, vertikal: 0.82





Serie 4:
 10.0 → 10.2 * 10.7 * 10.6 * 10.3 *
 10.5 * 10.3 * 10.1 ↘ 9.3 ← 10.4 *
 beste Teiler 74.0 (33.) 78.0 (34.) 117.6 (36.)
 Trefferlage 0.29 mm rechts, 0.31 mm hoch
 Streuwert 1.45, horizontal: 1.81, vertikal: 0.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	389	(405.6)
Serien:	97 97 99 96	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	467 (9), 380 (34), 354 (38)	
beste Teiler	20.8 (23.) 60.6 (29.) 68.2 (18.)	
Trefferlage	0.18 mm rechts, 0.47 mm hoch	
Streuwert	1.55, horizontal: 1.86, vertikal: 1.17	




Serie 1:	10.3 *	9.7 ↖	10.7 *	10.2 *	10.4 *
	10.5 *	9.9 →	10.4 *	9.1 →	10.0 ↘
beste Teiler	69.1 (3.)	117.6 (6.)	145.4 (5.)		
Trefferlage	0.61 mm rechts, 0.67 mm hoch				
Streuwert	1.64, horizontal: 2.00, vertikal: 1.17				



Serie 2:	10.4 *	9.9 ↑	10.5 *	9.9 ↖	10.3 *
	9.6 ←	10.2 *	10.7 *	10.3 *	10.0 ↖
beste Teiler	68.2 (18.)	108.5 (13.)	141.0 (11.)		
Trefferlage	0.71 mm links, 0.59 mm hoch				
Streuwert	1.38, horizontal: 1.20, vertikal: 1.53				



Serie 3:	10.3 *	10.1 →	10.9 *	9.7 ←	10.0 →
	10.5 *	10.6 *	10.0 →	10.7 *	10.2 *
beste Teiler	20.8 (23.)	60.6 (29.)	87.7 (27.)		
Trefferlage	0.66 mm rechts, 0.06 mm hoch				
Streuwert	1.28, horizontal: 1.73, vertikal: 0.53				





Serie 4:	10.1 ↙	10.4 *	10.1 ↖	9.4 →	9.9 ↖
	10.0 ↖	9.6 →	9.5 →	10.1 ↑	10.5 *
beste Teiler	110.1 (40.)	131.0 (32.)	201.1 (39.)		
Trefferlage	0.18 mm rechts, 0.54 mm hoch				
Streuwert	1.86, horizontal: 2.29, vertikal: 1.28				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	396	(411.9)
Serien:	99 99 100 98	
Zähler:	36 4 0 0 0 0 0 0 0 0	
Innenzehner:	29	
weiteste:	323 (33), 288 (31), 269 (8)	
beste Teiler	46.8 (39.) 57.4 (29.) 70.3 (17.)	
Trefferlage	0.28 mm links, 0.12 mm hoch	
Streuwert	1.24, horizontal: 1.18, vertikal: 1.30	




Serie 1:					
	10.1 ↓	10.4 *	10.4 *	10.2 *	10.5 *
	10.4 *	10.4 *	9.9 ↗	10.6 *	10.3 *
beste Teiler	76.5 (9.)	110.1 (5.)	126.1 (2.)		
Trefferlage	0.12 mm rechts, 0.51 mm hoch				
Streuwert	1.15, horizontal: 1.04, vertikal: 1.25				



Serie 2:					
	10.5 *	9.9 ↖	10.2 *	10.1 ←	10.5 *
	10.4 *	10.7 *	10.4 *	10.2 *	10.4 *
beste Teiler	70.3 (17.)	111.6 (11.)	112.0 (15.)		
Trefferlage	0.58 mm links, 0.21 mm tief				
Streuwert	1.13, horizontal: 1.22, vertikal: 1.04				





Serie 3:					
	10.4 *	10.3 *	10.1 ↖	10.0 ↗	10.5 *
	10.5 *	10.5 *	10.3 *	10.7 *	10.4 *
beste Teiler	57.4 (29.)	117.6 (27.)	119.2 (25.)		
Trefferlage	0.57 mm links, 0.27 mm hoch				
Streuwert	1.07, horizontal: 0.76, vertikal: 1.31				




Serie 4:					
	9.8 ↓	10.3 *	9.7 →	10.2 *	10.2 *
	10.0 ↘	10.6 *	10.1 ↖	10.8 *	10.0 ↗
beste Teiler	46.8 (39.)	98.0 (37.)	171.8 (32.)		
Trefferlage	0.13 mm links, 0.06 mm tief				
Streuwert	1.60, horizontal: 1.59, vertikal: 1.61				

Unterschrift des Schützen


Ergebnis:	392	(412.0)
Serien:	97	100 97 98
Zähler:	32 8	0 0 0 0 0 0 0 0 0
Innenzehner:	26	
weiteste:	348 (6), 339 (10), 309 (27)	
beste Teiler	11.0 (37.)	40.8 (29.) 42.1 (32.)
Trefferlage	0.19 mm links, 0.23 mm hoch	
Streuwert	1.31, horizontal: 1.38, vertikal: 1.23	




Serie 1:	10.0 ↑	10.4 *	10.4 *	10.6 *	10.5 *
	9.6 ↖	9.8 ↙	10.2 *	10.5 *	9.6 ↙
beste Teiler	92.6 (4.) 116.7 (9.) 125.2 (5.)				
Trefferlage	0.86 mm links, 0.42 mm hoch				
Streuwert	1.48, horizontal: 1.40, vertikal: 1.55				



Serie 2:	10.6 *	10.6 *	10.4 *	10.4 *	10.3 *
	10.6 *	10.2 *	10.5 *	10.1 ←	10.0 ↘
beste Teiler	84.0 (16.) 85.4 (11.) 94.0 (12.)				
Trefferlage	0.24 mm links, 0.44 mm tief				
Streuwert	1.06, horizontal: 1.42, vertikal: 0.51				



Serie 3:	10.1 ↘	10.7 *	10.4 *	9.9 ↗	10.3 *
	9.9 ↙	9.7 ↑	10.6 *	10.8 *	10.7 *
beste Teiler	40.8 (29.) 64.2 (30.) 70.8 (22.)				
Trefferlage	0.09 mm rechts, 0.37 mm hoch				
Streuwert	1.36, horizontal: 1.26, vertikal: 1.47				





Serie 4:	10.3 *	10.8 *	10.1 ↑	9.8 ↙	10.8 *
	10.8 *	10.9 *	10.0 ↑	10.2 *	9.9 →
beste Teiler	11.0 (37.) 42.1 (32.) 45.1 (36.)				
Trefferlage	0.22 mm rechts, 0.59 mm hoch				
Streuwert	1.22, horizontal: 1.38, vertikal: 1.04				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	395	(414.3)
Serien:	100 98 99 98	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	30	
weiteste:	346 (36), 278 (11), 274 (29)	
beste Teiler	27.2 (9.) 45.0 (30.) 45.2 (33.)	
Trefferlage	0.09 mm links, 0.28 mm hoch	
Streuwert	1.17, horizontal: 1.02, vertikal: 1.30	




Serie 1:	10.5 *	10.6 *	10.1 ↑	10.3 *	10.4 *
	10.2 *	10.1 ←	10.5 *	10.8 *	10.4 *
beste Teiler	27.2 (9.)	90.9 (2.)	104.5 (1.)		
Trefferlage	0.44 mm links, 0.27 mm hoch				
Streuwert	1.02, horizontal: 0.89, vertikal: 1.13				



Serie 2:	9.8 ↑	10.3 *	10.4 *	10.2 *	10.3 *
	10.1 ↑	10.6 *	10.7 *	9.9 ↓	10.7 *
beste Teiler	71.3 (20.)	74.3 (18.)	93.4 (17.)		
Trefferlage	0.06 mm rechts, 0.49 mm hoch				
Streuwert	1.27, horizontal: 0.86, vertikal: 1.58				





Serie 3:	10.6 *	10.6 *	10.7 *	10.7 *	10.6 *
	10.1 ↑	10.1 ↑	10.3 *	9.9 ↑	10.8 *
beste Teiler	45.0 (30.)	67.7 (23.)	70.8 (24.)		
Trefferlage	0.00 mm, 0.65 mm hoch				
Streuwert	1.00, horizontal: 0.82, vertikal: 1.15				




Serie 4:	10.2 *	10.3 *	10.8 *	10.5 *	10.3 *
	9.6 ↓	10.5 *	10.4 *	9.9 ←	10.5 *
beste Teiler	45.2 (33.)	103.2 (40.)	114.8 (37.)		
Trefferlage	0.01 mm links, 0.27 mm tief				
Streuwert	1.37, horizontal: 1.46, vertikal: 1.27				

Unterschrift des Schützen


Ergebnis:	382	(398.6)
Serien:	94 97 95 96	
Zähler:	23 16 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	501 (27), 431 (6), 430 (8)	
beste Teiler	62.1 (14.) 83.0 (30.) 93.0 (3.)	
Trefferlage	0.00 mm , 0.06 mm tief	
Streuwert	1.93, horizontal: 2.14, vertikal: 1.68	




Serie 1:	10.5 *	9.6 ↗	10.6 *	9.2 →	9.6 ↘
	9.2 ↘	10.2 *	9.2 →	9.6 ↙	10.1 ↘
beste Teiler	93.0 (3.)	117.3 (1.)	177.8 (7.)		
Trefferlage	0.35 mm rechts, 0.04 mm hoch				
Streuwert	2.35, horizontal: 2.54, vertikal: 2.14				



Serie 2:	9.7 ↙	10.1 ↙	10.0 ↓	10.7 *	10.2 *
	10.4 *	10.4 *	9.6 ←	9.8 ↘	10.1 ↘
beste Teiler	62.1 (14.)	135.1 (17.)	145.4 (16.)		
Trefferlage	0.47 mm links, 0.52 mm tief				
Streuwert	1.62, horizontal: 1.57, vertikal: 1.68				





Serie 3:	10.4 *	10.1 →	10.1 ↓	9.9 ↘	10.2 *
	10.0 ↙	8.9 →	9.7 ↘	9.2 →	10.6 *
beste Teiler	83.0 (30.)	127.7 (21.)	198.9 (25.)		
Trefferlage	0.23 mm rechts, 0.04 mm hoch				
Streuwert	2.13, horizontal: 2.62, vertikal: 1.48				




Serie 4:	10.5 *	10.4 *	9.7 ↓	10.3 *	10.0 →
	10.3 *	9.7 ↘	10.1 →	9.9 ↑	9.8 ←
beste Teiler	112.7 (31.)	146.1 (32.)	151.2 (34.)		
Trefferlage	0.08 mm links, 0.19 mm hoch				
Streuwert	1.74, horizontal: 1.92, vertikal: 1.54				

Unterschrift des Schützen


Ergebnis: **387** (406.0)
 Serien: 95 98 94 100
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 450 (12), 370 (21), 319 (3)
 beste Teiler 44.0 (31.) 54.4 (36.) 57.7 (32.)
 Trefferlage 0.02 mm links, 0.04 mm tief
 Streuwert 1.57, horizontal: 1.87, vertikal: 1.20




Serie 1:
 10.0 ↘ 10.0 → 9.7 ← 9.8 ← 10.4 *
 9.9 ↙ 9.9 ↗ 9.9 → 10.0 ↘ 10.3 *
 beste Teiler 136.4 (5.) 175.3 (10.) 235.0 (2.)
 Trefferlage 0.01 mm rechts, 0.47 mm hoch
 Streuwert 1.81, horizontal: 2.27, vertikal: 1.19



Serie 2:
 10.6 * 9.2 ← 10.0 ↙ 10.4 * 10.3 *
 9.9 ↙ 10.1 ↑ 10.3 * 10.2 * 10.2 *
 beste Teiler 76.5 (11.) 127.1 (14.) 151.9 (18.)
 Trefferlage 0.47 mm links, 0.05 mm hoch
 Streuwert 1.66, horizontal: 2.00, vertikal: 1.22



Serie 3:
 9.5 → 10.4 * 9.8 ↗ 9.9 ↓ 10.5 *
 9.9 ↙ 9.8 ↗ 9.7 ↙ 10.4 * 10.6 *
 beste Teiler 92.6 (30.) 119.0 (25.) 127.0 (22.)
 Trefferlage 0.52 mm rechts, 0.27 mm tief
 Streuwert 1.76, horizontal: 2.04, vertikal: 1.42





Serie 4:
 10.8 * 10.7 * 10.0 ↓ 10.0 ← 10.7 *
 10.7 * 10.5 * 10.5 * 10.0 ↘ 10.5 *
 beste Teiler 44.0 (31.) 54.4 (36.) 57.7 (32.)
 Trefferlage 0.15 mm links, 0.44 mm tief
 Streuwert 1.03, horizontal: 1.13, vertikal: 0.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (408.8)
 Serien: 97 99 98 96
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 415 (13), 373 (31), 322 (28)
 beste Teiler 36.4 (6.) 39.6 (14.) 48.5 (27.)
 Trefferlage 0.29 mm links, 0.30 mm hoch
 Streuwert 1.44, horizontal: 1.53, vertikal: 1.34




Serie 1:
 10.8 * 9.9 ← 10.3 * 10.2 * 9.7 ↘
 10.8 * 10.0 ← 10.2 * 10.3 * 9.9 ↘
 beste Teiler 36.4 (6.) 49.2 (1.) 160.1 (3.)
 Trefferlage 1.40 mm links, 0.35 mm hoch
 Streuwert 1.08, horizontal: 1.08, vertikal: 1.09



Serie 2:
 10.5 * 10.4 * 9.3 ← 10.8 * 10.7 *
 10.4 * 10.1 ↙ 10.2 * 10.4 * 10.3 *
 beste Teiler 39.6 (14.) 53.0 (15.) 114.7 (11.)
 Trefferlage 0.66 mm links, 0.24 mm tief
 Streuwert 1.30, horizontal: 1.47, vertikal: 1.11





Serie 3:
 10.0 ↗ 9.9 ↑ 10.4 * 10.5 * 10.6 *
 10.1 ↘ 10.8 * 9.7 ↑ 10.5 * 10.1 ↑
 beste Teiler 48.5 (27.) 94.7 (25.) 116.8 (24.)
 Trefferlage 0.15 mm rechts, 1.14 mm hoch
 Streuwert 1.16, horizontal: 1.02, vertikal: 1.29




Serie 4:
 9.5 ↗ 10.3 * 9.8 ↗ 9.9 ↓ 10.5 *
 10.3 * 10.4 * 10.0 ↘ 9.8 ← 10.5 *
 beste Teiler 104.4 (40.) 125.6 (35.) 147.2 (37.)
 Trefferlage 0.72 mm rechts, 0.04 mm tief
 Streuwert 1.63, horizontal: 1.70, vertikal: 1.56

Unterschrift des Schützen


Ergebnis: **377** (397.2)
 Serien: 93 93 94 97
 Zähler: 20 18 1 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 766 (26), 648 (9), 491 (4)
 beste Teiler 4.2 (6.) 20.2 (25.) 26.4 (40.)
 Trefferlage 0.53 mm links, 0.85 mm tief
 Streuwert 2.06, horizontal: 2.43, vertikal: 1.59




Serie 1:
 10.3 * 10.3 * 10.0 ↖ 9.0 ↘ 9.3 ↖
 10.9 * 9.8 ↖ 9.8 ↗ 8.4 ↗ 9.9 ↘
 beste Teiler 4.2 (6.) 154.0 (1.) 169.1 (2.)
 Trefferlage 0.82 mm links, 0.97 mm tief
 Streuwert 2.38, horizontal: 2.71, vertikal: 1.99



Serie 2:
 10.0 ↓ 9.8 ↓ 9.5 ↓ 9.7 ↓ 10.2 *
 10.3 * 9.3 ↗ 9.3 ↗ 9.2 ↖ 9.4 ←
 beste Teiler 166.9 (16.) 200.9 (15.) 233.3 (11.)
 Trefferlage 1.19 mm links, 1.03 mm tief
 Streuwert 2.21, horizontal: 2.42, vertikal: 1.97



Serie 3:
 9.7 ↖ 9.9 ↗ 10.2 * 9.6 ← 10.9 *
 7.9 → 10.5 * 10.7 * 10.5 * 10.6 *
 beste Teiler 20.2 (25.) 68.4 (28.) 96.5 (30.)
 Trefferlage 0.25 mm links, 0.32 mm tief
 Streuwert 2.28, horizontal: 3.00, vertikal: 1.18





Serie 4:
 10.0 ↓ 10.4 * 10.8 * 10.0 ↓ 10.5 *
 9.9 ↓ 10.5 * 9.8 ↖ 9.6 → 10.8 *
 beste Teiler 26.4 (40.) 49.6 (33.) 103.1 (35.)
 Trefferlage 0.11 mm rechts, 1.07 mm tief
 Streuwert 1.34, horizontal: 1.52, vertikal: 1.14

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	373	(387.4)
Serien:	96 90 93 94	
Zähler:	17 20 2 1 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2958 (18), 2252 (39), 1856 (30)	
beste Teiler	315.9 (34.) 368.6 (29.) 389.0 (38.)	
Trefferlage	2.27 mm links, 0.27 mm tief	
Streuwert	7.94, horizontal: 6.81, vertikal: 8.92	




Serie 1:

9.6 ↗	9.4 ←	10.2 ↘	10.1 ↘	9.6 ←
10.3 ←	10.0 ↓	9.9 ↘	10.0 ↑	10.0 ↓
beste Teiler	499.2 (6.) 579.9 (3.) 679.7 (4.)			
Trefferlage	2.48 mm links, 0.16 mm hoch			
Streuwert	6.09, horizontal: 6.22, vertikal: 5.97			




Serie 2:

10.0 ↗	9.6 ↑	9.7 ↗	9.6 ←	9.0 ↘
9.6 →	9.4 ↓	7.3 ↗	9.4 ↑	10.1 ↘
beste Teiler	691.8 (20.) 765.0 (11.) 1003.8 (13.)			
Trefferlage	0.22 mm rechts, 0.13 mm tief			
Streuwert	10.56, horizontal: 9.28, vertikal: 11.70			



Serie 3:

9.4 ↑	9.2 ↑	10.3 ↓	9.5 ↑	9.5 ↑
9.6 ↗	10.1 ↘	10.1 ↘	10.5 *	8.6 ↘
beste Teiler	368.6 (29.) 530.9 (23.) 666.6 (28.)			
Trefferlage	2.72 mm links, 2.77 mm hoch			
Streuwert	7.69, horizontal: 3.88, vertikal: 10.16			





Serie 4:


10.3 ↓	10.1 ←	9.3 ←	10.6 *	10.0 ←
9.6 ↓	9.9 ↑	10.5 *	8.1 ↗	9.4 ↓
beste Teiler	315.9 (34.) 389.0 (38.) 506.2 (31.)			
Trefferlage	4.12 mm links, 3.89 mm tief			
Streuwert	6.86, horizontal: 7.08, vertikal: 6.64			

Unterschrift des Schützen


Ergebnis: **366** (385.9)
 Serien: 91 93 90 92
 Zähler: 16 18 4 1 0 1 0 0 0 0
 Innenzehner: 8
 weiteste: 4340 (21), 2544 (10), 2051 (15)
 beste Teiler 218.3 (27.) 253.2 (33.) 283.2 (6.)
 Trefferlage 1.14 mm rechts, 0.30 mm hoch
 Streuwert 9.14, horizontal: 8.43, vertikal: 9.80




Serie 1:
 9.8 ← 9.5 ↓ 9.9 ↗ 10.0 → 10.3 →
 10.6 * 10.3 ↓ 8.6 ← 9.1 ↗ 7.8 ↘
 beste Teiler 283.2 (6.) 487.4 (5.) 559.9 (7.)
 Trefferlage 2.41 mm rechts, 3.20 mm tief
 Streuwert 9.08, horizontal: 10.10, vertikal: 7.93



Serie 2:
 10.0 ← 9.9 → 10.6 * 9.9 ↙ 8.4 ↗
 9.8 ↖ 10.5 * 9.3 ↑ 10.1 → 9.6 ↓
 beste Teiler 316.4 (13.) 341.5 (17.) 674.1 (19.)
 Trefferlage 1.85 mm rechts, 0.41 mm hoch
 Streuwert 7.49, horizontal: 7.95, vertikal: 6.99



Serie 3:
 5.5 ↓ 9.9 ↑ 10.0 ↑ 8.8 ↑ 9.7 ←
 9.6 ↘ 10.7 * 10.0 ↑ 10.4 * 10.2 ↑
 beste Teiler 218.3 (27.) 430.0 (29.) 596.4 (30.)
 Trefferlage 1.82 mm links, 1.52 mm hoch
 Streuwert 11.98, horizontal: 6.32, vertikal: 15.72





Serie 4:
 8.9 ↘ 10.6 * 10.6 * 9.2 ↘ 9.5 ↗
 9.6 ↗ 9.8 ↗ 10.5 * 9.1 → 9.3 ←
 beste Teiler 253.2 (33.) 313.4 (32.) 395.6 (38.)
 Trefferlage 2.14 mm rechts, 2.46 mm hoch
 Streuwert 7.96, horizontal: 9.48, vertikal: 6.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (383.3)
 Serien: 92 91 85 94
 Zähler: 9 26 4 0 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3295 (27), 2114 (3), 1970 (21)
 beste Teiler 133.4 (40.) 142.8 (10.) 260.7 (8.)
 Trefferlage 0.45 mm links, 1.43 mm tief
 Streuwert 8.74, horizontal: 9.93, vertikal: 7.35




Serie 1:
 10.0 ↗ 9.5 ↖ 8.3 ↖ 9.0 ↖ 9.8 ↖
 9.6 → 9.4 ↘ 10.6 * 9.6 → 10.8 *
 beste Teiler 142.8 (10.) 260.7 (8.) 786.5 (1.)
 Trefferlage 1.68 mm links, 1.83 mm tief
 Streuwert 8.44, horizontal: 11.20, vertikal: 4.15



Serie 2:
 10.1 ↙ 10.6 * 9.4 ↓ 9.3 ↓ 9.9 ↘
 8.8 → 9.4 ↙ 9.9 ↘ 9.9 ↗ 9.6 →
 beste Teiler 281.5 (12.) 698.1 (11.) 815.6 (19.)
 Trefferlage 0.97 mm rechts, 3.00 mm tief
 Streuwert 7.67, horizontal: 7.54, vertikal: 7.79



Serie 3:
 8.5 ↓ 9.7 ↘ 9.5 ↙ 9.1 → 9.7 ←
 8.8 ↙ 6.8 ↗ 9.3 ↑ 9.7 ↖ 9.3 ←
 beste Teiler 970.7 (25.) 975.2 (22.) 1023.5 (29.)
 Trefferlage 0.22 mm rechts, 0.55 mm tief
 Streuwert 12.34, horizontal: 13.01, vertikal: 11.64





Serie 4:
 10.6 * 10.0 ↘ 10.1 ← 9.7 → 9.9 ↖
 9.5 ↘ 9.3 ← 9.8 ← 9.7 ← 10.8 *
 beste Teiler 133.4 (40.) 312.5 (31.) 645.8 (33.)
 Trefferlage 1.33 mm links, 0.34 mm tief
 Streuwert 6.57, horizontal: 8.42, vertikal: 3.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.0)
 Serien: 92 89 91 85
 Zähler: 10 19 9 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2448 (40), 2418 (36), 2400 (37)
 beste Teiler 268.7 (30.) 299.0 (1.) 300.4 (17.)
 Trefferlage 0.97 mm rechts, 2.69 mm hoch
 Streuwert 9.70, horizontal: 10.38, vertikal: 8.97




Serie 1:
 10.6 * 10.5 * 9.6 → 9.5 → 9.9 →
 10.1 ↖ 9.2 → 8.1 ↑ 9.1 ↙ 9.1 →
 beste Teiler 299.0 (1.) 396.7 (2.) 676.4 (6.)
 Trefferlage 4.17 mm rechts, 3.92 mm hoch
 Streuwert 8.24, horizontal: 8.67, vertikal: 7.78



Serie 2:
 8.5 ↗ 9.6 ↙ 8.8 ↘ 9.2 ↖ 9.8 ↖
 10.2 → 10.6 * 9.9 → 9.7 ← 8.8 ↘
 beste Teiler 300.4 (17.) 606.7 (16.) 877.1 (18.)
 Trefferlage 0.69 mm links, 0.80 mm hoch
 Streuwert 9.31, horizontal: 10.05, vertikal: 8.51



Serie 3:
 9.8 ↘ 9.8 ↘ 9.0 ↘ 8.6 ↘ 10.6 *
 8.9 ↙ 9.4 ↑ 9.1 ↘ 10.4 ↓ 10.6 *
 beste Teiler 268.7 (30.) 308.4 (25.) 478.8 (29.)
 Trefferlage 1.04 mm rechts, 1.01 mm tief
 Streuwert 9.01, horizontal: 8.62, vertikal: 9.39





Serie 4:
 9.9 ↓ 8.0 ↘ 8.9 ↗ 9.2 ← 10.2 ↙
 7.9 ↗ 8.0 ← 10.6 * 9.4 ↑ 7.9 →
 beste Teiler 320.2 (38.) 609.3 (35.) 847.6 (31.)
 Trefferlage 0.60 mm links, 7.08 mm hoch
 Streuwert 11.93, horizontal: 14.12, vertikal: 9.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(386.6)
Serien:	91 92 93 93	
Zähler:	14 21 5 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2331 (36), 2098 (3), 1759 (12)	
beste Teiler	64.0 (39.) 177.4 (20.) 196.0 (29.)	
Trefferlage	0.76 mm rechts, 0.95 mm hoch	
Streuwert	8.27, horizontal: 8.65, vertikal: 7.86	




Serie 1:	10.4 *	9.7 ↑	8.3 ↘	9.7 ↘	10.0 ↘
	8.9 ↗	10.4 *	9.3 ↙	9.1 ↑	9.8 ←
beste Teiler	414.0 (7.)	422.1 (1.)	798.0 (5.)		
Trefferlage	1.28 mm rechts, 5.10 mm hoch				
Streuwert	8.21, horizontal: 8.48, vertikal: 7.93				



Serie 2:	8.9 ←	8.8 ↘	10.1 ↘	10.7 *	9.3 ↑
	9.0 ↗	9.2 ↑	9.1 ↗	10.6 *	10.7 *
beste Teiler	177.4 (20.)	215.0 (14.)	271.0 (19.)		
Trefferlage	0.24 mm rechts, 3.24 mm hoch				
Streuwert	8.65, horizontal: 8.46, vertikal: 8.85				





Serie 3:	9.5 ↘	9.4 ↘	10.7 *	9.1 ←	10.0 ↑
	9.1 ↘	9.2 ↗	9.5 ←	10.7 *	9.7 →
beste Teiler	196.0 (29.)	211.4 (23.)	788.6 (25.)		
Trefferlage	1.73 mm links, 1.35 mm tief				
Streuwert	8.06, horizontal: 9.33, vertikal: 6.53				




Serie 4:	10.3 ←	9.7 ↘	10.1 ←	9.4 ↘	10.4 ↗
	8.0 →	9.7 ↗	9.8 ↑	10.9 *	9.4 ↘
beste Teiler	64.0 (39.)	477.2 (35.)	516.8 (31.)		
Trefferlage	3.27 mm rechts, 3.18 mm tief				
Streuwert	7.54, horizontal: 8.90, vertikal: 5.86				

Unterschrift des Schützen


Ergebnis: **358** (376.5)
 Serien: 89 92 90 87
 Zähler: 13 16 7 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3163 (35), 2880 (33), 2682 (36)
 beste Teiler 230.5 (10.) 283.9 (19.) 337.9 (32.)
 Trefferlage 1.73 mm rechts, 2.65 mm hoch
 Streuwert 9.99, horizontal: 9.56, vertikal: 10.40




Serie 1:
 9.4 ↑ 8.8 ↑ 10.5 * 8.5 ↖ 10.3 ↓
 9.9 ↘ 9.5 → 8.4 → 8.5 → 10.7 *
 beste Teiler 230.5 (10.) 343.0 (3.) 492.6 (5.)
 Trefferlage 5.01 mm rechts, 2.80 mm hoch
 Streuwert 9.29, horizontal: 9.04, vertikal: 9.53



Serie 2:
 9.2 ↓ 9.3 ↖ 10.3 ↗ 9.3 ↗ 8.8 ↓
 9.7 ↖ 9.5 ↙ 10.0 ↑ 10.6 * 9.7 ↖
 beste Teiler 283.9 (19.) 529.5 (13.) 767.0 (18.)
 Trefferlage 2.05 mm links, 0.58 mm hoch
 Streuwert 8.21, horizontal: 4.69, vertikal: 10.62



Serie 3:
 9.8 ↖ 8.8 ↙ 10.0 ↑ 10.5 * 9.6 ↓
 9.5 ↙ 9.2 ↑ 9.2 ← 8.4 ↑ 9.7 ↙
 beste Teiler 386.4 (24.) 775.7 (23.) 958.2 (21.)
 Trefferlage 4.46 mm links, 1.01 mm hoch
 Streuwert 8.94, horizontal: 5.97, vertikal: 11.15





Serie 4:
 10.3 ↓ 10.5 * 7.4 ↗ 7.9 ↗ 7.0 ↗
 7.6 ↗ 9.6 ↓ 10.0 → 10.3 ↖ 10.3 ←
 beste Teiler 337.9 (32.) 481.4 (39.) 496.7 (31.)
 Trefferlage 8.42 mm rechts, 6.18 mm hoch
 Streuwert 11.29, horizontal: 11.67, vertikal: 10.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (370.7)
 Serien: 91 92 84 88
 Zähler: 9 19 10 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2997 (23), 2642 (30), 2379 (38)
 beste Teiler 173.5 (24.) 392.5 (39.) 507.6 (20.)
 Trefferlage 1.58 mm rechts, 2.65 mm tief
 Streuwert 10.30, horizontal: 11.10, vertikal: 9.44




Serie 1:
 9.4 ↓ 10.0 ↓ 9.4 → 9.4 ↘ 9.8 ↖
 9.1 ← 8.9 ← 9.2 ↓ 10.1 ↖ 9.0 ↓
 beste Teiler 716.6 (9.) 723.1 (2.) 883.6 (5.)
 Trefferlage 0.29 mm links, 4.38 mm tief
 Streuwert 8.69, horizontal: 9.39, vertikal: 7.92



Serie 2:
 10.1 ← 9.2 ↑ 10.1 ↓ 8.4 → 10.1 ↓
 8.8 ← 8.6 ↓ 9.1 ↗ 10.1 ↓ 10.3 ↘
 beste Teiler 507.6 (20.) 649.2 (19.) 666.3 (11.)
 Trefferlage 1.34 mm rechts, 1.10 mm tief
 Streuwert 9.59, horizontal: 10.34, vertikal: 8.79



Serie 3:
 8.5 ↖ 9.4 ↓ 7.2 ↓ 10.7 * 9.8 ↗
 9.8 ↓ 8.9 → 8.4 ← 9.9 ← 7.6 ↖
 beste Teiler 173.5 (24.) 852.0 (29.) 913.7 (25.)
 Trefferlage 3.43 mm links, 6.63 mm tief
 Streuwert 11.83, horizontal: 11.77, vertikal: 11.88





Serie 4:
 8.7 → 9.0 → 9.3 ↓ 9.6 ↗ 9.4 ↖
 8.4 ↘ 9.4 ↗ 8.0 → 10.5 * 9.1 ↑
 beste Teiler 392.5 (39.) 1041.8 (34.) 1236.6 (35.)
 Trefferlage 8.74 mm rechts, 1.49 mm hoch
 Streuwert 9.32, horizontal: 10.56, vertikal: 7.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (353.6)
 Serien: 77 83 86 88
 Zähler: 9 14 6 7 2 1 1 0 0 0
 Innenzehner: 3
 weiteste: 5338 (10), 4082 (7), 3956 (9)
 beste Teiler 231.4 (8.) 355.8 (22.) 431.7 (38.)
 Trefferlage 0.76 mm rechts, 1.34 mm hoch
 Streuwert 14.56, horizontal: 16.88, vertikal: 11.78




Serie 1:
 9.8 ↓ 9.5 ← 10.2 ↑ 9.2 ↓ 8.8 ↘
 7.7 ↗ 5.8 ↙ 10.7 * 6.0 ↗ 4.3 ↗
 beste Teiler 231.4 (8.) 603.8 (3.) 901.0 (1.)
 Trefferlage 6.31 mm rechts, 1.87 mm hoch
 Streuwert 19.81, horizontal: 22.65, vertikal: 16.50



Serie 2:
 6.7 ↗ 9.7 ↗ 9.9 ↘ 10.1 ← 9.7 ↘
 8.0 ↗ 7.9 ↘ 8.6 ← 9.1 ↗ 8.7 ↘
 beste Teiler 645.9 (14.) 819.9 (13.) 1003.7 (15.)
 Trefferlage 2.27 mm rechts, 7.10 mm hoch
 Streuwert 12.77, horizontal: 16.52, vertikal: 7.31



Serie 3:
 9.9 ↘ 10.5 * 10.4 ← 9.9 ← 9.6 ↙
 7.9 ↗ 9.0 ↗ 7.5 → 8.8 ↙ 8.7 ↓
 beste Teiler 355.8 (22.) 480.2 (23.) 821.4 (21.)
 Trefferlage 0.56 mm rechts, 0.30 mm hoch
 Streuwert 11.86, horizontal: 13.23, vertikal: 10.30



Serie 4:
 7.9 ← 10.0 ↘ 10.0 → 9.1 ← 7.3 ↓
 7.0 ← 9.9 ← 10.4 * 9.3 ↗ 10.1 ←
 beste Teiler 431.7 (38.) 654.1 (40.) 737.3 (32.)
 Trefferlage 6.10 mm links, 3.89 mm tief
 Streuwert 11.96, horizontal: 13.61, vertikal: 10.04

Unterschrift des Schützen

Meyton Elektronik