





Ergebnis: **397** (415.1)
 Serien: 99 99 99 100
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 306 (15), 306 (26), 255 (9)
 beste Teiler 23.6 (4.) 36.7 (24.) 42.1 (6.)
 Trefferlage 0.36 mm rechts, 0.19 mm hoch
 Streuwert 1.11, horizontal: 1.20, vertikal: 1.02




Serie 1:
 10.6 * 10.3 * 10.5 * 10.9 * 10.1 ←
 10.8 * 10.7 * 10.7 * 9.9 ↗ 10.3 *
 beste Teiler 23.6 (4.) 42.1 (6.) 71.2 (7.)
 Trefferlage 0.04 mm links, 0.16 mm hoch
 Streuwert 1.03, horizontal: 1.16, vertikal: 0.89



Serie 2:
 10.4 * 10.7 * 10.3 * 10.0 ↘ 9.7 ↗
 10.8 * 10.0 → 10.6 * 10.3 * 10.3 *
 beste Teiler 42.4 (16.) 61.0 (12.) 86.6 (18.)
 Trefferlage 0.30 mm rechts, 0.36 mm hoch
 Streuwert 1.29, horizontal: 1.50, vertikal: 1.04



Serie 3:
 10.4 * 10.2 * 10.5 * 10.8 * 10.4 *
 9.7 ↘ 10.6 * 10.5 * 10.7 * 10.3 *
 beste Teiler 36.7 (24.) 61.1 (29.) 83.8 (27.)
 Trefferlage 0.49 mm rechts, 0.11 mm hoch
 Streuwert 1.05, horizontal: 1.18, vertikal: 0.89





Serie 4:
 10.4 * 10.4 * 10.0 → 10.1 ↑ 10.3 *
 10.5 * 10.0 ↑ 10.6 * 10.7 * 10.1 →
 beste Teiler 73.5 (39.) 77.8 (38.) 117.3 (36.)
 Trefferlage 0.70 mm rechts, 0.13 mm hoch
 Streuwert 1.16, horizontal: 0.95, vertikal: 1.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395** (412.3)
 Serien: 97 99 99 100
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 365 (3), 335 (7), 332 (22)
 beste Teiler 32.3 (5.) 32.5 (18.) 39.6 (19.)
 Trefferlage 0.05 mm rechts, 0.05 mm hoch
 Streuwert 1.29, horizontal: 1.50, vertikal: 1.03




Serie 1:
 10.6 * 10.1 ← 9.5 → 10.4 * 10.8 *
 10.0 ↖ 9.6 → 10.0 ↘ 9.9 ↗ 10.6 *
 beste Teiler 32.3 (5.) 82.4 (1.) 99.7 (10.)
 Trefferlage 0.67 mm rechts, 0.07 mm hoch
 Streuwert 1.60, horizontal: 1.91, vertikal: 1.22



Serie 2:
 10.4 * 10.7 * 10.0 ↑ 10.0 ↖ 10.4 *
 9.9 ← 10.5 * 10.8 * 10.8 * 10.5 *
 beste Teiler 32.5 (18.) 39.6 (19.) 57.6 (12.)
 Trefferlage 0.49 mm links, 0.39 mm hoch
 Streuwert 1.08, horizontal: 1.11, vertikal: 1.06



Serie 3:
 10.1 → 9.6 ↘ 10.4 * 10.7 * 10.4 *
 10.6 * 10.3 * 10.4 * 10.6 * 10.8 *
 beste Teiler 48.0 (30.) 67.0 (24.) 83.0 (29.)
 Trefferlage 0.48 mm rechts, 0.30 mm tief
 Streuwert 1.12, horizontal: 1.16, vertikal: 1.07





Serie 4:
 10.3 * 10.3 * 10.5 * 10.4 * 10.2 *
 10.1 → 10.1 ← 10.4 * 10.3 * 10.3 *
 beste Teiler 108.5 (33.) 133.0 (38.) 137.5 (34.)
 Trefferlage 0.43 mm links, 0.05 mm hoch
 Streuwert 1.21, horizontal: 1.52, vertikal: 0.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (409.4)
 Serien: 96 98 97 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 342 (15), 332 (25), 331 (23)
 beste Teiler 5.0 (4.) 18.3 (27.) 40.6 (32.)
 Trefferlage 0.26 mm rechts, 0.30 mm hoch
 Streuwert 1.42, horizontal: 1.57, vertikal: 1.25




Serie 1:
 9.9 ↑ 9.9 ↘ 9.7 ↘ 10.9 * 10.4 *
 10.6 * 10.0 ↗ 9.8 ↘ 10.3 * 10.2 *
 beste Teiler 5.0 (4.) 99.4 (6.) 148.8 (5.)
 Trefferlage 0.18 mm rechts, 0.94 mm hoch
 Streuwert 1.45, horizontal: 1.74, vertikal: 1.10



Serie 2:
 10.1 ↑ 10.1 ↘ 10.2 * 10.0 ↘ 9.6 →
 10.8 * 10.5 * 10.1 ← 10.1 ↑ 9.8 ↘
 beste Teiler 50.3 (16.) 108.3 (17.) 187.4 (13.)
 Trefferlage 0.05 mm rechts, 0.60 mm hoch
 Streuwert 1.60, horizontal: 1.77, vertikal: 1.41





Serie 3:
 10.8 * 10.5 * 9.6 ↙ 10.0 ↘ 9.6 →
 9.9 ↘ 10.9 * 10.1 ↙ 10.4 * 10.3 *
 beste Teiler 18.3 (27.) 48.2 (21.) 113.5 (22.)
 Trefferlage 0.31 mm rechts, 0.70 mm tief
 Streuwert 1.48, horizontal: 1.75, vertikal: 1.15




Serie 4:
 10.6 * 10.8 * 10.5 * 10.7 * 9.9 ↗
 10.7 * 10.3 * 10.4 * 10.3 * 10.1 →
 beste Teiler 40.6 (32.) 56.6 (36.) 69.0 (34.)
 Trefferlage 0.50 mm rechts, 0.38 mm hoch
 Streuwert 0.99, horizontal: 1.19, vertikal: 0.73

Unterschrift des Schützen


Ergebnis: **395** (414.1)
 Serien: 98 99 98 100
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 377 (3), 353 (9), 337 (21)
 beste Teiler 5.0 (24.) 31.8 (1.) 53.2 (39.)
 Trefferlage 0.42 mm rechts, 0.21 mm tief
 Streuwert 1.17, horizontal: 1.16, vertikal: 1.18




Serie 1:
 10.8 * 10.2 * 9.4 ↗ 10.0 ↘ 10.4 *
 10.4 * 10.1 ↘ 10.5 * 9.5 ↘ 10.4 *
 beste Teiler 31.8 (1.) 109.5 (8.) 126.6 (5.)
 Trefferlage 0.81 mm rechts, 0.30 mm tief
 Streuwert 1.49, horizontal: 1.42, vertikal: 1.55



Serie 2:
 10.4 * 10.4 * 10.5 * 9.9 ↘ 10.2 *
 10.6 * 10.6 * 10.5 * 10.2 * 10.4 *
 beste Teiler 90.4 (16.) 93.3 (17.) 119.6 (18.)
 Trefferlage 0.66 mm rechts, 0.72 mm tief
 Streuwert 0.88, horizontal: 1.14, vertikal: 0.50



Serie 3:
 9.6 ↓ 10.4 * 10.1 → 10.9 * 10.5 *
 9.9 ↗ 10.2 * 10.6 * 10.6 * 10.4 *
 beste Teiler 5.0 (24.) 88.1 (29.) 97.0 (28.)
 Trefferlage 0.55 mm rechts, 0.18 mm hoch
 Streuwert 1.28, horizontal: 1.08, vertikal: 1.46





Serie 4:
 10.5 * 10.4 * 10.3 * 10.6 * 10.7 *
 10.7 * 10.3 * 10.6 * 10.7 * 10.7 *
 beste Teiler 53.2 (39.) 55.7 (35.) 55.8 (36.)
 Trefferlage 0.31 mm links, 0.01 mm tief
 Streuwert 0.77, horizontal: 0.68, vertikal: 0.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (414.5)
 Serien: 98 99 100 99
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 369 (3), 273 (9), 273 (39)
 beste Teiler 37.1 (23.) 44.2 (16.) 51.2 (32.)
 Trefferlage 0.04 mm links, 0.00 mm
 Streuwert 1.18, horizontal: 1.42, vertikal: 0.89




Serie 1:
 10.2 * 10.4 * 9.5 ↗ 10.5 * 10.6 *
 10.2 * 10.7 * 10.7 * 9.9 ↙ 10.1 ↑
 beste Teiler 55.2 (7.) 64.5 (8.) 93.6 (5.)
 Trefferlage 0.12 mm rechts, 0.14 mm hoch
 Streuwert 1.45, horizontal: 1.66, vertikal: 1.22



Serie 2:
 9.9 ← 10.3 * 10.4 * 10.2 * 10.0 ↖
 10.8 * 10.6 * 10.7 * 10.6 * 10.3 *
 beste Teiler 44.2 (16.) 63.2 (18.) 93.1 (19.)
 Trefferlage 0.24 mm links, 0.11 mm tief
 Streuwert 1.17, horizontal: 1.49, vertikal: 0.74



Serie 3:
 10.0 → 10.5 * 10.8 * 10.6 * 10.6 *
 10.2 * 10.3 * 10.6 * 10.4 * 10.6 *
 beste Teiler 37.1 (23.) 81.3 (30.) 91.2 (24.)
 Trefferlage 0.28 mm rechts, 0.03 mm hoch
 Streuwert 0.99, horizontal: 1.27, vertikal: 0.61





Serie 4:
 10.7 * 10.7 * 10.3 * 10.4 * 10.2 *
 10.3 * 10.3 * 10.3 * 9.9 ↗ 10.2 *
 beste Teiler 51.2 (32.) 71.3 (31.) 127.2 (34.)
 Trefferlage 0.34 mm links, 0.03 mm tief
 Streuwert 1.19, horizontal: 1.36, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (411.4)
 Serien: 97 96 99 99
 Zähler: 32 7 1 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 507 (7), 453 (30), 292 (15)
 beste Teiler 21.9 (8.) 25.0 (26.) 28.6 (33.)
 Trefferlage 0.35 mm links, 0.63 mm hoch
 Streuwert 1.32, horizontal: 1.50, vertikal: 1.10




Serie 1:
 10.5 * 9.8 ↖ 10.3 * 10.7 * 10.2 *
 10.0 ↘ 8.9 ↘ 10.9 * 10.8 * 10.3 *
 beste Teiler 21.9 (8.) 46.2 (9.) 64.1 (4.)
 Trefferlage 0.58 mm links, 0.97 mm hoch
 Streuwert 1.43, horizontal: 1.81, vertikal: 0.90



Serie 2:
 9.8 ↗ 9.9 ← 10.6 * 10.7 * 9.8 ↖
 10.0 ← 10.2 * 10.6 * 9.8 ↖ 10.0 →
 beste Teiler 63.6 (14.) 80.7 (13.) 94.1 (18.)
 Trefferlage 0.69 mm links, 0.25 mm hoch
 Streuwert 1.54, horizontal: 1.99, vertikal: 0.91



Serie 3:
 10.4 * 10.4 * 10.3 * 10.5 * 10.4 *
 10.9 * 10.4 * 10.1 ↑ 10.5 * 9.1 ↘
 beste Teiler 25.0 (26.) 106.8 (29.) 118.3 (24.)
 Trefferlage 0.01 mm rechts, 0.66 mm hoch
 Streuwert 1.36, horizontal: 1.00, vertikal: 1.64





Serie 4:
 10.2 * 10.7 * 10.8 * 10.6 * 10.8 *
 10.2 * 10.6 * 10.4 * 9.9 ↘ 10.4 *
 beste Teiler 28.6 (33.) 50.0 (35.) 61.6 (32.)
 Trefferlage 0.16 mm links, 0.64 mm hoch
 Streuwert 0.95, horizontal: 1.07, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	388	(406.7)
Serien:	99 98 96 95	
Zähler:	28 12 0 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	493 (40), 453 (11), 367 (39)	
beste Teiler	23.0 (30.) 30.8 (12.) 44.0 (16.)	
Trefferlage	0.10 mm rechts, 0.40 mm hoch	
Streuwert	1.57, horizontal: 1.49, vertikal: 1.66	




Serie 1:	10.3 *	10.5 *	10.0 ✓	10.4 *	10.8 *
	10.4 *	10.1 ↑	10.4 *	9.7 ↓	10.3 *
beste Teiler	49.4 (5.)	103.3 (2.)	129.2 (8.)		
Trefferlage	0.31 mm links, 0.34 mm tief				
Streuwert	1.29, horizontal: 0.81, vertikal: 1.63				



Serie 2:	9.1 ↑	10.8 *	10.3 *	10.1 ✓	10.1 ✓
	10.8 *	10.6 *	10.3 *	9.8 ↑	10.5 *
beste Teiler	30.8 (12.)	44.0 (16.)	88.6 (17.)		
Trefferlage	0.40 mm links, 0.31 mm hoch				
Streuwert	1.51, horizontal: 0.86, vertikal: 1.95				



Serie 3:	10.1 →	10.6 *	10.3 *	10.6 *	9.6 ↗
	10.5 *	9.8 ↑	9.9 ↗	9.8 ↑	10.9 *
beste Teiler	23.0 (30.)	88.9 (24.)	96.6 (22.)		
Trefferlage	0.79 mm rechts, 1.20 mm hoch				
Streuwert	1.18, horizontal: 1.01, vertikal: 1.33				





Serie 4:	10.2 *	9.9 ↘	10.3 *	9.7 ↗	10.5 *
	10.1 →	9.9 ↑	10.2 *	9.5 ↘	9.0 ←
beste Teiler	117.3 (35.)	157.8 (33.)	184.3 (38.)		
Trefferlage	0.33 mm rechts, 0.43 mm hoch				
Streuwert	2.05, horizontal: 2.47, vertikal: 1.52				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (404.8)
 Serien: 99 98 96 97
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 448 (25), 441 (26), 439 (23)
 beste Teiler 5.0 (30.) 40.8 (40.) 61.1 (4.)
 Trefferlage 0.03 mm links, 0.14 mm hoch
 Streuwert 1.70, horizontal: 2.11, vertikal: 1.14




Serie 1:
 10.1 → 10.1 ↘ 9.7 ↘ 10.7 * 10.6 *
 10.0 ↗ 10.2 * 10.6 * 10.2 * 10.0 →
 beste Teiler 61.1 (4.) 88.0 (8.) 90.8 (5.)
 Trefferlage 0.48 mm rechts, 0.50 mm hoch
 Streuwert 1.36, horizontal: 1.65, vertikal: 0.98



Serie 2:
 10.1 ↙ 10.6 * 10.4 * 10.5 * 10.2 *
 10.6 * 10.4 * 9.3 ← 9.7 ↗ 10.1 ↗
 beste Teiler 82.7 (16.) 97.0 (12.) 110.6 (14.)
 Trefferlage 0.21 mm links, 0.09 mm hoch
 Streuwert 1.60, horizontal: 2.03, vertikal: 1.00



Serie 3:
 10.0 → 10.0 ← 9.2 ↗ 10.4 * 9.2 →
 9.2 ← 10.5 * 10.5 * 9.5 ← 10.9 *
 beste Teiler 5.0 (30.) 109.0 (27.) 116.0 (28.)
 Trefferlage 0.09 mm links, 0.16 mm hoch
 Streuwert 2.20, horizontal: 2.92, vertikal: 1.08



Serie 4:
 9.4 ↘ 10.1 ↑ 10.6 * 10.2 * 10.3 *
 10.4 * 10.1 ← 9.9 ↘ 9.5 → 10.8 *
 beste Teiler 40.8 (40.) 85.6 (33.) 141.1 (36.)
 Trefferlage 0.32 mm links, 0.18 mm tief
 Streuwert 1.69, horizontal: 1.88, vertikal: 1.49

Unterschrift des Schützen

Meyton Elektronik