





Ergebnis: **391** (409.9)
 Serien: 94 98 100 99
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 378 (16), 377 (9), 351 (6)
 beste Teiler 20.0 (40.) 21.0 (39.) 21.5 (15.)
 Trefferlage 0.24 mm rechts, 0.00 mm
 Streuwert 1.46, horizontal: 1.68, vertikal: 1.20




Serie 1:
 9.6 ↘ 10.5 * 9.9 ↓ 10.3 * 9.6 →
 9.5 ↗ 9.9 ↘ 10.0 ↖ 9.4 ← 10.6 *
 beste Teiler 99.6 (10.) 112.2 (2.) 171.3 (4.)
 Trefferlage 0.72 mm rechts, 0.39 mm tief
 Streuwert 1.93, horizontal: 2.26, vertikal: 1.53



Serie 2:
 10.4 * 10.4 * 10.0 ← 10.8 * 10.9 *
 9.4 ↗ 10.5 * 9.7 ← 10.0 ↗ 10.8 *
 beste Teiler 21.5 (15.) 44.3 (20.) 48.0 (14.)
 Trefferlage 0.12 mm links, 0.45 mm hoch
 Streuwert 1.47, horizontal: 1.95, vertikal: 0.75





Serie 3:
 10.8 * 10.2 * 10.3 * 10.2 * 10.4 *
 10.6 * 10.7 * 10.2 * 10.1 ↘ 10.2 *
 beste Teiler 43.7 (21.) 74.0 (27.) 89.8 (26.)
 Trefferlage 0.00 mm , 0.22 mm hoch
 Streuwert 1.17, horizontal: 0.85, vertikal: 1.42




Serie 4:
 10.5 * 10.6 * 10.0 ↘ 10.0 ↘ 10.8 *
 9.8 ← 10.3 * 10.2 * 10.9 * 10.9 *
 beste Teiler 20.0 (40.) 21.0 (39.) 49.0 (35.)
 Trefferlage 0.36 mm rechts, 0.29 mm tief
 Streuwert 1.20, horizontal: 1.44, vertikal: 0.88

Unterschrift des Schützen


Ergebnis: **391** (408.4)
 Serien: 98 96 98 99
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 390 (31), 388 (10), 353 (14)
 beste Teiler 10.1 (39.) 40.0 (26.) 45.5 (5.)
 Trefferlage 0.01 mm links, 0.27 mm hoch
 Streuwert 1.48, horizontal: 1.54, vertikal: 1.42




Serie 1:
 10.4 * 10.3 * 10.4 * 10.6 * 10.8 *
 10.3 * 9.9 ↗ 10.4 * 10.3 * 9.4 ↗
 beste Teiler 45.5 (5.) 89.0 (4.) 129.5 (3.)
 Trefferlage 0.24 mm rechts, 0.67 mm hoch
 Streuwert 1.30, horizontal: 1.42, vertikal: 1.17



Serie 2:
 10.2 * 9.6 ↑ 10.4 * 9.5 ← 10.6 *
 9.6 ← 10.3 * 10.1 ↘ 10.4 * 9.9 ↓
 beste Teiler 86.3 (15.) 141.6 (19.) 141.7 (13.)
 Trefferlage 0.91 mm links, 0.34 mm hoch
 Streuwert 1.63, horizontal: 1.73, vertikal: 1.52



Serie 3:
 10.1 ↓ 10.1 ↗ 10.2 * 9.8 ↗ 10.6 *
 10.8 * 10.0 ↗ 9.7 → 10.1 → 10.7 *
 beste Teiler 40.0 (26.) 58.4 (30.) 94.8 (25.)
 Trefferlage 0.77 mm rechts, 0.52 mm hoch
 Streuwert 1.38, horizontal: 1.34, vertikal: 1.41





Serie 4:
 9.4 ↓ 10.1 → 10.2 * 10.6 * 10.3 *
 10.6 * 10.6 * 10.2 * 10.9 * 10.0 ↘
 beste Teiler 10.1 (39.) 76.2 (37.) 79.1 (34.)
 Trefferlage 0.17 mm links, 0.42 mm tief
 Streuwert 1.41, horizontal: 1.32, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (405.8)
 Serien: 98 96 97 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 449 (17), 433 (21), 387 (32)
 beste Teiler 19.1 (4.) 52.7 (25.) 59.8 (30.)
 Trefferlage 0.70 mm rechts, 0.41 mm hoch
 Streuwert 1.52, horizontal: 1.67, vertikal: 1.37




Serie 1:
 10.3 * 10.6 * 9.9 ↘ 10.9 * 10.2 *
 10.6 * 9.4 → 10.1 ↑ 10.4 * 10.0 ↓
 beste Teiler 19.1 (4.) 81.7 (2.) 89.4 (6.)
 Trefferlage 0.48 mm rechts, 0.59 mm hoch
 Streuwert 1.38, horizontal: 1.36, vertikal: 1.40



Serie 2:
 10.3 * 10.0 ↘ 10.7 * 9.7 ↗ 10.2 *
 9.4 ↗ 9.2 → 9.7 ↑ 10.5 * 10.1 ←
 beste Teiler 67.7 (13.) 110.6 (19.) 165.4 (11.)
 Trefferlage 1.19 mm rechts, 0.51 mm hoch
 Streuwert 1.77, horizontal: 1.94, vertikal: 1.57





Serie 3:
 9.2 ↖ 10.5 * 10.1 ↘ 10.3 * 10.7 *
 10.1 → 9.7 ↘ 10.2 * 9.6 ↗ 10.7 *
 beste Teiler 52.7 (25.) 59.8 (30.) 111.0 (22.)
 Trefferlage 0.94 mm rechts, 0.31 mm hoch
 Streuwert 1.63, horizontal: 2.02, vertikal: 1.10




Serie 4:
 10.2 * 9.4 ↑ 10.4 * 10.6 * 10.5 *
 10.3 * 10.3 * 10.3 * 10.5 * 10.0 ←
 beste Teiler 86.6 (34.) 105.1 (39.) 106.0 (35.)
 Trefferlage 0.18 mm rechts, 0.24 mm hoch
 Streuwert 1.41, horizontal: 1.27, vertikal: 1.54

Unterschrift des Schützen


Ergebnis: **396** (416.1)
 Serien: 97 100 99 100
 Zähler: 37 2 1 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 579 (1), 413 (25), 266 (9)
 beste Teiler 22.4 (36.) 27.5 (22.) 31.0 (28.)
 Trefferlage 0.33 mm links, 0.29 mm hoch
 Streuwert 1.18, horizontal: 1.35, vertikal: 0.98




Serie 1:
 8.6 ← 10.3 * 10.5 * 10.2 * 10.5 *
 10.8 * 10.6 * 10.5 * 9.9 ↗ 10.3 *
 beste Teiler 36.4 (6.) 79.8 (7.) 102.1 (5.)
 Trefferlage 0.31 mm links, 0.41 mm hoch
 Streuwert 1.69, horizontal: 2.15, vertikal: 1.03



Serie 2:
 10.2 * 10.2 * 10.5 * 10.5 * 10.1 ↘
 10.5 * 10.3 * 10.4 * 10.8 * 10.3 *
 beste Teiler 39.9 (19.) 104.2 (13.) 111.0 (14.)
 Trefferlage 0.32 mm links, 0.39 mm hoch
 Streuwert 1.04, horizontal: 0.77, vertikal: 1.24



Serie 3:
 10.7 * 10.8 * 10.5 * 10.4 * 9.3 ←
 10.1 ↘ 10.5 * 10.8 * 10.4 * 10.6 *
 beste Teiler 27.5 (22.) 31.0 (28.) 75.1 (21.)
 Trefferlage 0.84 mm links, 0.08 mm hoch
 Streuwert 1.12, horizontal: 1.34, vertikal: 0.83





Serie 4:
 10.7 * 10.3 * 10.6 * 10.1 ↑ 10.8 *
 10.9 * 10.5 * 10.6 * 10.7 * 10.8 *
 beste Teiler 22.4 (36.) 42.4 (40.) 46.8 (35.)
 Trefferlage 0.14 mm rechts, 0.30 mm hoch
 Streuwert 0.75, horizontal: 0.57, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (411.9)
 Serien: 99 98 98 98
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 485 (29), 384 (40), 347 (6)
 beste Teiler 5.0 (8.) 27.4 (35.) 45.3 (1.)
 Trefferlage 0.46 mm rechts, 0.01 mm tief
 Streuwert 1.33, horizontal: 1.39, vertikal: 1.28




Serie 1:
 10.8 * 10.1 ↖ 10.6 * 10.5 * 10.5 *
 9.6 ↓ 10.5 * 10.9 * 10.3 * 10.7 *
 beste Teiler 5.0 (8.) 45.3 (1.) 55.8 (10.)
 Trefferlage 0.10 mm rechts, 0.06 mm tief
 Streuwert 1.16, horizontal: 0.90, vertikal: 1.37



Serie 2:
 10.8 * 9.9 ↗ 10.5 * 9.7 ↖ 10.4 *
 10.7 * 10.3 * 10.2 * 10.3 * 10.6 *
 beste Teiler 49.0 (11.) 74.3 (16.) 95.6 (20.)
 Trefferlage 0.48 mm rechts, 0.08 mm tief
 Streuwert 1.24, horizontal: 1.54, vertikal: 0.84





Serie 3:
 10.1 ↑ 10.1 ↑ 10.5 * 10.7 * 9.9 →
 10.6 * 10.2 * 10.1 ↗ 9.0 → 10.2 *
 beste Teiler 54.0 (24.) 88.6 (26.) 120.6 (23.)
 Trefferlage 1.30 mm rechts, 0.56 mm hoch
 Streuwert 1.35, horizontal: 1.60, vertikal: 1.03




Serie 4:
 10.5 * 10.3 * 10.7 * 10.3 * 10.8 *
 10.1 → 10.0 ↖ 9.8 ↓ 10.7 * 9.4 ↓
 beste Teiler 27.4 (35.) 57.0 (33.) 64.1 (39.)
 Trefferlage 0.04 mm links, 0.48 mm tief
 Streuwert 1.44, horizontal: 1.16, vertikal: 1.68

Unterschrift des Schützen


Ergebnis:	394	(414.0)
Serien:	98 98 100 98	
Zähler:	34 6 0 0 0 0 0 0 0 0	
Innenzehner:	32	
weiteste:	373 (18), 368 (33), 312 (34)	
beste Teiler	1.4 (36.) 28.0 (37.) 49.9 (29.)	
Trefferlage	0.12 mm links, 0.27 mm tief	
Streuwert	1.23, horizontal: 1.40, vertikal: 1.03	




Serie 1:	10.3 *	10.3 *	10.3 *	10.5 *	9.8 →
	10.5 *	10.7 *	10.2 *	9.9 ↖	10.6 *
beste Teiler	63.1 (7.)	93.2 (10.)	103.6 (6.)		
Trefferlage	0.30 mm links, 0.09 mm tief				
Streuwert	1.30, horizontal: 1.38, vertikal: 1.22				



Serie 2:	9.9 ←	10.6 *	10.0 ↙	10.4 *	10.7 *
	10.7 *	10.7 *	9.5 ↘	10.4 *	10.5 *
beste Teiler	59.5 (17.)	64.0 (16.)	64.2 (15.)		
Trefferlage	0.77 mm links, 0.82 mm tief				
Streuwert	1.06, horizontal: 1.21, vertikal: 0.89				





Serie 3:	10.7 *	10.5 *	10.0 ↘	10.5 *	10.2 *
	10.2 *	10.2 *	10.3 *	10.8 *	10.2 *
beste Teiler	49.9 (29.)	75.2 (21.)	102.1 (22.)		
Trefferlage	0.22 mm links, 0.33 mm tief				
Streuwert	1.16, horizontal: 1.26, vertikal: 1.05				




Serie 4:	10.5 *	10.4 *	9.5 →	9.7 →	10.5 *
	10.9 *	10.8 *	10.6 *	10.6 *	10.4 *
beste Teiler	1.4 (36.)	28.0 (37.)	80.2 (39.)		
Trefferlage	0.80 mm rechts, 0.13 mm hoch				
Streuwert	1.16, horizontal: 1.42, vertikal: 0.82				

Unterschrift des Schützen


Ergebnis: **387** (408.9)
 Serien: 99 95 97 96
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 386 (18), 319 (33), 318 (26)
 beste Teiler 46.6 (6.) 54.4 (27.) 70.4 (25.)
 Trefferlage 0.06 mm rechts, 0.14 mm hoch
 Streuwert 1.45, horizontal: 1.60, vertikal: 1.28




Serie 1:
 10.3 * 10.6 * 10.3 * 10.2 * 10.3 *
 10.8 * 10.6 * 9.9 ↖ 10.3 * 10.5 *
 beste Teiler 46.6 (6.) 92.4 (7.) 97.1 (2.)
 Trefferlage 0.08 mm rechts, 0.24 mm hoch
 Streuwert 1.15, horizontal: 1.20, vertikal: 1.10



Serie 2:
 10.5 * 10.2 * 9.8 ↗ 9.7 → 10.7 *
 10.2 * 10.6 * 9.4 ↘ 9.9 ← 9.7 ↗
 beste Teiler 71.5 (15.) 81.3 (17.) 122.0 (11.)
 Trefferlage 0.23 mm rechts, 0.60 mm hoch
 Streuwert 1.74, horizontal: 1.82, vertikal: 1.65



Serie 3:
 10.2 * 9.9 ↘ 10.4 * 10.3 * 10.7 *
 9.7 ← 10.7 * 9.9 ↓ 10.5 * 10.5 *
 beste Teiler 54.4 (27.) 70.4 (25.) 104.1 (30.)
 Trefferlage 0.38 mm links, 0.29 mm tief
 Streuwert 1.36, horizontal: 1.61, vertikal: 1.07





Serie 4:
 10.5 * 10.3 * 9.7 → 9.9 ↘ 10.6 *
 9.8 ↘ 9.9 ← 10.6 * 10.3 * 10.0 ↗
 beste Teiler 80.3 (38.) 80.4 (35.) 125.8 (31.)
 Trefferlage 0.31 mm rechts, 0.01 mm hoch
 Streuwert 1.57, horizontal: 1.84, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (403.7)
 Serien: 98 98 95 97
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 607 (12), 472 (23), 381 (28)
 beste Teiler 42.0 (37.) 73.6 (5.) 74.6 (13.)
 Trefferlage 0.69 mm links, 0.13 mm tief
 Streuwert 1.67, horizontal: 1.74, vertikal: 1.60




Serie 1:
 10.3 * 10.4 * 10.2 * 9.6 ↘ 10.7 *
 10.3 * 10.4 * 9.6 ↙ 10.3 * 10.0 ↖
 beste Teiler 73.6 (5.) 126.2 (2.) 139.4 (7.)
 Trefferlage 0.33 mm links, 0.06 mm tief
 Streuwert 1.52, horizontal: 1.38, vertikal: 1.64



Serie 2:
 10.2 * 8.5 ← 10.7 * 10.4 * 10.5 *
 10.3 * 10.5 * 10.0 ↘ 10.1 ↓ 10.2 *
 beste Teiler 74.6 (13.) 102.4 (15.) 113.6 (17.)
 Trefferlage 0.16 mm links, 0.10 mm tief
 Streuwert 1.82, horizontal: 2.21, vertikal: 1.32



Serie 3:
 10.0 ↙ 9.5 ↘ 9.1 ← 9.5 ↓ 10.2 *
 10.4 * 10.5 * 9.4 ↙ 9.8 ↓ 10.1 ←
 beste Teiler 111.1 (27.) 138.9 (26.) 177.2 (25.)
 Trefferlage 1.27 mm links, 1.33 mm tief
 Streuwert 1.74, horizontal: 1.95, vertikal: 1.50



Serie 4:
 9.4 ↑ 10.6 * 10.3 * 10.3 * 10.6 *
 9.7 ← 10.8 * 9.8 ← 10.0 ↗ 10.5 *
 beste Teiler 42.0 (37.) 81.2 (35.) 97.1 (32.)
 Trefferlage 1.00 mm links, 0.94 mm hoch
 Streuwert 1.24, horizontal: 1.25, vertikal: 1.23

Unterschrift des Schützen

Meyton Elektronik