





Ergebnis: **395** (416.5)
 Serien: 98 98 99 100
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 367 (13), 286 (1), 259 (15)
 beste Teiler 6.4 (25.) 29.2 (3.) 32.6 (20.)
 Trefferlage 0.10 mm rechts, 0.19 mm hoch
 Streuwert 1.12, horizontal: 1.25, vertikal: 0.97




Serie 1:
 9.8 → 10.6 * 10.8 * 9.9 ↘ 10.2 *
 10.7 * 10.0 ↙ 10.3 * 10.0 ← 10.7 *
 beste Teiler 29.2 (3.) 65.4 (10.) 70.4 (6.)
 Trefferlage 0.64 mm links, 0.35 mm hoch
 Streuwert 1.24, horizontal: 1.46, vertikal: 0.97



Serie 2:
 10.4 * 10.7 * 9.5 ↗ 10.7 * 9.9 →
 10.7 * 10.4 * 10.2 * 10.1 ↗ 10.8 *
 beste Teiler 32.6 (20.) 62.2 (14.) 64.9 (16.)
 Trefferlage 1.03 mm rechts, 0.64 mm hoch
 Streuwert 1.04, horizontal: 1.17, vertikal: 0.90





Serie 3:
 9.9 ↓ 10.7 * 10.4 * 10.7 * 10.9 *
 10.7 * 10.0 ← 10.4 * 10.5 * 10.6 *
 beste Teiler 6.4 (25.) 54.8 (22.) 65.7 (24.)
 Trefferlage 0.02 mm links, 0.33 mm tief
 Streuwert 1.00, horizontal: 1.01, vertikal: 1.00



Serie 4:
 10.6 * 10.2 * 10.2 * 10.7 * 10.5 *
 10.5 * 10.8 * 10.7 * 10.7 * 10.4 *
 beste Teiler 36.3 (37.) 51.8 (39.) 59.3 (34.)
 Trefferlage 0.03 mm rechts, 0.09 mm hoch
 Streuwert 0.86, horizontal: 0.84, vertikal: 0.88


Unterschrift des Schützen

Ergebnis:	390	(408.5)
Serien:	96	99 97 98
Zähler:	31 8	1 0 0 0 0 0 0 0
Innenzehner:	26	
weiteste:	546 (1), 428 (25), 348 (6)	
beste Teiler	55.1 (3.)	60.3 (18.) 67.0 (13.)
Trefferlage	0.07 mm rechts, 0.41 mm hoch	
Streuwert	1.50, horizontal: 1.80, vertikal: 1.12	




Serie 1:

8.8 ↖	10.2 *	10.7 *	9.6 ↘	10.3 *
9.6 →	10.0 ←	10.3 *	10.4 *	10.2 *
beste Teiler	55.1 (3.)	126.6 (9.)	164.9 (5.)	
Trefferlage	0.75 mm links, 0.29 mm hoch			
Streuwert	1.95, horizontal: 2.61, vertikal: 0.90			




Serie 2:

10.0 ↗	10.2 *	10.7 *	9.8 ↖	10.6 *
10.7 *	10.2 *	10.7 *	10.4 *	10.4 *
beste Teiler	60.3 (18.)	67.0 (13.)	75.9 (16.)	
Trefferlage	0.37 mm rechts, 0.59 mm hoch			
Streuwert	1.12, horizontal: 0.96, vertikal: 1.26			



Serie 3:

10.5 *	10.2 *	10.3 *	10.3 *	9.2 ↗
10.6 *	10.5 *	9.9 ↗	10.1 ↘	9.9 ↗
beste Teiler	82.3 (26.)	112.3 (27.)	120.0 (21.)	
Trefferlage	0.96 mm rechts, 1.18 mm hoch			
Streuwert	1.17, horizontal: 1.46, vertikal: 0.78			





Serie 4:


10.1 ↘	9.8 ↙	10.6 *	10.6 *	10.1 ↗
10.6 *	10.7 *	9.8 ←	10.3 *	10.6 *
beste Teiler	71.0 (37.)	81.4 (36.)	87.8 (40.)	
Trefferlage	0.27 mm links, 0.43 mm tief			
Streuwert	1.28, horizontal: 1.54, vertikal: 0.95			

Unterschrift des Schützen


Ergebnis:	395	(415.5)
Serien:	98	100 99 98
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	33	
weiteste:	368 (10), 344 (8), 298 (32)	
beste Teiler	18.0 (5.) 36.0 (19.) 40.8 (22.)	
Trefferlage	0.28 mm rechts, 0.15 mm tief	
Streuwert	1.15, horizontal: 1.09, vertikal: 1.21	




Serie 1:	10.2 *	10.2 *	10.7 *	10.3 *	10.9 *
	10.4 *	10.2 *	9.6 ↘	10.7 *	9.5 →
beste Teiler	18.0 (5.)	55.6 (3.)	67.9 (9.)		
Trefferlage	0.88 mm rechts, 0.12 mm tief				
Streuwert	1.37, horizontal: 1.39, vertikal: 1.34				



Serie 2:	10.6 *	10.1 ↗	10.7 *	10.5 *	10.6 *
	10.0 ↘	10.5 *	10.3 *	10.8 *	10.4 *
beste Teiler	36.0 (19.)	70.8 (13.)	78.3 (11.)		
Trefferlage	0.52 mm rechts, 0.01 mm hoch				
Streuwert	0.95, horizontal: 0.66, vertikal: 1.16				



Serie 3:	10.3 *	10.8 *	10.6 *	9.9 ✓	10.5 *
	10.7 *	10.3 *	10.5 *	10.6 *	10.7 *
beste Teiler	40.8 (22.)	55.0 (30.)	62.0 (26.)		
Trefferlage	0.08 mm links, 0.44 mm tief				
Streuwert	0.91, horizontal: 0.96, vertikal: 0.86				





Serie 4:	10.3 *	9.8 ↓	10.3 *	10.3 *	10.7 *
	10.2 *	10.7 *	9.9 ↑	10.7 *	10.5 *
beste Teiler	55.6 (35.)	69.7 (39.)	70.4 (37.)		
Trefferlage	0.17 mm links, 0.05 mm tief				
Streuwert	1.28, horizontal: 0.99, vertikal: 1.51				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (407.4)
 Serien: 98 95 96 99
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 540 (11), 450 (17), 425 (26)
 beste Teiler 8.5 (6.) 25.0 (30.) 44.0 (12.)
 Trefferlage 0.05 mm rechts, 0.09 mm hoch
 Streuwert 1.65, horizontal: 1.99, vertikal: 1.21




Serie 1:
 10.2 * 10.4 * 10.0 ↖ 10.6 * 10.6 *
 10.9 * 9.4 → 10.5 * 10.5 * 9.5 ↘
 beste Teiler 8.5 (6.) 92.0 (4.) 100.6 (5.)
 Trefferlage 0.21 mm rechts, 0.27 mm hoch
 Streuwert 1.52, horizontal: 1.74, vertikal: 1.27



Serie 2:
 8.8 ← 10.8 * 9.6 ↗ 10.6 * 10.2 *
 10.5 * 9.2 ↙ 10.5 * 10.4 * 9.5 ←
 beste Teiler 44.0 (12.) 84.2 (14.) 120.5 (18.)
 Trefferlage 0.86 mm links, 0.50 mm tief
 Streuwert 2.01, horizontal: 2.56, vertikal: 1.23



Serie 3:
 9.8 ↗ 10.1 ↗ 9.8 ↑ 10.1 ↓ 10.2 *
 9.3 → 9.9 ↘ 10.6 * 10.7 * 10.9 *
 beste Teiler 25.0 (30.) 54.3 (29.) 81.4 (28.)
 Trefferlage 0.46 mm rechts, 0.72 mm hoch
 Streuwert 1.62, horizontal: 1.84, vertikal: 1.36





Serie 4:
 10.8 * 10.7 * 10.3 * 10.0 ← 10.7 *
 10.0 ← 10.4 * 10.3 * 9.5 → 10.6 *
 beste Teiler 45.1 (31.) 65.9 (35.) 68.1 (32.)
 Trefferlage 0.39 mm rechts, 0.12 mm tief
 Streuwert 1.31, horizontal: 1.73, vertikal: 0.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (406.9)
 Serien: 97 98 96 99
 Zähler: 31 8 1 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 511 (22), 469 (3), 402 (16)
 beste Teiler 44.6 (4.) 72.5 (14.) 76.6 (10.)
 Trefferlage 0.37 mm rechts, 0.31 mm tief
 Streuwert 1.55, horizontal: 1.78, vertikal: 1.27




Serie 1:
 9.8 ← 10.2 * 9.1 → 10.8 * 10.5 *
 10.2 * 10.4 * 9.9 ↓ 10.2 * 10.6 *
 beste Teiler 44.6 (4.) 76.6 (10.) 107.5 (5.)
 Trefferlage 0.71 mm rechts, 0.59 mm tief
 Streuwert 1.57, horizontal: 1.94, vertikal: 1.09



Serie 2:
 10.6 * 10.6 * 10.4 * 10.7 * 10.1 ↓
 9.3 ↘ 10.0 ↓ 10.0 ↘ 9.7 → 10.6 *
 beste Teiler 72.5 (14.) 83.7 (20.) 95.2 (12.)
 Trefferlage 0.91 mm rechts, 0.64 mm tief
 Streuwert 1.39, horizontal: 1.44, vertikal: 1.33





Serie 3:
 10.2 * 8.9 ↘ 10.5 * 10.4 * 9.6 →
 9.9 ↖ 10.4 * 10.1 ↙ 10.5 * 10.1 ↖
 beste Teiler 104.0 (29.) 120.3 (23.) 131.5 (27.)
 Trefferlage 0.35 mm rechts, 0.07 mm tief
 Streuwert 1.87, horizontal: 2.22, vertikal: 1.44




Serie 4:
 10.1 ↓ 10.2 * 10.3 * 10.2 * 10.2 *
 9.9 ← 10.5 * 10.2 * 10.4 * 10.6 *
 beste Teiler 83.7 (40.) 120.5 (37.) 129.2 (39.)
 Trefferlage 0.46 mm links, 0.08 mm hoch
 Streuwert 1.28, horizontal: 1.33, vertikal: 1.23

Unterschrift des Schützen


Ergebnis: **381** (400.8)
 Serien: 96 94 95 96
 Zähler: 24 13 3 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 625 (19), 528 (10), 521 (29)
 beste Teiler 34.1 (21.) 42.0 (8.) 80.4 (1.)
 Trefferlage 0.32 mm links, 0.53 mm tief
 Streuwert 1.86, horizontal: 1.89, vertikal: 1.83




Serie 1:
 10.6 * 10.2 * 9.9 ↓ 10.1 ↓ 10.1 ↓
 9.3 ↘ 10.5 * 10.8 * 10.6 * 8.8 ↓
 beste Teiler 42.0 (8.) 80.4 (1.) 81.2 (9.)
 Trefferlage 0.38 mm rechts, 1.56 mm tief
 Streuwert 1.52, horizontal: 1.36, vertikal: 1.67



Serie 2:
 10.5 * 10.4 * 9.7 ← 9.7 ↘ 9.7 ↑
 10.5 * 10.4 * 9.8 ↓ 8.5 ↘ 10.2 *
 beste Teiler 116.2 (16.) 125.4 (11.) 141.3 (12.)
 Trefferlage 0.97 mm links, 0.22 mm hoch
 Streuwert 2.09, horizontal: 2.02, vertikal: 2.17



Serie 3:
 10.8 * 9.7 ↘ 10.4 * 9.7 ↘ 10.0 ←
 10.4 * 10.2 * 10.4 * 8.9 ← 9.8 ←
 beste Teiler 34.1 (21.) 126.7 (28.) 141.7 (23.)
 Trefferlage 0.47 mm links, 0.32 mm tief
 Streuwert 1.95, horizontal: 2.53, vertikal: 1.11





Serie 4:
 10.2 * 10.3 * 10.1 ↘ 10.2 * 9.7 ↓
 9.8 ↓ 10.0 ↘ 9.9 ↓ 10.4 * 9.6 ↘
 beste Teiler 144.7 (39.) 169.7 (32.) 182.3 (31.)
 Trefferlage 0.24 mm links, 0.47 mm tief
 Streuwert 1.74, horizontal: 1.47, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (406.9)
 Serien: 98 97 97 99
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 484 (15), 483 (24), 379 (5)
 beste Teiler 36.3 (27.) 53.0 (13.) 57.0 (28.)
 Trefferlage 0.11 mm rechts, 0.33 mm hoch
 Streuwert 1.58, horizontal: 1.83, vertikal: 1.27




Serie 1:
 10.7 * 10.4 * 10.2 * 10.5 * 9.4 →
 10.2 * 9.5 → 10.5 * 10.2 * 10.7 *
 beste Teiler 61.0 (10.) 65.3 (1.) 118.2 (8.)
 Trefferlage 0.14 mm rechts, 0.38 mm hoch
 Streuwert 1.53, horizontal: 1.94, vertikal: 0.95



Serie 2:
 10.7 * 9.6 → 10.7 * 10.3 * 9.0 ↖
 10.4 * 10.1 ↘ 10.0 ↗ 10.3 * 9.8 ↖
 beste Teiler 53.0 (13.) 58.8 (11.) 130.1 (16.)
 Trefferlage 0.18 mm rechts, 0.62 mm hoch
 Streuwert 1.79, horizontal: 2.33, vertikal: 0.99



Serie 3:
 10.5 * 10.6 * 10.2 * 9.0 ↗ 9.7 ↖
 9.7 → 10.8 * 10.7 * 10.0 ↖ 10.3 *
 beste Teiler 36.3 (27.) 57.0 (28.) 96.7 (22.)
 Trefferlage 0.04 mm rechts, 0.56 mm hoch
 Streuwert 1.74, horizontal: 1.74, vertikal: 1.73





Serie 4:
 10.6 * 10.0 ↖ 10.5 * 10.3 * 10.0 ↗
 10.2 * 10.4 * 10.1 ← 9.9 ↘ 10.2 *
 beste Teiler 80.0 (31.) 110.2 (33.) 126.2 (37.)
 Trefferlage 0.08 mm rechts, 0.23 mm tief
 Streuwert 1.39, horizontal: 1.50, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.6)
 Serien: 97 95 93 97
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 663 (30), 464 (24), 429 (11)
 beste Teiler 36.2 (12.) 62.1 (15.) 70.0 (32.)
 Trefferlage 0.25 mm rechts, 0.32 mm hoch
 Streuwert 1.92, horizontal: 2.27, vertikal: 1.50




Serie 1:
 10.7 * 9.6 ↘ 10.4 * 10.2 * 9.8 ←
 10.0 ↙ 10.1 ↙ 10.7 * 9.6 ↘ 10.1 ↙
 beste Teiler 71.5 (8.) 72.1 (1.) 147.2 (3.)
 Trefferlage 0.20 mm links, 0.69 mm tief
 Streuwert 1.62, horizontal: 1.88, vertikal: 1.31



Serie 2:
 9.2 → 10.8 * 9.7 → 10.4 * 10.7 *
 9.9 ↙ 9.3 ← 9.8 ↑ 10.1 ↘ 10.6 *
 beste Teiler 36.2 (12.) 62.1 (15.) 100.6 (20.)
 Trefferlage 0.16 mm rechts, 0.55 mm hoch
 Streuwert 1.90, horizontal: 2.28, vertikal: 1.41





Serie 3:
 9.8 ↘ 10.4 * 10.4 * 9.1 → 9.8 ↙
 9.6 ← 9.8 ↘ 10.7 * 10.0 ↗ 8.3 →
 beste Teiler 73.0 (28.) 138.2 (23.) 143.9 (22.)
 Trefferlage 0.34 mm rechts, 0.15 mm hoch
 Streuwert 2.48, horizontal: 3.22, vertikal: 1.39




Serie 4:
 10.0 ↗ 10.7 * 10.0 ↗ 10.0 ↑ 10.1 ↘
 9.7 ↗ 9.9 → 10.1 ← 10.0 ↗ 9.5 ↗
 beste Teiler 70.0 (32.) 203.9 (35.) 223.0 (38.)
 Trefferlage 0.72 mm rechts, 1.29 mm hoch
 Streuwert 1.51, horizontal: 1.64, vertikal: 1.36

Unterschrift des Schützen


Ergebnis: **397** (416.3)
 Serien: 99 99 100 99
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 333 (5), 263 (18), 252 (39)
 beste Teiler 13.0 (37.) 18.0 (17.) 26.4 (33.)
 Trefferlage 0.04 mm links, 0.44 mm hoch
 Streuwert 1.06, horizontal: 1.06, vertikal: 1.07




Serie 1:
 10.6 * 10.3 * 10.4 * 10.7 * 9.6 ↑
 10.2 * 10.4 * 10.1 ↑ 10.6 * 10.2 *
 beste Teiler 55.0 (4.) 82.0 (1.) 86.9 (9.)
 Trefferlage 0.05 mm rechts, 1.00 mm hoch
 Streuwert 1.06, horizontal: 0.83, vertikal: 1.24



Serie 2:
 10.0 → 10.8 * 10.7 * 10.1 ↖ 10.7 *
 10.4 * 10.9 * 9.9 ↙ 10.7 * 10.2 *
 beste Teiler 18.0 (17.) 44.5 (12.) 64.4 (15.)
 Trefferlage 0.41 mm links, 0.22 mm hoch
 Streuwert 1.12, horizontal: 1.37, vertikal: 0.79



Serie 3:
 10.5 * 10.6 * 10.6 * 10.3 * 10.1 ↓
 10.8 * 10.4 * 10.5 * 10.5 * 10.5 *
 beste Teiler 30.4 (26.) 86.5 (23.) 92.1 (22.)
 Trefferlage 0.33 mm links, 0.24 mm hoch
 Streuwert 0.90, horizontal: 0.71, vertikal: 1.05





Serie 4:
 10.5 * 10.4 * 10.8 * 10.5 * 10.0 ↑
 10.4 * 10.9 * 10.2 * 9.9 ↘ 10.4 *
 beste Teiler 13.0 (37.) 26.4 (33.) 107.2 (34.)
 Trefferlage 0.51 mm rechts, 0.31 mm hoch
 Streuwert 1.09, horizontal: 1.07, vertikal: 1.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395** (414.9)
 Serien: 99 99 99 98
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 321 (7), 308 (34), 293 (25)
 beste Teiler 35.6 (24.) 37.1 (21.) 49.1 (15.)
 Trefferlage 0.05 mm rechts, 0.08 mm hoch
 Streuwert 1.17, horizontal: 0.93, vertikal: 1.36




Serie 1:
 10.2 * 10.8 * 10.5 * 10.3 * 10.5 *
 10.4 * 9.7 ↑ 10.5 * 10.4 * 10.1 ↑
 beste Teiler 49.5 (2.) 102.1 (8.) 109.9 (3.)
 Trefferlage 0.05 mm rechts, 0.51 mm hoch
 Streuwert 1.21, horizontal: 0.76, vertikal: 1.54



Serie 2:
 10.5 * 10.3 * 10.2 * 10.6 * 10.8 *
 10.4 * 10.0 ↘ 10.2 * 9.9 ↙ 10.5 *
 beste Teiler 49.1 (15.) 82.3 (14.) 105.5 (11.)
 Trefferlage 0.40 mm links, 0.26 mm hoch
 Streuwert 1.17, horizontal: 1.09, vertikal: 1.25



Serie 3:
 10.8 * 10.6 * 10.5 * 10.8 * 9.8 ↓
 10.3 * 10.7 * 10.7 * 10.4 * 10.7 *
 beste Teiler 35.6 (24.) 37.1 (21.) 58.5 (27.)
 Trefferlage 0.20 mm rechts, 0.25 mm tief
 Streuwert 0.94, horizontal: 0.59, vertikal: 1.19





Serie 4:
 10.4 * 10.6 * 9.9 → 9.7 ↓ 10.5 *
 10.5 * 10.4 * 10.4 * 10.2 * 10.2 *
 beste Teiler 94.8 (32.) 116.4 (36.) 124.3 (35.)
 Trefferlage 0.35 mm rechts, 0.17 mm tief
 Streuwert 1.33, horizontal: 1.14, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(408.2)
Serien:	98 98 97 97	
Zähler:	30 10 0 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	356 (5), 342 (31), 321 (22)	
beste Teiler	36.2 (35.) 36.4 (37.) 46.0 (12.)	
Trefferlage	0.05 mm links, 0.15 mm hoch	
Streuwert	1.48, horizontal: 1.39, vertikal: 1.55	




Serie 1:	10.6 *	10.7 *	10.0 ↖	9.8 →	9.5 ←
	10.7 *	10.2 *	10.7 *	10.6 *	10.0 ↓
beste Teiler	61.4 (2.)	67.0 (6.)	71.8 (8.)		
Trefferlage	0.45 mm links, 0.05 mm tief				
Streuwert	1.41, horizontal: 1.68, vertikal: 1.08				



Serie 2:	10.1 ←	10.8 *	10.5 *	10.3 *	10.0 ↗
	10.2 *	10.2 *	9.8 →	10.0 ↘	9.9 ↘
beste Teiler	46.0 (12.)	118.7 (13.)	153.5 (14.)		
Trefferlage	0.20 mm rechts, 0.81 mm hoch				
Streuwert	1.40, horizontal: 1.46, vertikal: 1.34				





Serie 3:	10.7 *	9.7 ↘	10.5 *	10.2 *	9.7 ↓
	10.1 →	10.4 *	10.2 *	9.9 ↖	10.2 *
beste Teiler	53.0 (21.)	103.2 (23.)	134.3 (27.)		
Trefferlage	0.33 mm rechts, 0.31 mm tief				
Streuwert	1.55, horizontal: 1.38, vertikal: 1.71				




Serie 4:	9.6 ↓	10.5 *	9.9 ↓	10.0 ↑	10.8 *
	10.4 *	10.8 *	10.1 ↑	10.0 ↗	9.9 ↘
beste Teiler	36.2 (35.)	36.4 (37.)	114.0 (32.)		
Trefferlage	0.31 mm links, 0.16 mm hoch				
Streuwert	1.56, horizontal: 1.03, vertikal: 1.95				

Unterschrift des Schützen


Ergebnis:	391	(408.8)
Serien:	99	100 95 97
Zähler:	32 7	1 0 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	585 (26), 402 (28), 381 (2)	
beste Teiler	43.8 (1.)	50.7 (5.) 64.0 (15.)
Trefferlage	0.21 mm rechts, 0.01 mm tief	
Streuwert	1.52, horizontal: 1.81, vertikal: 1.17	




Serie 1:	10.8 *	9.4 ←	10.0 ←	10.5 *	10.8 *
	10.6 *	10.3 *	10.4 *	10.6 *	10.4 *
beste Teiler	43.8 (1.) 50.7 (5.) 79.6 (6.)				
Trefferlage	1.14 mm links, 0.29 mm tief				
Streuwert	0.95, horizontal: 1.11, vertikal: 0.76				



Serie 2:	10.6 *	10.4 *	10.5 *	10.0 ↗	10.7 *
	10.1 ↘	10.6 *	10.1 ↗	10.6 *	10.3 *
beste Teiler	64.0 (15.) 97.0 (11.) 98.8 (19.)				
Trefferlage	0.25 mm rechts, 0.39 mm hoch				
Streuwert	1.12, horizontal: 0.91, vertikal: 1.30				





Serie 3:	10.0 ↘	9.9 →	10.4 *	9.9 ↙	10.6 *
	8.6 →	10.6 *	9.3 ↗	10.1 ↗	10.1 ←
beste Teiler	80.4 (25.) 94.8 (27.) 146.2 (23.)				
Trefferlage	1.25 mm rechts, 0.18 mm hoch				
Streuwert	1.92, horizontal: 2.18, vertikal: 1.61				




Serie 4:	10.6 *	10.5 *	10.4 *	9.8 ←	10.1 →
	9.8 →	9.5 →	10.4 *	10.4 *	10.1 →
beste Teiler	89.0 (31.) 112.2 (32.) 133.7 (38.)				
Trefferlage	0.47 mm rechts, 0.32 mm tief				
Streuwert	1.54, horizontal: 2.01, vertikal: 0.83				

Unterschrift des Schützen


Ergebnis: **379** (399.8)
 Serien: 94 95 94 96
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 607 (15), 474 (8), 399 (16)
 beste Teiler 31.0 (17.) 66.8 (1.) 88.2 (35.)
 Trefferlage 0.07 mm rechts, 0.24 mm hoch
 Streuwert 1.90, horizontal: 2.19, vertikal: 1.55




Serie 1:
 10.7 * 9.5 ← 9.8 → 10.3 * 9.8 ←
 10.5 * 9.9 ↙ 9.1 ↖ 10.0 → 9.7 →
 beste Teiler 66.8 (1.) 118.8 (6.) 170.3 (4.)
 Trefferlage 0.43 mm links, 0.04 mm tief
 Streuwert 2.08, horizontal: 2.68, vertikal: 1.19



Serie 2:
 9.9 ↑ 10.4 * 9.9 ↖ 10.5 * 8.5 ↑
 9.4 ↙ 10.8 * 10.0 → 10.6 * 10.1 ↑
 beste Teiler 31.0 (17.) 88.3 (19.) 120.8 (14.)
 Trefferlage 0.04 mm rechts, 0.81 mm hoch
 Streuwert 2.01, horizontal: 1.54, vertikal: 2.39



Serie 3:
 10.2 * 10.5 * 9.7 ↙ 9.9 ↖ 9.6 →
 9.5 → 10.3 * 9.7 ↘ 9.9 → 10.1 ↗
 beste Teiler 120.0 (22.) 157.0 (27.) 178.0 (21.)
 Trefferlage 0.66 mm rechts, 0.05 mm hoch
 Streuwert 1.90, horizontal: 2.44, vertikal: 1.14





Serie 4:
 10.5 * 10.1 → 9.8 ↗ 10.2 * 10.6 *
 10.5 * 9.9 ↘ 10.4 * 9.5 ← 9.5 →
 beste Teiler 88.2 (35.) 109.3 (36.) 115.3 (31.)
 Trefferlage 0.01 mm rechts, 0.16 mm hoch
 Streuwert 1.74, horizontal: 2.14, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.5)
 Serien: 96 97 95 95
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 477 (35), 469 (39), 423 (7)
 beste Teiler 9.2 (17.) 28.7 (18.) 30.0 (25.)
 Trefferlage 0.19 mm rechts, 0.13 mm hoch
 Streuwert 1.80, horizontal: 2.09, vertikal: 1.46




Serie 1:
 10.0 ← 9.5 ↗ 10.8 * 10.1 ↗ 9.5 →
 9.9 ↑ 9.3 ↑ 10.1 ← 10.3 * 10.3 *
 beste Teiler 42.0 (3.) 156.1 (9.) 165.9 (10.)
 Trefferlage 0.07 mm rechts, 0.90 mm hoch
 Streuwert 1.85, horizontal: 1.94, vertikal: 1.75



Serie 2:
 10.1 → 9.9 ↓ 10.4 * 10.2 * 9.9 →
 10.7 * 10.9 * 10.8 * 9.9 ↗ 10.5 *
 beste Teiler 9.2 (17.) 28.7 (18.) 56.8 (16.)
 Trefferlage 0.59 mm rechts, 0.00 mm
 Streuwert 1.28, horizontal: 1.27, vertikal: 1.30



Serie 3:
 10.1 → 9.3 ↗ 10.2 * 9.7 → 10.8 *
 9.4 → 9.8 → 9.6 ↓ 10.0 ← 10.2 *
 beste Teiler 30.0 (25.) 195.3 (30.) 199.4 (23.)
 Trefferlage 1.17 mm rechts, 0.22 mm tief
 Streuwert 1.90, horizontal: 2.22, vertikal: 1.51





Serie 4:
 9.9 ↓ 9.8 ← 10.6 * 10.8 * 9.0 ←
 10.3 * 9.9 ↗ 10.1 ↗ 9.1 ← 10.8 *
 beste Teiler 37.2 (34.) 50.0 (40.) 91.9 (33.)
 Trefferlage 1.05 mm links, 0.11 mm tief
 Streuwert 1.87, horizontal: 2.39, vertikal: 1.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (409.8)
 Serien: 97 100 97 98
 Zähler: 33 6 1 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 534 (30), 396 (34), 288 (40)
 beste Teiler 14.8 (22.) 58.0 (17.) 58.1 (24.)
 Trefferlage 0.58 mm links, 0.36 mm hoch
 Streuwert 1.35, horizontal: 1.42, vertikal: 1.29




Serie 1:
 10.4 * 10.3 * 10.1 → 9.8 ↗ 10.2 *
 9.9 ↑ 9.8 ↘ 10.4 * 10.2 * 10.0 ←
 beste Teiler 130.9 (1.) 150.6 (8.) 163.7 (2.)
 Trefferlage 0.17 mm links, 1.13 mm hoch
 Streuwert 1.38, horizontal: 1.57, vertikal: 1.16



Serie 2:
 10.6 * 10.2 * 10.2 * 10.2 * 10.6 *
 10.5 * 10.7 * 10.1 ↘ 10.0 ↖ 10.2 *
 beste Teiler 58.0 (17.) 90.0 (15.) 91.5 (11.)
 Trefferlage 0.56 mm links, 0.46 mm hoch
 Streuwert 1.10, horizontal: 1.21, vertikal: 0.97



Serie 3:
 9.8 ↓ 10.9 * 10.3 * 10.7 * 10.2 *
 10.4 * 10.7 * 10.3 * 10.5 * 8.8 ←
 beste Teiler 14.8 (22.) 58.1 (24.) 70.0 (27.)
 Trefferlage 0.94 mm links, 0.06 mm hoch
 Streuwert 1.48, horizontal: 1.67, vertikal: 1.28





Serie 4:
 10.5 * 10.2 * 10.6 * 9.4 ↙ 10.4 *
 10.3 * 10.7 * 10.2 * 10.7 * 9.8 ↑
 beste Teiler 67.1 (39.) 71.3 (37.) 76.4 (33.)
 Trefferlage 0.67 mm links, 0.21 mm tief
 Streuwert 1.37, horizontal: 1.29, vertikal: 1.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (398.2)
 Serien: 95 92 97 98
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 509 (17), 496 (7), 464 (33)
 beste Teiler 44.6 (23.) 61.6 (22.) 84.5 (30.)
 Trefferlage 0.44 mm rechts, 0.07 mm hoch
 Streuwert 1.97, horizontal: 2.20, vertikal: 1.71




Serie 1:
 10.0 ↗ 9.7 ↖ 9.9 ↕ 10.2 * 10.5 *
 10.3 * 9.0 ↕ 9.2 → 10.1 ↗ 9.6 ↘
 beste Teiler 109.1 (5.) 159.3 (6.) 187.5 (4.)
 Trefferlage 0.34 mm rechts, 0.57 mm hoch
 Streuwert 2.18, horizontal: 2.11, vertikal: 2.26



Serie 2:
 9.8 ↗ 10.3 * 10.4 * 9.8 ↘ 9.5 →
 9.7 → 8.9 → 9.6 ↕ 9.6 ↘ 10.5 *
 beste Teiler 107.0 (20.) 142.2 (13.) 168.6 (12.)
 Trefferlage 1.57 mm rechts, 0.37 mm hoch
 Streuwert 1.94, horizontal: 2.24, vertikal: 1.57



Serie 3:
 9.4 ↘ 10.7 * 10.8 * 10.6 * 9.1 ↖
 10.3 * 9.8 ↓ 10.1 ↘ 10.0 ↘ 10.6 *
 beste Teiler 44.6 (23.) 61.6 (22.) 84.5 (30.)
 Trefferlage 0.43 mm rechts, 0.91 mm tief
 Streuwert 1.65, horizontal: 2.04, vertikal: 1.14



Serie 4:
 10.2 * 10.4 * 9.1 → 10.1 ↘ 9.2 ↖
 10.1 ↕ 10.3 * 10.1 ↖ 10.3 * 10.4 *
 beste Teiler 139.4 (32.) 143.8 (40.) 155.6 (39.)
 Trefferlage 0.57 mm links, 0.25 mm hoch
 Streuwert 1.88, horizontal: 2.19, vertikal: 1.52

Unterschrift des Schützen