





Ergebnis: **373** (386.4)
 Serien: 91 93 94 95
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1873 (9), 1796 (6), 1681 (36)
 beste Teiler 242.6 (14.) 335.0 (34.) 441.6 (38.)
 Trefferlage 0.39 mm links, 0.98 mm tief
 Streuwert 7.95, horizontal: 7.66, vertikal: 8.23




Serie 1:
 10.0 ↖ 10.1 ↑ 9.1 ↘ 9.7 ↓ 9.5 ↓
 8.7 ↓ 9.4 ← 10.0 → 8.6 ↓ 9.1 ↙
 beste Teiler 715.3 (2.) 722.2 (8.) 765.0 (1.)
 Trefferlage 0.66 mm links, 6.68 mm tief
 Streuwert 8.14, horizontal: 7.39, vertikal: 8.83



Serie 2:
 9.2 ↗ 9.1 ↓ 9.6 ↑ 10.6 * 8.9 ←
 10.1 ↘ 9.3 ↑ 10.3 → 10.3 ↖ 9.0 ↑
 beste Teiler 242.6 (14.) 510.8 (18.) 535.1 (19.)
 Trefferlage 0.97 mm links, 4.36 mm hoch
 Streuwert 7.93, horizontal: 7.45, vertikal: 8.38



Serie 3:
 9.0 ↘ 9.9 ← 9.2 ← 10.2 ← 10.2 →
 9.8 ↑ 10.1 ↙ 9.9 ↗ 10.0 ↓ 9.4 ↑
 beste Teiler 594.0 (24.) 602.9 (25.) 686.0 (27.)
 Trefferlage 0.20 mm links, 0.88 mm hoch
 Streuwert 7.38, horizontal: 8.05, vertikal: 6.64





Serie 4:
 9.0 → 9.2 ↘ 10.0 ↙ 10.5 * 10.2 ↙
 8.8 ← 9.8 ↓ 10.4 * 10.2 → 10.0 ↓
 beste Teiler 335.0 (34.) 441.6 (38.) 570.6 (39.)
 Trefferlage 0.26 mm rechts, 2.48 mm tief
 Streuwert 7.25, horizontal: 8.84, vertikal: 5.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.8)
 Serien: 90 89 88 98
 Zähler: 17 14 8 0 0 1 0 0 0 0
 Innenzehner: 10
 weiteste: 4739 (26), 2082 (16), 2075 (5)
 beste Teiler 165.5 (32.) 267.6 (27.) 317.0 (25.)
 Trefferlage 0.39 mm rechts, 0.33 mm tief
 Streuwert 9.46, horizontal: 7.03, vertikal: 11.39




Serie 1:
 9.5 ↑ 10.4 * 10.5 * 9.7 ↗ 8.4 ↑
 10.2 ← 9.8 ↓ 8.4 ↙ 9.1 ↑ 8.9 ↖
 beste Teiler 353.5 (3.) 414.4 (2.) 600.5 (6.)
 Trefferlage 2.31 mm links, 3.76 mm hoch
 Streuwert 9.16, horizontal: 6.07, vertikal: 11.45



Serie 2:
 9.9 ↗ 10.2 ↖ 8.6 ↓ 9.7 ← 8.9 →
 8.3 → 9.8 ↑ 9.3 ↑ 10.1 ↓ 9.7 ↑
 beste Teiler 601.2 (12.) 680.9 (19.) 850.8 (11.)
 Trefferlage 2.58 mm rechts, 1.14 mm hoch
 Streuwert 9.31, horizontal: 9.09, vertikal: 9.52



Serie 3:
 9.9 → 8.8 ↘ 9.3 ↙ 10.0 ↖ 10.6 *
 5.0 ↓ 10.6 * 9.7 ↓ 9.7 ↖ 9.7 ↘
 beste Teiler 267.6 (27.) 317.0 (25.) 727.3 (24.)
 Trefferlage 1.71 mm rechts, 7.60 mm tief
 Streuwert 11.86, horizontal: 6.22, vertikal: 15.57





Serie 4:
 10.5 * 10.7 * 10.1 ↑ 10.5 * 10.5 *
 10.0 → 10.1 ↗ 8.8 ← 10.5 * 10.4 *
 beste Teiler 165.5 (32.) 352.2 (35.) 353.6 (31.)
 Trefferlage 0.40 mm links, 1.37 mm hoch
 Streuwert 5.23, horizontal: 6.32, vertikal: 3.85

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	369	(388.2)
Serien:	93	92 91 93
Zähler:	15	20 4 1 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	2703	(27), 2391 (38), 2086 (7)
beste Teiler	149.3	(13.) 261.6 (21.) 318.1 (14.)
Trefferlage	1.98 mm	rechts, 2.08 mm tief
Streuwert	7.94,	horizontal: 8.91, vertikal: 6.83




Serie 1:

9.1 ↘	10.1 ↘	9.7 ←	9.3 ←	10.2 ↘
9.6 ←	8.3 ↓	9.5 →	10.4 *	10.4 *
beste Teiler	412.2 (9.)	451.5 (10.)	590.4 (5.)	
Trefferlage	0.78 mm links, 3.81 mm tief			
Streuwert	7.99, horizontal: 8.94, vertikal: 6.90			




Serie 2:

9.1 ↓	9.7 ↑	10.8 *	10.6 *	9.6 →
8.9 →	9.9 ↙	9.6 ↙	9.8 ↓	10.5 *
beste Teiler	149.3 (13.)	318.1 (14.)	400.1 (20.)	
Trefferlage	2.46 mm rechts, 3.04 mm tief			
Streuwert	6.88, horizontal: 6.84, vertikal: 6.92			



Serie 3:

10.6 *	9.4 ↗	8.9 ↓	10.4 *	9.8 ↓
9.3 ↙	7.6 →	10.5 *	10.5 *	9.7 →
beste Teiler	261.6 (21.)	335.1 (29.)	382.0 (28.)	
Trefferlage	4.99 mm rechts, 1.97 mm tief			
Streuwert	8.39, horizontal: 8.87, vertikal: 7.88			





Serie 4:


9.7 ↗	10.2 →	9.4 ↘	10.5 *	9.4 ←
10.0 ↘	9.8 ↘	8.0 ↘	10.0 ↗	9.4 ←
beste Teiler	328.8 (34.)	607.4 (32.)	762.3 (39.)	
Trefferlage	1.27 mm rechts, 0.47 mm hoch			
Streuwert	8.72, horizontal: 10.93, vertikal: 5.72			

Unterschrift des Schützen


Ergebnis: **373** (390.6)
 Serien: 92 94 95 92
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2207 (5), 1990 (38), 1972 (8)
 beste Teiler 123.9 (19.) 137.3 (21.) 152.7 (7.)
 Trefferlage 0.55 mm rechts, 0.08 mm hoch
 Streuwert 7.80, horizontal: 7.72, vertikal: 7.88




Serie 1:
 10.0 ← 10.0 ↗ 9.8 ↘ 10.5 * 8.2 ↑
 10.0 ↑ 10.8 * 8.5 → 8.5 ↗ 9.6 ↓
 beste Teiler 152.7 (7.) 341.8 (4.) 767.1 (2.)
 Trefferlage 3.21 mm rechts, 5.43 mm hoch
 Streuwert 8.31, horizontal: 8.42, vertikal: 8.21



Serie 2:
 9.0 ↗ 9.7 ↘ 10.0 ↘ 9.5 ↖ 10.4 *
 9.9 ↑ 9.6 ↓ 10.1 ↘ 10.8 * 9.9 ←
 beste Teiler 123.9 (19.) 475.6 (15.) 690.5 (18.)
 Trefferlage 1.57 mm links, 0.23 mm tief
 Streuwert 6.95, horizontal: 7.07, vertikal: 6.83



Serie 3:
 10.8 * 9.6 ← 10.1 ← 10.0 ↘ 9.9 ↓
 10.3 → 9.1 ↗ 9.2 ← 10.0 ↑ 9.4 →
 beste Teiler 137.3 (21.) 485.7 (26.) 703.0 (23.)
 Trefferlage 1.21 mm rechts, 0.36 mm hoch
 Streuwert 7.14, horizontal: 8.78, vertikal: 5.00





Serie 4:
 10.6 * 9.1 ↓ 10.5 * 10.6 * 8.7 ↘
 9.9 ↓ 9.6 ↓ 8.5 ↓ 9.8 ↖ 10.1 ↑
 beste Teiler 287.1 (34.) 313.1 (31.) 350.4 (33.)
 Trefferlage 0.61 mm links, 5.22 mm tief
 Streuwert 7.49, horizontal: 6.74, vertikal: 8.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.7)
 Serien: 86 92 92 94
 Zähler: 9 27 3 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2555 (5), 2350 (4), 1797 (6)
 beste Teiler 380.5 (32.) 462.4 (3.) 491.7 (27.)
 Trefferlage 0.81 mm rechts, 1.90 mm tief
 Streuwert 8.60, horizontal: 9.59, vertikal: 7.48




Serie 1:
 9.6 ← 9.4 ↓ 10.4 * 8.0 ↙ 7.8 →
 8.7 ↘ 9.4 → 9.2 ↗ 9.8 → 8.7 ↓
 beste Teiler 462.4 (3.) 909.8 (9.) 1048.6 (1.)
 Trefferlage 1.79 mm rechts, 6.50 mm tief
 Streuwert 10.82, horizontal: 12.84, vertikal: 8.33



Serie 2:
 9.0 ← 9.8 ↖ 9.7 → 9.3 ↑ 9.5 ←
 9.5 → 10.3 ↓ 10.0 ↗ 9.8 ↘ 9.4 ↓
 beste Teiler 537.0 (17.) 754.6 (18.) 943.6 (12.)
 Trefferlage 0.91 mm links, 2.01 mm tief
 Streuwert 8.08, horizontal: 9.00, vertikal: 7.03



Serie 3:
 9.0 → 9.7 ↗ 9.7 ← 9.6 ↑ 10.3 →
 9.7 ↗ 10.3 ← 9.5 → 9.1 ↓ 9.3 →
 beste Teiler 491.7 (27.) 532.8 (25.) 968.3 (22.)
 Trefferlage 4.67 mm rechts, 0.45 mm tief
 Streuwert 7.58, horizontal: 8.19, vertikal: 6.91





Serie 4:
 10.0 → 10.5 * 9.9 ↗ 10.1 → 9.5 ↑
 9.9 ← 9.1 ↗ 9.6 ↖ 10.0 ← 9.6 ↖
 beste Teiler 380.5 (32.) 653.7 (34.) 729.8 (31.)
 Trefferlage 2.30 mm links, 1.33 mm hoch
 Streuwert 6.81, horizontal: 7.34, vertikal: 6.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (373.4)
 Serien: 86 92 91 84
 Zähler: 7 21 10 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2729 (33), 2707 (37), 2283 (29)
 beste Teiler 231.9 (30.) 344.2 (35.) 487.6 (19.)
 Trefferlage 2.64 mm links, 1.37 mm tief
 Streuwert 9.88, horizontal: 9.83, vertikal: 9.94




Serie 1:
 9.5 → 8.6 ↓ 10.0 ← 8.7 ← 9.2 →
 8.5 ↗ 9.3 → 8.8 ↓ 8.9 ↖ 9.8 ↖
 beste Teiler 731.8 (3.) 947.5 (10.) 1157.3 (1.)
 Trefferlage 0.06 mm links, 5.15 mm tief
 Streuwert 10.60, horizontal: 12.04, vertikal: 8.93



Serie 2:
 9.6 ↖ 9.0 ← 9.7 ↓ 9.4 ↖ 9.4 ↖
 9.6 ↑ 9.7 ← 10.0 ↖ 10.3 ↖ 9.7 ↓
 beste Teiler 487.6 (19.) 775.5 (18.) 1013.4 (13.)
 Trefferlage 5.49 mm links, 0.89 mm tief
 Streuwert 7.00, horizontal: 6.34, vertikal: 7.60



Serie 3:
 9.3 ↗ 9.7 ↖ 9.6 ↓ 10.1 ↓ 9.9 ↖
 9.7 ← 8.8 ← 10.3 → 8.1 ← 10.7 *
 beste Teiler 231.9 (30.) 542.0 (28.) 703.2 (24.)
 Trefferlage 4.23 mm links, 3.25 mm tief
 Streuwert 8.14, horizontal: 9.79, vertikal: 6.05





Serie 4:
 8.9 ↖ 8.5 ↖ 7.5 ↗ 8.8 ↑ 10.5 *
 9.3 ↘ 7.6 ↖ 9.2 ↑ 9.5 ↑ 9.7 ↓
 beste Teiler 344.2 (35.) 1035.8 (40.) 1125.1 (39.)
 Trefferlage 0.78 mm links, 3.81 mm hoch
 Streuwert 12.62, horizontal: 10.70, vertikal: 14.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	341	(361.1)
Serien:	88 84 83 86	
Zähler:	7 18 7 6 1 1 0 0 0 0	
Innenzehner:	2	
weiteste:	4264 (17), 3805 (22), 2892 (21)	
beste Teiler	197.0 (29.) 350.3 (9.) 549.2 (37.)	
Trefferlage	4.05 mm rechts, 0.67 mm tief	
Streuwert	12.42, horizontal: 12.76, vertikal: 12.07	




Serie 1:	8.5 ↖	9.9 →	9.9 →	9.7 ↗	8.9 ↖
	9.6 ↘	8.8 ↙	9.0 ↘	10.5 *	9.7 →
beste Teiler	350.3 (9.) 821.2 (2.) 849.2 (3.)				
Trefferlage	1.33 mm rechts, 1.18 mm tief				
Streuwert	9.56, horizontal: 10.37, vertikal: 8.69				



Serie 2:	7.4 ↓	8.3 →	10.0 →	7.8 ↓	9.7 ↗
	10.2 ↘	5.6 ↗	9.6 ↖	9.0 ↗	10.1 ↗
beste Teiler	637.3 (16.) 655.3 (20.) 796.1 (13.)				
Trefferlage	6.50 mm rechts, 0.20 mm tief				
Streuwert	14.71, horizontal: 12.76, vertikal: 16.44				



Serie 3:	7.3 →	6.2 ↓	9.4 →	8.6 ↘	9.5 →
	9.2 →	9.5 ↙	9.6 ↑	10.7 *	7.9 →
beste Teiler	197.0 (29.) 1073.9 (28.) 1131.5 (27.)				
Trefferlage	8.38 mm rechts, 3.09 mm tief				
Streuwert	13.24, horizontal: 13.33, vertikal: 13.14				



Serie 4:	8.5 →	9.2 ↖	9.1 →	8.6 ↘	9.9 ↖
	9.9 ↗	10.3 ↓	7.9 ↖	10.2 ↓	7.4 ↖
beste Teiler	549.2 (37.) 617.5 (39.) 830.0 (36.)				
Trefferlage	0.00 mm , 1.77 mm hoch				
Streuwert	12.29, horizontal: 14.25, vertikal: 9.95				

Unterschrift des Schützen