





Ergebnis: **365** (384.2)  
 Serien: 94 87 94 90  
 Zähler: 14 19 5 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3028 (18), 2657 (15), 2247 (36)  
 beste Teiler 217.8 (30.) 299.6 (4.) 312.3 (11.)  
 Trefferlage 0.82 mm rechts, 3.91 mm hoch  
 Streuwert 8.44, horizontal: 7.92, vertikal: 8.93




Serie 1:  
 9.7 ↙                      9.9 ↓                      9.7 ↘                      10.6 \*                      10.5 \*  
 10.0 ↘                      10.0 ↗                      9.6 ↖                      9.5 →                      9.9 ←  
 beste Teiler 299.6 (4.) 390.6 (5.) 725.2 (6.)  
 Trefferlage 2.29 mm links, 0.54 mm tief  
 Streuwert 6.04, horizontal: 6.20, vertikal: 5.89



Serie 2:  
 10.6 \*                      9.3 ↖                      8.4 ↗                      10.3 ↖                      7.6 ↘  
 9.2 ↑                      10.0 ↑                      7.2 ↑                      8.9 →                      9.0 ↗  
 beste Teiler 312.3 (11.) 557.6 (14.) 734.5 (17.)  
 Trefferlage 5.55 mm rechts, 6.31 mm hoch  
 Streuwert 11.30, horizontal: 8.87, vertikal: 13.29



Serie 3:  
 9.8 ←                      9.1 ↖                      9.6 →                      10.5 \*                      10.1 ↖  
 9.7 ↙                      8.6 ↗                      10.1 ↘                      10.3 ↖                      10.7 \*  
 beste Teiler 217.8 (30.) 377.9 (24.) 509.9 (29.)  
 Trefferlage 0.27 mm rechts, 3.77 mm hoch  
 Streuwert 6.89, horizontal: 7.25, vertikal: 6.52





Serie 4:  
 8.8 ↖                      9.9 ←                      9.8 ↘                      10.5 \*                      9.3 ↑  
 8.1 ↗                      10.3 ←                      9.8 ↗                      9.5 ↖                      9.8 ↖  
 beste Teiler 383.0 (34.) 495.5 (37.) 827.4 (32.)  
 Trefferlage 0.24 mm links, 6.10 mm hoch  
 Streuwert 7.83, horizontal: 8.06, vertikal: 7.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.5)  
 Serien: 91 90 92 93  
 Zähler: 13 20 7 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2078 (33), 1970 (9), 1815 (18)  
 beste Teiler 183.0 (40.) 407.4 (39.) 422.7 (12.)  
 Trefferlage 2.11 mm rechts, 5.67 mm tief  
 Streuwert 7.51, horizontal: 6.97, vertikal: 8.02




Serie 1:  
 9.4 ↘ 10.2 ← 10.2 ↖ 9.0 → 8.9 ↓  
 9.6 ↘ 10.1 ↑ 10.2 ← 8.5 ↓ 8.8 ↙  
 beste Teiler 634.3 (3.) 637.5 (8.) 638.5 (2.)  
 Trefferlage 0.06 mm links, 6.64 mm tief  
 Streuwert 8.10, horizontal: 8.32, vertikal: 7.88



Serie 2:  
 10.4 \* 10.4 \* 8.8 ↓ 9.3 ↘ 8.9 ↙  
 10.3 → 9.0 → 8.7 ↓ 9.2 ↓ 9.5 ↑  
 beste Teiler 422.7 (12.) 468.9 (11.) 537.6 (16.)  
 Trefferlage 3.16 mm rechts, 6.30 mm tief  
 Streuwert 8.30, horizontal: 7.09, vertikal: 9.35



Serie 3:  
 9.5 → 9.0 ↘ 9.2 ↗ 9.2 ↓ 9.2 ↓  
 9.8 ↗ 10.1 ↘ 9.7 ↓ 10.0 ↘ 9.5 ↗  
 beste Teiler 686.6 (27.) 790.2 (29.) 894.9 (26.)  
 Trefferlage 4.97 mm rechts, 3.42 mm tief  
 Streuwert 7.45, horizontal: 5.58, vertikal: 8.94





Serie 4:  
 9.9 → 9.4 ↓ 8.4 ↘ 9.6 ↓ 10.2 ↓  
 10.3 ↙ 9.2 ↓ 9.8 ← 10.4 \* 10.7 \*  
 beste Teiler 183.0 (40.) 407.4 (39.) 519.3 (36.)  
 Trefferlage 0.37 mm rechts, 6.31 mm tief  
 Streuwert 6.43, horizontal: 6.43, vertikal: 6.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.7)  
 Serien: 91 86 92 90  
 Zähler: 14 14 9 3 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2921 (34), 2819 (12), 2512 (13)  
 beste Teiler 172.0 (25.) 208.3 (5.) 238.5 (28.)  
 Trefferlage 1.24 mm rechts, 0.46 mm hoch  
 Streuwert 9.83, horizontal: 9.74, vertikal: 9.92




Serie 1:  
 9.7 ←                      8.3 ←                      9.9 ↗                      9.8 →                      10.7 \*  
 10.6 \*                      10.3 →                      8.6 ↙                      8.9 ↘                      10.4 \*  
 beste Teiler 208.3 (5.) 288.9 (6.) 433.2 (10.)  
 Trefferlage 4.20 mm links, 0.83 mm hoch  
 Streuwert 8.20, horizontal: 8.90, vertikal: 7.43



Serie 2:  
 8.8 →                      7.4 ↑                      7.8 ↘                      10.1 ↑                      9.6 ↗  
 10.0 ↘                      8.8 ↓                      10.5 \*                      8.7 ↓                      9.0 ↗  
 beste Teiler 323.4 (18.) 668.9 (14.) 752.0 (16.)  
 Trefferlage 2.78 mm rechts, 4.33 mm hoch  
 Streuwert 11.91, horizontal: 9.83, vertikal: 13.68



Serie 3:  
 9.5 ←                      9.4 ↓                      9.3 ↑                      8.8 →                      10.7 \*  
 8.8 ↓                      10.2 ↙                      10.7 \*                      10.0 ↘                      9.1 →  
 beste Teiler 172.0 (25.) 238.5 (28.) 614.5 (27.)  
 Trefferlage 2.18 mm rechts, 0.99 mm tief  
 Streuwert 8.61, horizontal: 7.53, vertikal: 9.57





Serie 4:  
 10.4 ←                      9.8 ←                      9.8 ↙                      7.3 →                      10.0 →  
 9.1 →                      8.8 ↙                      9.6 ↘                      9.0 ↘                      10.5 \*  
 beste Teiler 377.1 (40.) 476.8 (31.) 758.1 (35.)  
 Trefferlage 4.19 mm rechts, 2.32 mm tief  
 Streuwert 9.92, horizontal: 11.51, vertikal: 8.02

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>369</b>	(384.4)
Serien:	90 94 95 90	
Zähler:	17 17 5 0 1 0 0 0 0 0	
Innenzehner:	5	
weiteste:	3433 (40), 2313 (4), 1964 (10)	
beste Teiler	97.5 (26.) 325.0 (37.) 427.9 (12.)	
Trefferlage	0.53 mm links, 3.04 mm hoch	
Streuwert	8.61, horizontal: 8.35, vertikal: 8.85	




Serie 1:

10.1 ↖	9.2 ↗	10.0 ↘	8.1 ↖	9.5 ↘
9.2 →	9.1 ↖	9.6 ↙	9.3 →	8.5 ↖
beste Teiler	642.8 (1.) 741.3 (3.) 1044.3 (8.)			
Trefferlage	0.28 mm links, 5.99 mm hoch			
Streuwert	9.63, horizontal: 9.52, vertikal: 9.74			




Serie 2:

9.0 ↑	10.4 *	10.0 ↗	9.5 ↗	9.2 ↖
9.5 ↖	10.0 ↗	10.1 ↘	8.7 ↗	10.4 *
beste Teiler	427.9 (12.) 458.7 (20.) 685.1 (18.)			
Trefferlage	0.74 mm rechts, 8.09 mm hoch			
Streuwert	5.60, horizontal: 5.21, vertikal: 5.98			



Serie 3:

10.1 ↖	8.6 ←	10.2 →	9.8 ↑	10.2 ↗
10.8 *	9.8 ↙	10.2 ↘	9.8 ←	10.2 →
beste Teiler	97.5 (26.) 571.2 (30.) 575.0 (25.)			
Trefferlage	1.78 mm links, 0.65 mm hoch			
Streuwert	6.54, horizontal: 7.87, vertikal: 4.87			





Serie 4:


9.8 ↓	8.5 ↗	9.4 ↖	10.4 *	10.2 ↘
9.5 ↘	10.5 *	9.9 ↓	10.4 ↑	6.7 ↙
beste Teiler	325.0 (37.) 473.8 (34.) 476.8 (39.)			
Trefferlage	0.81 mm links, 2.58 mm tief			
Streuwert	10.60, horizontal: 10.90, vertikal: 10.28			

Unterschrift des Schützen


Ergebnis: **352** (367.1)  
 Serien: 87 89 90 86  
 Zähler: 8 20 9 2 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3254 (32), 3075 (6), 2408 (10)  
 beste Teiler 483.0 (39.) 505.6 (29.) 512.6 (36.)  
 Trefferlage 0.44 mm links, 0.30 mm tief  
 Streuwert 11.27, horizontal: 12.37, vertikal: 10.05




Serie 1:  
 9.8 ↙ 9.2 → 10.1 ↗ 10.1 ↗ 9.9 ↑  
 7.1 ↘ 8.0 ↓ 9.2 ← 9.2 ← 7.9 ←  
 beste Teiler 650.3 (4.) 701.4 (3.) 851.9 (5.)  
 Trefferlage 5.78 mm links, 0.05 mm tief  
 Streuwert 11.96, horizontal: 12.45, vertikal: 11.44



Serie 2:  
 9.6 ↖ 10.0 ↘ 9.2 ↑ 9.9 → 8.4 ↗  
 9.2 ↙ 9.9 ↘ 8.8 ↘ 9.3 ↑ 9.2 ←  
 beste Teiler 746.5 (12.) 827.3 (14.) 872.6 (17.)  
 Trefferlage 4.64 mm links, 3.65 mm hoch  
 Streuwert 8.95, horizontal: 9.59, vertikal: 8.27



Serie 3:  
 9.7 ↗ 8.0 → 8.1 ↘ 10.0 → 9.5 ↑  
 9.4 ↗ 10.0 ↑ 9.3 ↑ 10.3 ↓ 8.3 ↖  
 beste Teiler 505.6 (29.) 775.1 (27.) 799.0 (24.)  
 Trefferlage 5.06 mm rechts, 3.45 mm hoch  
 Streuwert 10.21, horizontal: 11.11, vertikal: 9.22





Serie 4:  
 9.3 ↓ 6.9 ↘ 9.8 ↙ 9.1 → 8.0 →  
 10.3 ← 9.3 ← 8.9 ↙ 10.3 ↗ 8.6 ↓  
 beste Teiler 483.0 (39.) 512.6 (36.) 894.4 (33.)  
 Trefferlage 3.57 mm rechts, 8.28 mm tief  
 Streuwert 10.92, horizontal: 13.77, vertikal: 7.01

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>366</b>	(384.2)
Serien:	90 92 91 93	
Zähler:	12 22 6 0 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2134 (11), 2022 (28), 1960 (2)	
beste Teiler	237.5 (37.) 314.3 (14.) 335.9 (16.)	
Trefferlage	1.34 mm rechts, 0.46 mm tief	
Streuwert	8.37, horizontal: 7.46, vertikal: 9.19	




Serie 1:

9.3 ↙	8.5 ↓	10.2 →	9.9 ↓	9.8 ↗
9.3 ↗	9.8 ↖	9.3 ↖	9.7 ↓	9.8 ↘
beste Teiler	589.0 (3.) 878.1 (4.) 897.6 (5.)			
Trefferlage	0.42 mm links, 0.96 mm tief			
Streuwert	8.67, horizontal: 5.48, vertikal: 10.98			




Serie 2:

8.3 ↗	8.8 ←	9.1 →	10.6 *	9.9 ↗
10.5 *	9.6 ↘	10.3 →	10.1 ↓	9.2 ↓
beste Teiler	314.3 (14.) 335.9 (16.) 526.0 (18.)			
Trefferlage	1.05 mm rechts, 1.45 mm hoch			
Streuwert	8.89, horizontal: 8.86, vertikal: 8.92			



Serie 3:

10.0 ↗	9.6 →	10.2 ↓	8.9 ↗	9.5 ↓
9.5 →	9.4 ↘	8.4 →	10.4 *	9.3 ↗
beste Teiler	455.9 (29.) 639.6 (23.) 749.5 (21.)			
Trefferlage	7.02 mm rechts, 0.02 mm tief			
Streuwert	7.43, horizontal: 6.58, vertikal: 8.20			





Serie 4:

9.0 ↘	10.3 →	8.6 ↓	9.8 ↓	10.0 ↗
9.7 ↖	10.7 *	9.6 ←	10.1 ↖	9.2 ↓
beste Teiler	237.5 (37.) 511.5 (32.) 642.6 (39.)			
Trefferlage	2.29 mm links, 2.33 mm tief			
Streuwert	7.92, horizontal: 5.93, vertikal: 9.50			


Unterschrift des Schützen

Ergebnis:	<b>351</b>	(368.4)
Serien:	86 88 90 87	
Zähler:	10 17 8 4 1 0 0 0 0 0	
Innenzehner:	4	
weiteste:	3251 (39), 3107 (9), 3083 (5)	
beste Teiler	265.6 (27.) 280.9 (16.) 322.4 (32.)	
Trefferlage	7.63 mm rechts, 1.46 mm tief	
Streuwert	9.94, horizontal: 10.17, vertikal: 9.70	




Serie 1:

9.4 →	9.4 ↑	8.8 →	10.0 ↓	7.1 →
9.4 →	8.2 →	9.4 ↑	7.1 →	10.0 ↓
beste Teiler	743.3 (4.) 755.2 (10.) 1236.9 (1.)			
Trefferlage	13.95 mm rechts, 0.04 mm tief			
Streuwert	9.09, horizontal: 10.77, vertikal: 7.02			




Serie 2:

9.5 ↗	9.0 ↓	10.2 ←	9.5 ↓	8.4 →
10.6 *	9.4 ↙	8.4 →	7.6 →	9.5 ↓
beste Teiler	280.9 (16.) 615.7 (13.) 1154.0 (20.)			
Trefferlage	5.96 mm rechts, 2.63 mm tief			
Streuwert	10.44, horizontal: 11.80, vertikal: 8.88			



Serie 3:

9.6 ↙	10.0 ↑	9.0 →	9.5 ↓	8.9 ↓
7.9 ↗	10.6 *	10.2 ↙	9.9 ↑	9.3 →
beste Teiler	265.6 (27.) 574.5 (28.) 725.0 (22.)			
Trefferlage	3.82 mm rechts, 1.16 mm tief			
Streuwert	9.16, horizontal: 8.83, vertikal: 9.48			





Serie 4:


10.1 →	10.5 *	8.9 ↑	8.7 ↑	9.8 ↓
9.2 ↓	10.5 *	8.1 →	6.9 ↓	9.9 ↓
beste Teiler	322.4 (32.) 337.5 (37.) 707.7 (31.)			
Trefferlage	6.81 mm rechts, 2.03 mm tief			
Streuwert	10.87, horizontal: 7.14, vertikal: 13.61			

Unterschrift des Schützen


Ergebnis: **370** (388.1)  
 Serien: 92 96 89 93  
 Zähler: 14 23 2 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2743 (22), 1796 (25), 1726 (26)  
 beste Teiler 109.4 (4.) 279.1 (39.) 445.3 (20.)  
 Trefferlage 1.44 mm rechts, 0.29 mm tief  
 Streuwert 7.83, horizontal: 8.08, vertikal: 7.57




Serie 1:  
 9.7 →                      9.4 ←                      9.3 ↙                      10.8 \*                      10.2 →  
 9.4 →                      9.3 ↗                      9.8 ↑                      9.9 ←                      9.9 ↑  
 beste Teiler 109.4 (4.) 604.9 (5.) 820.9 (9.)  
 Trefferlage 1.22 mm rechts, 2.02 mm hoch  
 Streuwert 7.20, horizontal: 8.29, vertikal: 5.91



Serie 2:  
 10.4 \*                      9.7 ↗                      10.2 ↘                      9.5 ↓                      10.0 →  
 10.0 ↑                      10.2 →                      9.9 ↓                      9.0 ↙                      10.4 \*  
 beste Teiler 445.3 (20.) 453.3 (11.) 624.9 (13.)  
 Trefferlage 0.13 mm rechts, 1.26 mm tief  
 Streuwert 6.58, horizontal: 6.42, vertikal: 6.72



Serie 3:  
 10.3 ↓                      7.5 ↗                      9.9 ↘                      9.6 ↓                      8.7 ↗  
 8.8 ↗                      10.0 ↓                      9.7 ↓                      10.0 ↙                      9.4 →  
 beste Teiler 513.0 (21.) 785.0 (29.) 788.6 (27.)  
 Trefferlage 3.72 mm rechts, 0.33 mm hoch  
 Streuwert 10.02, horizontal: 10.31, vertikal: 9.72



Serie 4:  
 9.0 ↘                      9.3 ↓                      9.6 ↘                      10.3 ↗                      9.5 ↙  
 9.4 ↘                      9.6 ←                      10.1 ↘                      10.6 \*                      9.8 ↗  
 beste Teiler 279.1 (39.) 552.4 (34.) 699.4 (38.)  
 Trefferlage 0.67 mm rechts, 2.25 mm tief  
 Streuwert 7.74, horizontal: 7.61, vertikal: 7.87

Unterschrift des Schützen

Meyton Elektronik