





Ergebnis: **361** (378.1)
 Serien: 91 95 84 91
 Zähler: 12 19 7 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2936 (26), 2815 (29), 2153 (32)
 beste Teiler 342.3 (16.) 359.5 (17.) 386.5 (14.)
 Trefferlage 0.80 mm rechts, 2.75 mm tief
 Streuwert 9.41, horizontal: 9.95, vertikal: 8.83




Serie 1:
 9.0 ↖ 10.0 ↙ 8.7 ↗ 10.3 → 9.9 →
 9.2 ↗ 8.6 ← 9.6 ↓ 9.6 ↗ 10.1 ↘
 beste Teiler 503.2 (4.) 717.0 (10.) 728.8 (2.)
 Trefferlage 0.02 mm links, 1.96 mm hoch
 Streuwert 9.13, horizontal: 10.65, vertikal: 7.30



Serie 2:
 10.1 ↑ 8.9 ← 9.8 → 10.5 * 9.4 ↓
 10.5 * 10.5 * 10.2 ↘ 9.7 ↙ 10.0 ↗
 beste Teiler 342.3 (16.) 359.5 (17.) 386.5 (14.)
 Trefferlage 0.17 mm links, 1.45 mm tief
 Streuwert 6.43, horizontal: 6.79, vertikal: 6.06



Serie 3:
 9.3 ↓ 8.5 ↗ 9.8 ↗ 8.7 ↓ 9.3 ←
 7.3 ↙ 9.8 ← 9.2 ↓ 7.4 → 9.6 ←
 beste Teiler 897.9 (27.) 930.3 (23.) 1104.0 (30.)
 Trefferlage 1.09 mm links, 3.87 mm tief
 Streuwert 12.98, horizontal: 13.90, vertikal: 11.98





Serie 4:
 10.2 ↖ 8.3 ↘ 8.5 ↓ 10.3 ↘ 9.1 ↓
 9.0 ↙ 9.7 → 10.2 → 9.4 ↘ 9.9 ↓
 beste Teiler 490.8 (34.) 567.7 (38.) 590.9 (31.)
 Trefferlage 4.51 mm rechts, 7.67 mm tief
 Streuwert 7.24, horizontal: 7.45, vertikal: 7.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.8)
 Serien: 91 86 91 89
 Zähler: 10 19 9 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2619 (17), 2542 (19), 2073 (2)
 beste Teiler 260.3 (24.) 264.8 (37.) 314.5 (8.)
 Trefferlage 1.78 mm links, 3.41 mm tief
 Streuwert 9.35, horizontal: 9.98, vertikal: 8.67




Serie 1:
 9.5 ↖ 8.4 ↖ 9.6 ↙ 9.9 ↓ 10.0 ↑
 8.5 ↓ 9.8 ↖ 10.6 * 10.4 * 9.2 ↙
 beste Teiler 314.5 (8.) 459.1 (9.) 754.4 (5.)
 Trefferlage 5.51 mm links, 5.03 mm tief
 Streuwert 7.27, horizontal: 7.02, vertikal: 7.52



Serie 2:
 10.1 ↗ 8.9 ↖ 8.7 ↓ 10.5 * 10.3 ↙
 9.9 ↖ 7.7 ↙ 9.2 ↓ 7.8 → 8.9 ←
 beste Teiler 365.6 (14.) 535.8 (15.) 681.6 (11.)
 Trefferlage 2.88 mm links, 6.61 mm tief
 Streuwert 10.63, horizontal: 12.16, vertikal: 8.83



Serie 3:
 8.6 ↗ 9.2 ↖ 9.2 ← 10.6 * 9.0 ↗
 10.1 ↖ 9.1 ↘ 9.9 ↑ 9.4 ← 9.3 ↘
 beste Teiler 260.3 (24.) 656.9 (26.) 862.7 (28.)
 Trefferlage 0.59 mm rechts, 2.05 mm hoch
 Streuwert 9.50, horizontal: 11.17, vertikal: 7.47





Serie 4:
 8.9 ↓ 9.4 ↓ 9.4 → 8.6 ↗ 9.7 ←
 8.9 ← 10.6 * 9.8 ↘ 9.0 ↓ 10.2 ↘
 beste Teiler 264.8 (37.) 630.1 (40.) 941.8 (38.)
 Trefferlage 0.68 mm rechts, 4.06 mm tief
 Streuwert 9.15, horizontal: 8.94, vertikal: 9.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.5)
 Serien: 89 93 93 92
 Zähler: 13 22 4 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2922 (5), 2099 (39), 1898 (1)
 beste Teiler 99.2 (23.) 272.2 (36.) 298.2 (37.)
 Trefferlage 1.05 mm links, 2.74 mm tief
 Streuwert 8.13, horizontal: 7.87, vertikal: 8.38




Serie 1:
 8.6 ← 9.8 ↓ 9.9 ↙ 10.1 ← 7.3 ↘
 8.7 ↗ 10.3 ↘ 9.8 ↖ 9.0 ↘ 10.3 →
 beste Teiler 490.3 (7.) 558.3 (10.) 685.1 (4.)
 Trefferlage 1.60 mm links, 3.33 mm tief
 Streuwert 10.49, horizontal: 11.67, vertikal: 9.15



Serie 2:
 9.6 ↑ 9.7 → 10.3 → 8.6 ↓ 9.9 ↑
 10.2 ↙ 10.3 ← 9.5 ↖ 10.4 * 9.6 →
 beste Teiler 412.5 (19.) 515.8 (17.) 546.1 (13.)
 Trefferlage 0.49 mm rechts, 0.27 mm tief
 Streuwert 7.48, horizontal: 6.37, vertikal: 8.45



Serie 3:
 9.9 → 10.1 → 10.8 * 9.7 ↗ 10.2 ↘
 9.0 ↙ 9.5 ↙ 9.9 ↖ 9.9 ↓ 9.0 ↙
 beste Teiler 99.2 (23.) 574.1 (25.) 712.9 (22.)
 Trefferlage 0.37 mm links, 3.22 mm tief
 Streuwert 7.12, horizontal: 7.26, vertikal: 6.98





Serie 4:
 9.0 ↙ 9.6 ↑ 9.3 ↙ 9.9 ↘ 9.3 ↖
 10.6 * 10.6 * 10.2 ↙ 8.3 ↓ 9.8 ↙
 beste Teiler 272.2 (36.) 298.2 (37.) 562.3 (38.)
 Trefferlage 2.71 mm links, 4.13 mm tief
 Streuwert 7.84, horizontal: 5.69, vertikal: 9.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (383.3)
 Serien: 90 90 96 93
 Zähler: 18 14 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3157 (3), 2235 (9), 2109 (18)
 beste Teiler 253.8 (32.) 309.9 (39.) 343.0 (16.)
 Trefferlage 0.25 mm links, 0.93 mm hoch
 Streuwert 9.01, horizontal: 8.12, vertikal: 9.81




Serie 1:
 8.3 ↙ 9.8 ↗ 7.0 ↗ 9.2 ← 10.0 ↘
 9.4 ↓ 10.0 ↓ 10.4 * 8.2 ↘ 10.0 ↓
 beste Teiler 416.9 (8.) 732.3 (5.) 743.1 (7.)
 Trefferlage 4.13 mm links, 0.90 mm tief
 Streuwert 11.46, horizontal: 9.30, vertikal: 13.27



Serie 2:
 9.5 → 10.5 * 9.8 ↘ 10.0 → 8.8 →
 10.5 * 9.0 ↘ 8.3 ↗ 8.5 ↑ 9.7 →
 beste Teiler 343.0 (16.) 375.2 (12.) 786.0 (14.)
 Trefferlage 3.32 mm rechts, 4.31 mm hoch
 Streuwert 8.99, horizontal: 8.69, vertikal: 9.28



Serie 3:
 10.2 ↘ 10.4 * 9.8 ↓ 9.8 ↗ 10.0 ↘
 10.2 ↙ 9.5 ↑ 10.3 ← 9.2 ↓ 10.0 ↘
 beste Teiler 430.7 (22.) 550.0 (28.) 580.8 (21.)
 Trefferlage 1.43 mm links, 0.16 mm hoch
 Streuwert 6.23, horizontal: 4.30, vertikal: 7.69





Serie 4:
 10.3 ↘ 10.6 * 8.6 ↘ 9.0 → 8.9 →
 10.3 ↓ 10.0 ↓ 9.2 ↓ 10.6 * 9.5 ↘
 beste Teiler 253.8 (32.) 309.9 (39.) 481.4 (31.)
 Trefferlage 1.23 mm rechts, 0.14 mm hoch
 Streuwert 8.61, horizontal: 8.39, vertikal: 8.82

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	357	(376.2)
Serien:	87	88 93 89
Zähler:	12 15 11 2 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2586 (26), 2535 (16), 2234 (24)	
beste Teiler	22.0 (39.) 165.5 (30.) 235.3 (38.)	
Trefferlage	2.60 mm links, 4.36 mm hoch	
Streuwert	9.43, horizontal: 9.30, vertikal: 9.55	




Serie 1:

9.1 ↗	9.0 ↓	8.9 ↘	9.0 ↑	9.5 ↗
9.8 ←	9.5 →	9.7 ←	8.6 ↑	8.8 →
beste Teiler	912.5 (6.) 981.9 (8.) 1165.3 (5.)			
Trefferlage	1.01 mm rechts, 4.90 mm hoch			
Streuwert	10.10, horizontal: 10.26, vertikal: 9.93			




Serie 2:

8.5 ↘	8.3 ↑	9.7 ↘	9.4 ←	10.3 ←
7.8 ↗	9.7 ↙	10.1 ↘	8.5 ↑	10.4 *
beste Teiler	432.6 (20.) 559.4 (15.) 651.2 (18.)			
Trefferlage	2.29 mm links, 5.99 mm hoch			
Streuwert	10.28, horizontal: 8.85, vertikal: 11.53			



Serie 3:

10.2 ←	10.4 *	9.8 ↘	8.2 ↘	10.4 *
7.7 ←	9.0 ←	10.3 ↑	10.2 ↘	10.7 *
beste Teiler	165.5 (30.) 441.8 (22.) 468.6 (25.)			
Trefferlage	6.07 mm links, 3.82 mm hoch			
Streuwert	7.92, horizontal: 9.05, vertikal: 6.61			





Serie 4:

8.7 ↘	8.4 ←	8.8 ↘	9.0 ↗	10.6 *
9.0 ↓	9.7 ↘	10.7 *	10.9 *	8.9 ↘
beste Teiler	22.0 (39.) 235.3 (38.) 261.0 (35.)			
Trefferlage	3.06 mm links, 2.72 mm hoch			
Streuwert	9.87, horizontal: 9.02, vertikal: 10.65			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.7)
 Serien: 90 91 86 91
 Zähler: 8 23 8 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2558 (23), 2114 (2), 2111 (25)
 beste Teiler 311.8 (26.) 449.6 (38.) 478.0 (15.)
 Trefferlage 1.74 mm rechts, 0.56 mm hoch
 Streuwert 9.61, horizontal: 9.92, vertikal: 9.30




Serie 1:
 9.7 ↘ 8.3 ↑ 9.2 ↗ 9.2 ↘ 9.6 ↓
 9.8 → 9.3 ← 9.9 ↗ 9.7 ↑ 10.2 ↗
 beste Teiler 622.2 (10.) 876.8 (8.) 929.5 (6.)
 Trefferlage 3.78 mm rechts, 3.52 mm hoch
 Streuwert 8.40, horizontal: 7.46, vertikal: 9.24



Serie 2:
 9.0 ↘ 9.2 ↓ 9.4 ↑ 8.6 ↖ 10.4 ↓
 10.3 ↗ 9.4 ↓ 9.8 ↖ 9.8 ↖ 9.1 ↓
 beste Teiler 478.0 (15.) 502.3 (16.) 882.3 (18.)
 Trefferlage 1.11 mm links, 3.33 mm tief
 Streuwert 8.90, horizontal: 7.65, vertikal: 10.00



Serie 3:
 8.7 ↑ 10.2 ↗ 7.8 ↗ 8.5 ↘ 8.3 →
 10.6 * 9.7 ↙ 9.0 ↙ 9.4 ↑ 8.6 ↖
 beste Teiler 311.8 (26.) 620.5 (22.) 1016.2 (27.)
 Trefferlage 2.65 mm rechts, 2.78 mm hoch
 Streuwert 11.89, horizontal: 12.27, vertikal: 11.50





Serie 4:
 9.1 ↗ 9.3 → 9.6 ↓ 9.4 → 10.3 ↙
 8.5 → 8.8 ← 10.4 * 10.3 ← 9.3 ←
 beste Teiler 449.6 (38.) 496.5 (35.) 530.9 (39.)
 Trefferlage 1.65 mm rechts, 0.72 mm tief
 Streuwert 9.21, horizontal: 12.13, vertikal: 4.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.5)
 Serien: 83 90 85 82
 Zähler: 11 12 9 3 4 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4643 (33), 3960 (28), 3712 (37)
 beste Teiler 313.3 (16.) 437.0 (25.) 439.0 (35.)
 Trefferlage 6.24 mm links, 3.10 mm tief
 Streuwert 12.80, horizontal: 14.23, vertikal: 11.19




Serie 1:
 8.7 ↖ 10.1 ↘ 7.9 → 7.7 ↗ 8.7 ↖
 7.9 ↓ 9.9 ↙ 9.0 ↓ 10.4 * 8.7 ←
 beste Teiler 456.9 (9.) 713.8 (2.) 843.1 (7.)
 Trefferlage 0.07 mm rechts, 0.49 mm tief
 Streuwert 13.31, horizontal: 13.71, vertikal: 12.89



Serie 2:
 10.2 ← 8.9 ↖ 9.0 ↑ 8.4 ↙ 10.0 ↗
 10.6 * 9.6 ↙ 8.7 ↙ 9.0 ↓ 9.2 ↓
 beste Teiler 313.3 (16.) 637.1 (11.) 727.0 (15.)
 Trefferlage 3.24 mm links, 2.86 mm tief
 Streuwert 9.78, horizontal: 6.69, vertikal: 12.11



Serie 3:
 10.3 ↖ 10.2 ↓ 6.4 ↙ 8.4 ← 10.4 *
 9.5 ↖ 9.3 → 6.0 ← 9.9 ↗ 8.8 ↖
 beste Teiler 437.0 (25.) 517.0 (21.) 612.0 (22.)
 Trefferlage 10.06 mm links, 2.62 mm tief
 Streuwert 12.91, horizontal: 15.80, vertikal: 9.16





Serie 4:
 9.2 ↓ 8.9 ↙ 5.1 ← 9.9 ← 10.4 *
 10.3 ← 6.3 ← 10.3 ↗ 6.5 ↙ 9.8 ↙
 beste Teiler 439.0 (35.) 523.1 (36.) 529.6 (38.)
 Trefferlage 11.72 mm links, 6.43 mm tief
 Streuwert 14.44, horizontal: 17.06, vertikal: 11.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.5)
 Serien: 95 94 89 93
 Zähler: 19 13 8 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2394 (24), 2127 (26), 2114 (8)
 beste Teiler 63.7 (13.) 120.7 (6.) 205.3 (7.)
 Trefferlage 2.83 mm links, 0.77 mm tief
 Streuwert 8.02, horizontal: 8.17, vertikal: 7.88




Serie 1:
 10.5 * 10.6 * 9.5 ← 9.0 → 10.6 *
 10.8 * 10.7 * 8.3 ↙ 9.8 ↖ 10.4 *
 beste Teiler 120.7 (6.) 205.3 (7.) 301.5 (2.)
 Trefferlage 2.44 mm links, 1.70 mm tief
 Streuwert 7.03, horizontal: 9.04, vertikal: 4.12



Serie 2:
 10.0 ↙ 9.8 ← 10.9 * 8.9 ↗ 10.3 ↓
 10.7 * 9.7 ← 10.1 ↗ 8.8 ↘ 10.2 ↘
 beste Teiler 63.7 (13.) 212.4 (16.) 551.5 (15.)
 Trefferlage 2.76 mm links, 0.24 mm tief
 Streuwert 6.82, horizontal: 7.00, vertikal: 6.64



Serie 3:
 8.5 ↙ 10.1 ↘ 9.3 ↙ 8.0 ↘ 9.4 ↓
 8.3 ↑ 8.5 → 9.9 ↗ 10.3 ↖ 10.6 *
 beste Teiler 310.9 (30.) 482.0 (29.) 666.8 (22.)
 Trefferlage 1.90 mm links, 2.25 mm tief
 Streuwert 10.95, horizontal: 10.44, vertikal: 11.44





Serie 4:
 9.7 ↑ 10.6 * 9.3 ↙ 10.5 * 9.9 ←
 9.0 ↘ 8.7 ↓ 10.2 ↑ 10.0 ↑ 9.1 ←
 beste Teiler 251.0 (32.) 376.0 (34.) 571.3 (38.)
 Trefferlage 4.21 mm links, 1.08 mm hoch
 Streuwert 7.61, horizontal: 6.79, vertikal: 8.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (372.8)
 Serien: 89 86 92 90
 Zähler: 13 13 12 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3117 (32), 2625 (15), 2375 (3)
 beste Teiler 35.6 (1.) 141.0 (34.) 232.6 (30.)
 Trefferlage 1.78 mm links, 4.04 mm tief
 Streuwert 10.27, horizontal: 10.51, vertikal: 10.02




Serie 1:
 10.9 * 8.4 ↙ 8.0 → 9.0 → 9.2 →
 10.1 ↘ 10.5 * 8.3 ↙ 8.4 ↓ 9.8 →
 beste Teiler 35.6 (1.) 352.2 (7.) 684.5 (6.)
 Trefferlage 2.37 mm rechts, 4.66 mm tief
 Streuwert 10.88, horizontal: 11.75, vertikal: 9.94



Serie 2:
 10.2 → 8.5 ↙ 9.7 ← 9.4 ↘ 7.7 ↙
 8.6 ↓ 9.2 ↙ 9.1 ↖ 8.5 ↑ 9.8 ↑
 beste Teiler 577.8 (11.) 885.0 (20.) 1013.3 (13.)
 Trefferlage 6.44 mm links, 2.28 mm tief
 Streuwert 10.84, horizontal: 10.24, vertikal: 11.41



Serie 3:
 8.1 → 10.4 * 10.2 ↓ 9.2 ↗ 10.0 ↙
 10.0 ↘ 9.5 ↙ 8.7 ↓ 8.2 ↙ 10.7 *
 beste Teiler 232.6 (30.) 429.5 (22.) 591.0 (23.)
 Trefferlage 0.78 mm rechts, 3.63 mm tief
 Streuwert 9.62, horizontal: 9.26, vertikal: 9.97





Serie 4:
 9.6 → 7.1 ↙ 10.4 * 10.8 * 10.2 ↗
 10.4 * 8.7 ↙ 8.2 ↙ 9.3 ↘ 9.8 ↖
 beste Teiler 141.0 (34.) 402.3 (33.) 429.2 (36.)
 Trefferlage 3.85 mm links, 5.61 mm tief
 Streuwert 9.87, horizontal: 9.72, vertikal: 10.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (373.3)
 Serien: 89 85 92 87
 Zähler: 10 18 8 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3250 (16), 3022 (38), 2666 (37)
 beste Teiler 92.1 (17.) 297.9 (35.) 304.1 (7.)
 Trefferlage 2.90 mm rechts, 2.38 mm hoch
 Streuwert 10.31, horizontal: 11.33, vertikal: 9.19




Serie 1:
 9.3 ← 9.5 ↘ 8.2 ↘ 10.0 ↓ 9.3 ↗
 8.6 ↘ 10.6 * 8.0 → 9.6 → 9.9 ↘
 beste Teiler 304.1 (7.) 788.9 (4.) 866.2 (10.)
 Trefferlage 0.58 mm rechts, 2.67 mm hoch
 Streuwert 10.71, horizontal: 12.55, vertikal: 8.48



Serie 2:
 9.3 ↓ 9.6 ↑ 9.5 ↘ 8.6 → 7.9 ↑
 6.9 ↘ 10.8 * 9.6 → 10.0 ↗ 8.9 →
 beste Teiler 92.1 (17.) 735.1 (19.) 1048.6 (12.)
 Trefferlage 2.58 mm rechts, 2.37 mm hoch
 Streuwert 12.36, horizontal: 13.31, vertikal: 11.33





Serie 3:
 9.6 ↙ 9.6 ↓ 10.1 ↓ 10.1 ↗ 9.5 ↘
 9.9 ↘ 9.8 ↘ 9.9 ↘ 8.9 ↑ 10.0 →
 beste Teiler 660.1 (24.) 665.0 (23.) 774.3 (30.)
 Trefferlage 0.05 mm links, 0.35 mm tief
 Streuwert 7.51, horizontal: 6.38, vertikal: 8.49




Serie 4:
 9.8 ↗ 8.7 → 10.3 ↑ 9.9 ↑ 10.6 *
 8.1 → 7.6 ↑ 7.2 → 10.1 → 9.5 ↗
 beste Teiler 297.9 (35.) 498.4 (33.) 678.0 (39.)
 Trefferlage 8.50 mm rechts, 4.86 mm hoch
 Streuwert 10.20, horizontal: 11.40, vertikal: 8.84

Unterschrift des Schützen


Ergebnis: **352** (370.8)
 Serien: 89 86 87 90
 Zähler: 10 17 8 5 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3120 (29), 3030 (38), 2731 (35)
 beste Teiler 269.1 (26.) 351.5 (20.) 411.0 (37.)
 Trefferlage 1.40 mm links, 1.16 mm hoch
 Streuwert 10.92, horizontal: 11.70, vertikal: 10.09




Serie 1:
 8.7 ↘ 8.7 → 10.1 ↑ 9.7 ↓ 7.8 ↗
 9.6 → 9.1 ↖ 10.4 * 9.5 ↗ 10.2 ↑
 beste Teiler 448.5 (8.) 617.6 (10.) 669.3 (3.)
 Trefferlage 4.64 mm rechts, 2.67 mm hoch
 Streuwert 9.61, horizontal: 9.50, vertikal: 9.72



Serie 2:
 8.4 ↑ 7.8 ↗ 8.3 ↙ 9.8 ↙ 9.9 →
 9.7 ↑ 8.6 ↖ 9.8 ← 9.7 ↙ 10.5 *
 beste Teiler 351.5 (20.) 826.2 (15.) 935.0 (14.)
 Trefferlage 4.51 mm links, 4.18 mm hoch
 Streuwert 10.38, horizontal: 10.19, vertikal: 10.58



Serie 3:
 8.5 ← 9.7 ↑ 9.0 ↖ 9.6 ↗ 8.3 ↗
 10.6 * 9.3 ↓ 9.6 ↓ 7.1 ↓ 9.4 ↙
 beste Teiler 269.1 (26.) 979.0 (22.) 1055.1 (28.)
 Trefferlage 4.49 mm links, 1.71 mm tief
 Streuwert 11.81, horizontal: 11.12, vertikal: 12.46





Serie 4:
 10.1 ↖ 9.3 ↑ 10.4 * 10.2 ↓ 7.5 →
 10.0 ← 10.4 * 7.2 ← 8.9 → 9.4 ↓
 beste Teiler 411.0 (37.) 412.8 (33.) 633.6 (34.)
 Trefferlage 1.23 mm links, 0.49 mm tief
 Streuwert 11.56, horizontal: 14.59, vertikal: 7.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (362.5)
 Serien: 84 82 84 92
 Zähler: 10 13 9 5 3 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3494 (21), 3255 (13), 3205 (2)
 beste Teiler 197.9 (32.) 311.9 (1.) 456.1 (7.)
 Trefferlage 0.34 mm links, 2.13 mm tief
 Streuwert 12.38, horizontal: 10.55, vertikal: 13.98




Serie 1:
 10.6 * 6.9 ↙ 9.7 ↑ 9.5 → 9.8 ↘
 8.0 ↑ 10.4 * 7.3 ↘ 9.4 ↙ 7.9 ↓
 beste Teiler 311.9 (1.) 456.1 (7.) 909.4 (5.)
 Trefferlage 3.82 mm links, 5.33 mm tief
 Streuwert 13.17, horizontal: 10.75, vertikal: 15.21



Serie 2:
 7.8 ↑ 8.9 ↗ 6.9 ↓ 10.2 ↖ 8.5 ↓
 9.5 ↖ 9.6 ↘ 7.7 ↓ 8.3 ↑ 10.2 ↘
 beste Teiler 606.4 (20.) 618.8 (14.) 1052.7 (17.)
 Trefferlage 0.31 mm links, 1.89 mm tief
 Streuwert 14.41, horizontal: 9.13, vertikal: 18.22



Serie 3:
 6.6 ↗ 8.9 → 9.3 ↓ 9.7 ↖ 8.9 ↓
 10.4 * 7.9 ↘ 8.5 ↑ 9.4 ← 10.0 ↑
 beste Teiler 474.4 (26.) 736.6 (30.) 983.5 (24.)
 Trefferlage 2.35 mm rechts, 0.56 mm hoch
 Streuwert 13.29, horizontal: 11.92, vertikal: 14.54





Serie 4:
 9.2 ← 10.7 * 10.4 * 8.1 → 9.4 ↓
 9.4 ↖ 10.3 ↓ 10.1 ↘ 8.6 ↗ 9.6 ↓
 beste Teiler 197.9 (32.) 465.6 (33.) 543.6 (37.)
 Trefferlage 0.40 mm rechts, 1.88 mm tief
 Streuwert 9.26, horizontal: 10.94, vertikal: 7.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (387.4)
 Serien: 93 91 93 96
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2382 (14), 2361 (16), 2207 (9)
 beste Teiler 267.4 (34.) 286.4 (37.) 299.5 (11.)
 Trefferlage 0.57 mm links, 0.04 mm hoch
 Streuwert 8.28, horizontal: 9.14, vertikal: 7.33




Serie 1:
 10.1 ↘ 10.4 * 10.3 ← 9.6 ↖ 9.9 ↓
 9.2 ↙ 8.9 → 10.0 ↓ 8.2 ← 10.1 ↙
 beste Teiler 473.2 (2.) 536.4 (3.) 644.5 (10.)
 Trefferlage 2.41 mm links, 3.20 mm tief
 Streuwert 8.04, horizontal: 9.30, vertikal: 6.55



Serie 2:
 10.6 * 9.5 ← 9.4 → 8.0 → 10.3 ↖
 8.0 ↑ 9.3 ↓ 9.3 ← 10.3 ↖ 9.7 ↙
 beste Teiler 299.5 (11.) 527.3 (19.) 538.2 (15.)
 Trefferlage 0.57 mm rechts, 1.74 mm hoch
 Streuwert 10.22, horizontal: 11.06, vertikal: 9.30



Serie 3:
 10.4 * 9.5 ↖ 9.4 ↖ 10.1 ↙ 9.4 →
 9.9 → 9.0 ↗ 10.0 ← 10.2 ↙ 8.3 ←
 beste Teiler 459.2 (21.) 597.4 (29.) 697.3 (24.)
 Trefferlage 2.01 mm links, 1.17 mm hoch
 Streuwert 8.57, horizontal: 10.48, vertikal: 6.08





Serie 4:
 10.1 ↙ 10.2 ↖ 9.0 ↑ 10.6 * 9.9 ↑
 10.6 * 10.6 * 9.5 ↘ 9.5 → 10.1 ↘
 beste Teiler 267.4 (34.) 286.4 (37.) 308.1 (36.)
 Trefferlage 1.55 mm rechts, 0.47 mm hoch
 Streuwert 6.34, horizontal: 5.55, vertikal: 7.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (391.7)
 Serien: 95 92 94 96
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2088 (19), 1779 (15), 1726 (10)
 beste Teiler 199.9 (5.) 233.7 (35.) 235.0 (18.)
 Trefferlage 1.03 mm rechts, 1.99 mm hoch
 Streuwert 7.40, horizontal: 9.03, vertikal: 5.30




Serie 1:
 10.0 ↘ 10.4 * 10.0 → 9.8 ↓ 10.7 *
 10.0 → 8.8 → 10.6 * 10.5 * 8.8 →
 beste Teiler 199.9 (5.) 244.4 (8.) 368.9 (9.)
 Trefferlage 4.49 mm rechts, 0.25 mm tief
 Streuwert 6.20, horizontal: 7.73, vertikal: 4.13



Serie 2:
 9.0 ← 9.3 → 10.1 ↖ 10.0 → 8.7 →
 10.3 ↘ 9.9 ↘ 10.7 * 8.3 ← 9.0 ←
 beste Teiler 235.0 (18.) 512.0 (16.) 694.4 (13.)
 Trefferlage 1.82 mm links, 0.97 mm hoch
 Streuwert 9.39, horizontal: 12.87, vertikal: 3.31



Serie 3:
 9.4 → 9.7 ↑ 10.4 * 9.0 ↑ 10.3 ↘
 9.1 ↓ 10.5 * 9.5 ↑ 10.0 ← 9.3 →
 beste Teiler 328.4 (27.) 430.2 (23.) 552.3 (25.)
 Trefferlage 1.86 mm rechts, 3.38 mm hoch
 Streuwert 7.43, horizontal: 6.41, vertikal: 8.33





Serie 4:
 9.6 ↗ 10.3 → 10.4 * 9.2 ↘ 10.7 *
 9.6 ↘ 10.0 ← 9.2 → 10.4 * 10.2 ↗
 beste Teiler 233.7 (35.) 420.4 (39.) 427.6 (33.)
 Trefferlage 0.37 mm links, 3.87 mm hoch
 Streuwert 6.03, horizontal: 7.83, vertikal: 3.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.4)
 Serien: 93 94 92 94
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2045 (33), 1925 (36), 1742 (24)
 beste Teiler 111.6 (17.) 157.8 (28.) 191.9 (34.)
 Trefferlage 0.54 mm rechts, 2.50 mm tief
 Streuwert 7.57, horizontal: 7.64, vertikal: 7.49




Serie 1:
 9.4 ↗ 10.3 ↘ 9.2 ↖ 9.1 ↘ 10.7 *
 9.0 ↘ 10.2 ↘ 9.4 ↘ 9.6 → 9.4 ↘
 beste Teiler 198.7 (5.) 558.2 (2.) 564.6 (7.)
 Trefferlage 5.35 mm rechts, 3.40 mm tief
 Streuwert 7.11, horizontal: 5.56, vertikal: 8.38



Serie 2:
 9.8 ↖ 9.5 ↓ 9.7 ↗ 9.8 ↗ 10.2 →
 9.2 → 10.8 * 10.3 ↘ 9.7 ← 10.0 →
 beste Teiler 111.6 (17.) 560.4 (18.) 602.3 (15.)
 Trefferlage 1.56 mm rechts, 0.37 mm tief
 Streuwert 6.63, horizontal: 7.20, vertikal: 6.00



Serie 3:
 9.8 ↘ 10.4 * 9.2 ↗ 8.8 ↖ 9.4 →
 9.5 ↖ 9.7 ↖ 10.8 * 9.2 ↗ 10.0 ↘
 beste Teiler 157.8 (28.) 455.7 (22.) 742.2 (30.)
 Trefferlage 2.59 mm links, 1.00 mm tief
 Streuwert 8.02, horizontal: 8.08, vertikal: 7.95





Serie 4:
 9.4 ↓ 10.2 ↘ 8.4 ↗ 10.7 * 10.1 ↖
 8.5 ↓ 9.0 ← 10.3 → 10.3 ↖ 10.4 *
 beste Teiler 191.9 (34.) 456.4 (40.) 494.6 (38.)
 Trefferlage 2.14 mm links, 5.24 mm tief
 Streuwert 7.62, horizontal: 7.69, vertikal: 7.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (336.8)
 Serien: 84 77 78 81
 Zähler: 3 14 14 4 2 0 3 0 0 0
 Innenzehner: 1
 weiteste: 5036 (27), 5026 (20), 4813 (17)
 beste Teiler 445.9 (9.) 561.2 (40.) 667.7 (24.)
 Trefferlage 0.05 mm links, 6.52 mm hoch
 Streuwert 15.87, horizontal: 15.69, vertikal: 16.04




Serie 1:
 7.7 ↘ 7.7 ↘ 8.2 ↗ 9.2 ↙ 9.3 ←
 8.5 → 9.5 ↖ 9.6 ↑ 10.4 * 8.6 ↓
 beste Teiler 445.9 (9.) 1088.5 (8.) 1157.2 (7.)
 Trefferlage 3.71 mm links, 5.50 mm hoch
 Streuwert 12.34, horizontal: 12.87, vertikal: 11.79



Serie 2:
 9.1 ↖ 9.8 ↖ 8.0 ↘ 8.2 ↖ 8.0 ↑
 9.2 ↖ 4.9 ↑ 9.8 ← 9.3 ↓ 4.7 ↖
 beste Teiler 930.1 (18.) 948.9 (12.) 1356.2 (19.)
 Trefferlage 5.06 mm links, 10.59 mm hoch
 Streuwert 18.03, horizontal: 16.52, vertikal: 19.42



Serie 3:
 8.8 ↘ 6.4 ↑ 8.3 ↘ 10.1 ↑ 8.2 →
 9.5 ← 4.7 → 9.1 ↑ 7.6 ↑ 9.3 ↙
 beste Teiler 667.7 (24.) 1125.7 (26.) 1318.7 (30.)
 Trefferlage 9.48 mm rechts, 5.54 mm hoch
 Streuwert 16.96, horizontal: 17.67, vertikal: 16.21





Serie 4:
 8.3 ↗ 7.0 ↑ 8.1 ↑ 9.6 ↖ 9.8 ↗
 8.9 ↖ 8.3 ← 8.2 ↙ 6.7 ↘ 10.2 →
 beste Teiler 561.2 (40.) 882.4 (35.) 1060.4 (34.)
 Trefferlage 0.93 mm links, 4.45 mm hoch
 Streuwert 15.53, horizontal: 13.08, vertikal: 17.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.0)
 Serien: 89 90 87 91
 Zähler: 12 17 7 4 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3126 (28), 2648 (19), 2577 (2)
 beste Teiler 301.9 (15.) 357.9 (24.) 364.2 (8.)
 Trefferlage 0.35 mm links, 0.70 mm tief
 Streuwert 10.15, horizontal: 9.35, vertikal: 10.90




Serie 1:
 10.4 * 7.7 ↗ 7.8 ↑ 9.4 ← 9.6 ←
 9.8 ↘ 10.1 ↘ 10.5 * 10.5 * 8.4 ←
 beste Teiler 364.2 (8.) 372.1 (9.) 461.0 (1.)
 Trefferlage 1.96 mm links, 3.02 mm hoch
 Streuwert 10.68, horizontal: 9.61, vertikal: 11.65



Serie 2:
 10.1 ↓ 8.4 ↑ 10.2 ← 9.0 ↓ 10.6 *
 8.8 ↘ 9.8 ↗ 10.4 * 7.6 → 9.7 ←
 beste Teiler 301.9 (15.) 458.9 (18.) 563.9 (13.)
 Trefferlage 2.34 mm rechts, 0.32 mm tief
 Streuwert 10.22, horizontal: 10.73, vertikal: 9.69



Serie 3:
 8.0 ↓ 8.8 → 9.3 ↗ 10.5 * 9.7 ↘
 10.4 * 9.8 → 7.0 ↓ 9.5 ← 8.8 ←
 beste Teiler 357.9 (24.) 459.7 (26.) 909.5 (27.)
 Trefferlage 0.05 mm links, 4.89 mm tief
 Streuwert 11.56, horizontal: 11.06, vertikal: 12.03





Serie 4:
 9.4 ↘ 9.9 ↑ 9.6 ↙ 9.9 → 9.9 ↖
 9.6 ↙ 8.2 ↓ 10.3 → 9.3 ↑ 10.3 ↘
 beste Teiler 501.4 (38.) 538.9 (40.) 804.3 (34.)
 Trefferlage 1.73 mm links, 0.60 mm tief
 Streuwert 8.39, horizontal: 6.01, vertikal: 10.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (366.9)
 Serien: 85 85 90 90 9
 Zähler: 8 19 11 2 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3675 (1), 2468 (11), 2441 (6)
 beste Teiler 311.0 (18.) 480.8 (8.) 516.7 (37.)
 Trefferlage 0.88 mm links, 0.37 mm hoch
 Streuwert 11.26, horizontal: 10.61, vertikal: 11.87




Serie 1:
 6.4 ↗ 8.4 ↑ 8.7 ↗ 8.5 ↘ 9.6 ↘
 7.9 ↑ 9.1 ↘ 10.4 ↑ 10.3 ↗ 10.3 ↘
 beste Teiler 480.8 (8.) 537.7 (9.) 538.8 (10.)
 Trefferlage 0.13 mm rechts, 11.74 mm hoch
 Streuwert 10.87, horizontal: 11.32, vertikal: 10.40




Serie 2:
 7.9 ↑ 9.8 ↑ 8.1 ↘ 9.5 ↘ 9.2 ←
 8.5 ↘ 8.2 ← 10.6 * 8.5 ↘ 9.5 →
 beste Teiler 311.0 (18.) 912.9 (12.) 1142.6 (14.)
 Trefferlage 5.53 mm links, 1.20 mm hoch
 Streuwert 12.04, horizontal: 9.41, vertikal: 14.19



Serie 3:
 9.7 ↓ 9.3 ← 9.9 ↘ 10.0 → 9.5 →
 9.8 → 8.6 ← 9.2 ↘ 9.2 ↘ 9.4 ↓
 beste Teiler 782.7 (24.) 811.6 (23.) 929.0 (26.)
 Trefferlage 1.52 mm rechts, 5.86 mm tief
 Streuwert 8.04, horizontal: 9.75, vertikal: 5.85



Serie 4:
 10.0 ↑ 10.3 ↘ 8.6 ↓ 9.2 → 9.2 ↘
 8.2 ← 10.3 ↘ 9.9 ↘ 9.2 ← 8.0 ↘
 beste Teiler 516.7 (37.) 555.3 (32.) 795.6 (31.)
 Trefferlage 0.34 mm links, 4.94 mm tief
 Streuwert 10.27, horizontal: 12.33, vertikal: 7.66





Serie 5:
 9.9 ↘
 beste Teiler
 Trefferlage 5.74 mm rechts, 6.14 mm tief
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (372.0)
 Serien: 91 84 91 87
 Zähler: 9 21 6 2 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3457 (40), 3312 (12), 3041 (11)
 beste Teiler 226.8 (26.) 267.0 (27.) 316.5 (22.)
 Trefferlage 1.71 mm rechts, 0.24 mm tief
 Streuwert 10.88, horizontal: 10.02, vertikal: 11.69




Serie 1:
 10.2 → 10.0 ↘ 10.3 ↘ 7.8 → 8.7 ↓
 9.4 ↘ 10.0 ↓ 9.3 ↙ 9.7 → 9.8 ↗
 beste Teiler 491.9 (3.) 608.7 (1.) 734.3 (7.)
 Trefferlage 3.43 mm rechts, 1.56 mm tief
 Streuwert 9.17, horizontal: 9.69, vertikal: 8.61



Serie 2:
 7.1 ↓ 6.8 ↓ 9.9 ↖ 8.0 ↓ 10.0 ↗
 9.3 ↖ 9.3 ↓ 9.9 ↑ 9.7 ↙ 8.9 ↑
 beste Teiler 740.9 (15.) 808.3 (13.) 868.0 (18.)
 Trefferlage 0.87 mm rechts, 5.69 mm tief
 Streuwert 13.21, horizontal: 6.67, vertikal: 17.45



Serie 3:
 8.2 ↗ 10.6 * 9.3 ↓ 9.5 → 8.7 ←
 10.7 * 10.6 * 9.3 ↑ 9.7 ↘ 9.9 ↙
 beste Teiler 226.8 (26.) 267.0 (27.) 316.5 (22.)
 Trefferlage 0.19 mm rechts, 1.11 mm hoch
 Streuwert 9.15, horizontal: 9.91, vertikal: 8.33





Serie 4:
 9.7 → 9.2 → 9.7 ↘ 8.5 → 9.4 ↗
 9.4 ↘ 9.3 ↑ 9.1 ↘ 10.5 * 6.6 ↘
 beste Teiler 327.5 (39.) 962.1 (31.) 1010.1 (33.)
 Trefferlage 2.35 mm rechts, 5.16 mm hoch
 Streuwert 11.52, horizontal: 13.82, vertikal: 8.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.4)
 Serien: 86 85 89 90
 Zähler: 6 20 12 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2567 (10), 2559 (14), 2290 (9)
 beste Teiler 186.5 (38.) 244.7 (37.) 494.4 (27.)
 Trefferlage 2.41 mm links, 0.31 mm tief
 Streuwert 10.58, horizontal: 9.39, vertikal: 11.65




Serie 1:
 9.4 ↗ 9.9 ↘ 9.1 ↖ 10.3 ↗ 8.1 ↓
 9.5 ← 9.4 ↓ 8.4 ↑ 8.1 ↖ 7.7 ↗
 beste Teiler 548.3 (4.) 808.2 (2.) 1134.9 (6.)
 Trefferlage 1.07 mm links, 4.33 mm hoch
 Streuwert 12.13, horizontal: 8.48, vertikal: 14.91



Serie 2:
 10.1 ↗ 8.5 ← 9.0 ↖ 7.8 ↘ 9.5 ↘
 8.7 ↓ 8.6 ← 9.4 ↗ 8.9 ← 9.7 ↑
 beste Teiler 660.3 (11.) 1033.7 (20.) 1161.0 (15.)
 Trefferlage 8.58 mm links, 4.57 mm tief
 Streuwert 9.78, horizontal: 9.64, vertikal: 9.91



Serie 3:
 8.7 ↘ 9.7 ↑ 9.3 ↘ 9.6 ↖ 9.5 ←
 9.7 ↗ 10.3 ↓ 8.5 ↓ 9.4 → 9.9 →
 beste Teiler 494.4 (27.) 854.5 (30.) 1006.2 (26.)
 Trefferlage 2.70 mm rechts, 2.15 mm tief
 Streuwert 9.10, horizontal: 8.86, vertikal: 9.34





Serie 4:
 10.0 ↗ 8.6 ↗ 9.5 ← 9.5 ← 9.5 ↓
 9.6 ← 10.6 * 10.7 * 8.5 ↓ 8.2 ↑
 beste Teiler 186.5 (38.) 244.7 (37.) 763.8 (31.)
 Trefferlage 2.69 mm links, 1.11 mm hoch
 Streuwert 9.88, horizontal: 8.06, vertikal: 11.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (380.2)
 Serien: 91 90 91 87
 Zähler: 12 19 5 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2945 (38), 2873 (2), 2413 (29)
 beste Teiler 229.4 (19.) 256.3 (27.) 306.1 (1.)
 Trefferlage 0.32 mm links, 0.02 mm tief
 Streuwert 9.64, horizontal: 10.03, vertikal: 9.25




Serie 1:
 10.6 * 7.4 ↗ 10.5 * 10.2 ← 9.7 ←
 9.7 ↙ 9.7 → 9.9 ↘ 9.7 ← 9.7 ↑
 beste Teiler 306.1 (1.) 335.5 (3.) 569.5 (4.)
 Trefferlage 0.45 mm rechts, 0.00 mm
 Streuwert 8.95, horizontal: 10.94, vertikal: 6.38



Serie 2:
 9.3 ↗ 9.9 → 10.0 ← 9.4 ← 10.1 ↗
 9.2 ↘ 9.9 ↘ 8.9 ← 10.7 * 7.9 ↙
 beste Teiler 229.4 (19.) 718.4 (15.) 733.0 (13.)
 Trefferlage 1.92 mm links, 1.86 mm tief
 Streuwert 9.29, horizontal: 10.71, vertikal: 7.61



Serie 3:
 9.7 ↓ 9.8 ↑ 8.1 ↗ 10.1 ↗ 9.3 ↘
 9.4 ↙ 10.6 * 10.2 ↑ 7.9 ↗ 10.6 *
 beste Teiler 256.3 (27.) 307.2 (30.) 584.0 (28.)
 Trefferlage 2.62 mm rechts, 2.93 mm hoch
 Streuwert 9.38, horizontal: 7.96, vertikal: 10.61





Serie 4:
 10.1 ↖ 9.8 ↗ 9.4 ↘ 9.9 ↘ 8.6 ←
 9.7 ↑ 10.1 ↓ 7.3 ↙ 8.4 ↑ 8.8 ↘
 beste Teiler 652.0 (31.) 664.0 (37.) 802.3 (34.)
 Trefferlage 2.45 mm links, 1.15 mm tief
 Streuwert 11.49, horizontal: 10.94, vertikal: 12.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (374.3)
 Serien: 89 90 93 87
 Zähler: 7 25 8 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2229 (15), 2174 (6), 2097 (34)
 beste Teiler 425.1 (30.) 527.4 (29.) 565.8 (24.)
 Trefferlage 0.15 mm links, 0.16 mm tief
 Streuwert 9.67, horizontal: 8.44, vertikal: 10.77




Serie 1:
 9.6 ↘ 9.1 ↘ 9.8 → 9.7 ↗ 9.4 ↙
 8.2 → 9.5 → 9.1 ↘ 9.6 ↑ 9.1 ↘
 beste Teiler 904.3 (3.) 1021.8 (4.) 1063.7 (9.)
 Trefferlage 1.34 mm rechts, 3.84 mm hoch
 Streuwert 9.59, horizontal: 10.63, vertikal: 8.43



Serie 2:
 9.8 ↗ 9.6 ↑ 9.2 ↙ 9.7 ↙ 8.2 ↓
 9.2 ↓ 10.1 ↙ 10.0 ↘ 9.5 → 8.6 ↓
 beste Teiler 719.0 (17.) 752.4 (18.) 884.5 (11.)
 Trefferlage 0.43 mm links, 4.78 mm tief
 Streuwert 9.30, horizontal: 7.68, vertikal: 10.68



Serie 3:
 9.2 ↑ 8.6 ↑ 8.3 ↙ 10.2 ↗ 10.0 ←
 9.7 ↓ 9.0 ↓ 10.0 → 10.3 ↖ 10.4 *
 beste Teiler 425.1 (30.) 527.4 (29.) 565.8 (24.)
 Trefferlage 0.34 mm links, 0.80 mm tief
 Streuwert 9.21, horizontal: 6.80, vertikal: 11.12



Serie 4:
 8.8 ↑ 9.0 → 9.9 ↓ 8.3 ↘ 9.4 ↓
 9.1 ↗ 9.5 ↖ 8.9 ↙ 9.0 ↘ 9.7 ↙
 beste Teiler 877.6 (33.) 980.3 (40.) 1167.3 (37.)
 Trefferlage 1.17 mm links, 1.09 mm hoch
 Streuwert 10.88, horizontal: 9.31, vertikal: 12.25

Unterschrift des Schützen

Meyton Elektronik