





Ergebnis: **360** (377.9)
 Serien: 91 92 91 86
 Zähler: 11 20 8 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3397 (33), 2381 (38), 2300 (40)
 beste Teiler 225.3 (29.) 239.4 (24.) 311.8 (8.)
 Trefferlage 5.03 mm links, 0.37 mm hoch
 Streuwert 9.10, horizontal: 9.99, vertikal: 8.11




Serie 1:
 9.3 ← 9.8 ↘ 9.6 ↘ 9.8 ← 9.5 ↑
 8.7 ↘ 9.7 ↗ 10.6 * 9.7 ↙ 10.3 ↘
 beste Teiler 311.8 (8.) 555.6 (10.) 917.3 (2.)
 Trefferlage 4.12 mm links, 1.50 mm hoch
 Streuwert 7.43, horizontal: 7.31, vertikal: 7.54



Serie 2:
 10.5 * 9.3 ↖ 8.8 ← 10.5 * 8.9 ↗
 9.7 ↑ 10.1 ↖ 9.2 → 9.4 ↖ 10.0 ↘
 beste Teiler 325.7 (14.) 378.2 (11.) 659.8 (17.)
 Trefferlage 2.07 mm links, 4.58 mm hoch
 Streuwert 7.52, horizontal: 9.97, vertikal: 3.71



Serie 3:
 8.5 ← 9.5 ↖ 9.3 ↖ 10.7 * 9.0 ↙
 9.2 ← 10.3 → 8.5 ↙ 10.7 * 9.0 ↘
 beste Teiler 225.3 (29.) 239.4 (24.) 512.8 (27.)
 Trefferlage 7.95 mm links, 1.70 mm tief
 Streuwert 7.86, horizontal: 7.11, vertikal: 8.54





Serie 4:
 9.2 ↑ 9.2 ← 6.7 ← 10.3 ↑ 8.7 ↘
 10.5 * 9.8 ↘ 8.0 ↙ 9.3 → 8.1 ↙
 beste Teiler 346.6 (36.) 518.5 (34.) 905.1 (37.)
 Trefferlage 5.99 mm links, 2.86 mm tief
 Streuwert 12.48, horizontal: 14.41, vertikal: 10.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.3)
 Serien: 92 91 94 91
 Zähler: 18 12 10 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2367 (28), 2196 (8), 1921 (11)
 beste Teiler 220.9 (17.) 230.7 (18.) 240.3 (34.)
 Trefferlage 1.74 mm links, 2.03 mm tief
 Streuwert 8.24, horizontal: 8.19, vertikal: 8.28




Serie 1:
 10.0 ↘ 8.9 ↓ 10.1 ← 9.3 ✓ 9.3 ↘
 10.4 * 9.7 → 8.2 ↓ 9.3 ↓ 10.3 ↓
 beste Teiler 427.4 (6.) 509.0 (10.) 652.0 (3.)
 Trefferlage 2.76 mm links, 6.36 mm tief
 Streuwert 7.53, horizontal: 5.25, vertikal: 9.26



Serie 2:
 8.5 ✓ 8.9 ↑ 9.8 ✓ 10.1 ↖ 9.8 ↓
 10.0 ↗ 10.7 * 10.7 * 9.5 ← 8.7 →
 beste Teiler 220.9 (17.) 230.7 (18.) 683.0 (14.)
 Trefferlage 0.99 mm links, 0.53 mm hoch
 Streuwert 8.69, horizontal: 8.22, vertikal: 9.14



Serie 3:
 9.7 ↑ 10.3 ↓ 10.6 * 10.4 * 10.2 ↖
 10.1 ↗ 10.4 * 8.0 ✓ 8.8 ↓ 9.5 →
 beste Teiler 310.5 (23.) 408.1 (24.) 474.0 (27.)
 Trefferlage 1.07 mm links, 2.33 mm tief
 Streuwert 8.02, horizontal: 7.60, vertikal: 8.42





Serie 4:
 9.0 ← 8.9 ← 9.6 ↗ 10.7 * 10.2 ↘
 8.9 ← 9.2 ↘ 10.6 * 10.2 ← 8.8 →
 beste Teiler 240.3 (34.) 310.4 (38.) 583.1 (39.)
 Trefferlage 2.14 mm links, 0.02 mm hoch
 Streuwert 8.94, horizontal: 11.63, vertikal: 4.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.6)
 Serien: 89 93 88 87
 Zähler: 8 23 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3098 (29), 2477 (38), 2330 (23)
 beste Teiler 118.3 (20.) 207.7 (11.) 300.5 (14.)
 Trefferlage 3.10 mm rechts, 1.31 mm hoch
 Streuwert 9.56, horizontal: 10.30, vertikal: 8.76




Serie 1:
 9.6 ↘ 10.3 → 9.9 ↘ 8.9 ← 9.1 ↓
 9.8 ← 9.9 ↑ 8.7 ↑ 9.8 ↗ 9.0 ↖
 beste Teiler 521.1 (2.) 857.5 (3.) 873.2 (7.)
 Trefferlage 2.63 mm links, 1.31 mm hoch
 Streuwert 9.00, horizontal: 8.57, vertikal: 9.42



Serie 2:
 10.7 * 8.4 ↘ 8.8 ↘ 10.6 * 10.5 *
 10.0 ↓ 9.8 ↘ 9.5 ↗ 9.4 ↗ 10.8 *
 beste Teiler 118.3 (20.) 207.7 (11.) 300.5 (14.)
 Trefferlage 5.16 mm rechts, 1.69 mm tief
 Streuwert 6.97, horizontal: 4.60, vertikal: 8.71



Serie 3:
 10.0 ↘ 9.8 ↗ 8.0 ↗ 9.1 → 9.7 →
 8.9 ← 9.4 → 9.0 ↗ 7.1 ↗ 10.1 →
 beste Teiler 714.5 (30.) 769.3 (21.) 956.7 (22.)
 Trefferlage 8.01 mm rechts, 4.83 mm hoch
 Streuwert 10.08, horizontal: 11.85, vertikal: 7.91





Serie 4:
 9.5 ← 9.1 ← 9.4 ↘ 9.7 → 8.5 ↗
 9.3 ↓ 9.7 ← 7.9 → 9.6 ↗ 9.3 ↗
 beste Teiler 1000.2 (37.) 1031.5 (34.) 1112.6 (39.)
 Trefferlage 1.88 mm rechts, 0.81 mm hoch
 Streuwert 10.87, horizontal: 12.46, vertikal: 9.01

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	358	(377.6)
Serien:	91 89 90 88	
Zähler:	13 17 7 1 2 0 0 0 0 0	
Innenzehner:	6	
weiteste:	3637 (10), 3210 (40), 2491 (14)	
beste Teiler	187.2 (9.) 252.1 (2.) 362.6 (39.)	
Trefferlage	1.37 mm rechts, 3.80 mm tief	
Streuwert	9.82, horizontal: 10.04, vertikal: 9.59	




Serie 1:

10.2 ↖	10.6 *	9.5 ↙	8.4 ↘	10.3 →
10.1 ↓	9.9 ↖	9.0 ↘	10.7 *	6.4 →
beste Teiler	187.2 (9.)	252.1 (2.)	495.9 (5.)	
Trefferlage	3.64 mm rechts, 2.40 mm tief			
Streuwert	10.88, horizontal: 11.91, vertikal: 9.74			




Serie 2:

10.4 *	9.2 →	9.4 ↓	7.8 ↘	10.3 ↑
9.6 ←	8.5 →	9.9 →	9.2 →	9.3 ↖
beste Teiler	443.2 (11.)	512.4 (15.)	851.5 (18.)	
Trefferlage	3.65 mm rechts, 4.68 mm tief			
Streuwert	9.42, horizontal: 10.87, vertikal: 7.70			



Serie 3:

8.6 ←	9.8 ↘	9.3 ↖	9.0 ↓	9.9 ↓
8.6 ↓	10.4 *	10.3 →	9.6 ↓	9.9 →
beste Teiler	470.2 (27.)	545.1 (28.)	825.1 (25.)	
Trefferlage	0.00 mm , 4.87 mm tief			
Streuwert	8.36, horizontal: 7.88, vertikal: 8.81			





Serie 4:


8.5 ↓	8.4 ↑	10.1 ↖	10.3 →	9.9 ←
10.4 *	9.9 ↙	8.6 →	10.5 *	6.9 ↙
beste Teiler	362.6 (39.)	409.2 (36.)	500.0 (34.)	
Trefferlage	1.79 mm links, 3.23 mm tief			
Streuwert	11.22, horizontal: 9.48, vertikal: 12.72			

Unterschrift des Schützen


Ergebnis: **352** (373.9)
 Serien: 86 86 91 89
 Zähler: 8 18 12 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2702 (18), 2554 (4), 2158 (40)
 beste Teiler 190.0 (32.) 222.1 (36.) 390.9 (9.)
 Trefferlage 1.18 mm rechts, 2.75 mm tief
 Streuwert 9.99, horizontal: 11.42, vertikal: 8.32




Serie 1:
 9.7 ↖ 9.3 ↓ 8.7 ↘ 7.8 ↘ 9.9 ↓
 9.8 ↗ 8.4 ↙ 9.0 ↓ 10.5 * 8.4 →
 beste Teiler 390.9 (9.) 826.8 (5.) 905.5 (6.)
 Trefferlage 0.43 mm rechts, 4.39 mm tief
 Streuwert 11.30, horizontal: 12.13, vertikal: 10.41



Serie 2:
 8.7 → 9.7 ↗ 10.0 ↙ 10.2 ← 8.3 ←
 8.8 ↘ 9.7 ↘ 7.6 → 9.4 ↗ 8.7 ↓
 beste Teiler 612.0 (14.) 747.2 (13.) 997.9 (12.)
 Trefferlage 2.37 mm rechts, 0.15 mm tief
 Streuwert 11.80, horizontal: 14.18, vertikal: 8.79





Serie 3:
 10.4 * 9.8 ↗ 9.9 ↓ 9.9 ↘ 10.2 ↙
 8.5 → 9.5 ↘ 9.8 ↘ 9.6 ↓ 9.9 ↘
 beste Teiler 464.0 (21.) 632.0 (25.) 801.9 (24.)
 Trefferlage 4.11 mm rechts, 3.32 mm tief
 Streuwert 6.63, horizontal: 7.61, vertikal: 5.48



Serie 4:
 8.7 ← 10.7 * 9.7 ↓ 10.0 ↙ 9.1 ↙
 10.7 * 8.5 → 8.8 ↘ 9.3 → 8.3 ↙
 beste Teiler 190.0 (32.) 222.1 (36.) 721.9 (34.)
 Trefferlage 2.17 mm links, 3.13 mm tief
 Streuwert 10.19, horizontal: 11.60, vertikal: 8.55

Unterschrift des Schützen


Ergebnis:	339	(356.6)			
Serien:	87	86	85	81	
Zähler:	7	16	9	5	3 0 0 0 0 0
Innenzehner:	3				
weiteste:	3911 (15), 3687 (25), 3433 (36)				
beste Teiler	349.4 (39.) 439.7 (7.) 458.3 (30.)				
Trefferlage	4.24 mm links, 0.02 mm hoch				
Streuwert	12.90, horizontal: 14.06, vertikal: 11.62				



Serie 1:

10.0 ↑	8.8 ←	9.5 ↙	10.3 ↘	7.3 ←
9.9 ←	10.4 *	8.1 ←	9.1 ↘	7.8 ↑


beste Teiler 439.7 (7.) 491.2 (4.) 793.6 (1.)
 Trefferlage 6.94 mm links, 1.08 mm tief
 Streuwert 11.39, horizontal: 11.69, vertikal: 11.09



Serie 2:

9.0 ↘	9.8 ←	9.1 ↘	9.7 ↘	6.1 ↗
9.0 ↘	8.7 ←	9.5 ↙	9.6 ↘	9.8 ↑


beste Teiler 906.9 (20.) 920.5 (12.) 1036.1 (14.)
 Trefferlage 4.11 mm links, 3.83 mm hoch
 Streuwert 12.41, horizontal: 13.92, vertikal: 10.69



Serie 3:

8.8 ←	8.5 ↓	9.5 ←	10.1 ↑	6.3 ←
8.1 ↓	8.6 ↘	9.0 ↓	9.2 ↘	10.4 *

beste Teiler 458.3 (30.) 669.3 (24.) 1183.6 (23.)
 Trefferlage 6.43 mm links, 5.42 mm tief
 Streuwert 12.56, horizontal: 13.45, vertikal: 11.61





Serie 4:

10.1 ↑	9.4 ↘	7.7 →	7.7 →	8.6 ↓
6.7 ←	8.5 ↘	7.8 ↑	10.5 *	9.6 ←


beste Teiler 349.4 (39.) 704.3 (31.) 1047.3 (40.)
 Trefferlage 0.50 mm rechts, 2.76 mm hoch
 Streuwert 15.18, horizontal: 17.52, vertikal: 12.42

Unterschrift des Schützen


Ergebnis: **360** (377.7)
 Serien: 89 90 94 87
 Zähler: 12 21 4 1 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3588 (31), 3201 (15), 2562 (7)
 beste Teiler 173.5 (22.) 204.2 (24.) 526.3 (38.)
 Trefferlage 0.51 mm rechts, 1.16 mm tief
 Streuwert 10.01, horizontal: 8.52, vertikal: 11.29




Serie 1:
 10.0 ↑ 8.6 ↖ 9.1 ↓ 9.9 ↘ 9.9 ↗
 10.2 → 7.7 ↗ 9.9 ↘ 9.3 ↖ 9.9 ↓
 beste Teiler 590.2 (6.) 734.2 (1.) 830.6 (4.)
 Trefferlage 2.85 mm rechts, 2.52 mm hoch
 Streuwert 9.46, horizontal: 7.31, vertikal: 11.20



Serie 2:
 9.1 ↓ 9.5 ↓ 9.9 ↑ 9.4 ↓ 6.9 ↖
 9.7 ↓ 10.2 ↘ 10.2 ↖ 10.1 ↗ 9.3 ↓
 beste Teiler 623.6 (18.) 635.8 (17.) 649.0 (19.)
 Trefferlage 1.23 mm links, 2.62 mm tief
 Streuwert 10.35, horizontal: 5.70, vertikal: 13.48





Serie 3:
 9.1 ← 10.7 * 10.2 ← 10.7 * 10.2 ←
 9.3 ↘ 10.1 ↖ 8.9 ↓ 9.3 → 9.4 →
 beste Teiler 173.5 (22.) 204.2 (24.) 582.5 (23.)
 Trefferlage 1.11 mm rechts, 2.51 mm tief
 Streuwert 7.56, horizontal: 9.38, vertikal: 5.13



Serie 4:
 6.5 ↑ 9.6 ↙ 8.2 ↘ 9.1 ↓ 9.8 ↘
 9.3 ↓ 9.8 ↙ 10.3 ↖ 8.2 ← 10.2 ↘
 beste Teiler 526.3 (38.) 563.7 (40.) 927.9 (37.)
 Trefferlage 0.66 mm links, 2.06 mm tief
 Streuwert 12.81, horizontal: 11.38, vertikal: 14.10


Unterschrift des Schützen

Ergebnis:	347	(363.4)			
Serien:	86	86	87	88	
Zähler:	10	15	8	6	1 0 0 0 0 0
Innenzehner:	2				
weiteste:	3900 (26), 3030 (2), 3016 (7)				
beste Teiler	203.3 (8.) 225.8 (1.) 544.2 (24.)				
Trefferlage	3.79 mm rechts, 2.58 mm hoch				
Streuwert	11.86, horizontal: 11.27, vertikal: 12.42				




Serie 1:

10.7 *	7.2 ↗	8.2 ↗	10.3 ↘	8.8 ↘
8.9 ↘	7.2 ↘	10.7 *	10.2 ↘	8.1 ↘
beste Teiler	203.3 (8.) 225.8 (1.) 551.0 (4.)			
Trefferlage	5.08 mm rechts, 0.05 mm tief			
Streuwert	13.41, horizontal: 13.41, vertikal: 13.41			




Serie 2:

9.9 ↘	9.6 ↘	9.7 ↗	9.1 ←	7.6 ↗
9.3 ↗	8.3 →	9.3 ↗	9.3 →	8.3 ↘
beste Teiler	830.0 (11.) 978.7 (13.) 1073.4 (12.)			
Trefferlage	5.18 mm rechts, 2.27 mm hoch			
Streuwert	11.25, horizontal: 11.13, vertikal: 11.37			



Serie 3:

9.7 ↘	9.6 ↘	10.2 ↗	10.3 ↘	8.5 ←
6.1 ↑	7.6 ←	9.3 ↑	10.1 ↘	9.6 ↘
beste Teiler	544.2 (24.) 623.0 (23.) 717.7 (29.)			
Trefferlage	1.82 mm links, 4.89 mm hoch			
Streuwert	12.83, horizontal: 11.55, vertikal: 13.99			





Serie 4:

9.2 ↑	8.3 ↗	7.9 ↗	10.2 ↗	9.0 ↗
9.9 ↑	10.0 ↘	9.1 ↘	7.9 ↘	10.2 ↘
beste Teiler	586.0 (34.) 621.0 (40.) 786.8 (37.)			
Trefferlage	6.72 mm rechts, 3.20 mm hoch			
Streuwert	10.35, horizontal: 8.03, vertikal: 12.24			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.7)
 Serien: 90 89 93 93
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2065 (21), 1991 (6), 1961 (1)
 beste Teiler 190.7 (28.) 227.1 (10.) 257.1 (22.)
 Trefferlage 4.50 mm rechts, 1.13 mm tief
 Streuwert 7.78, horizontal: 7.91, vertikal: 7.65




Serie 1:
 8.5 ↘ 9.6 ↑ 9.6 ↗ 8.8 ↘ 9.0 ↘
 8.5 ↗ 10.2 ↓ 10.4 * 9.8 ← 10.7 *
 beste Teiler 227.1 (10.) 445.2 (8.) 610.3 (7.)
 Trefferlage 4.52 mm rechts, 1.57 mm tief
 Streuwert 9.03, horizontal: 7.84, vertikal: 10.09



Serie 2:
 8.6 ↗ 9.5 ↑ 9.4 ← 9.8 ↘ 10.1 →
 8.9 ↓ 8.5 → 10.5 * 9.4 ↓ 9.3 ↓
 beste Teiler 350.8 (18.) 685.0 (15.) 956.3 (14.)
 Trefferlage 4.02 mm rechts, 2.34 mm tief
 Streuwert 9.31, horizontal: 9.45, vertikal: 9.17





Serie 3:
 8.4 ↗ 10.6 * 10.1 → 9.8 ← 9.8 ↓
 9.2 → 10.2 → 10.7 * 9.8 ↓ 9.6 ↓
 beste Teiler 190.7 (28.) 257.1 (22.) 613.6 (27.)
 Trefferlage 4.02 mm rechts, 2.34 mm tief
 Streuwert 6.89, horizontal: 7.81, vertikal: 5.83



Serie 4:
 9.4 → 9.3 ↗ 9.8 ↘ 9.7 ↘ 10.6 *
 10.1 ↘ 9.1 ↗ 10.2 → 9.7 → 9.5 →
 beste Teiler 257.7 (35.) 612.6 (38.) 682.2 (36.)
 Trefferlage 5.44 mm rechts, 1.69 mm hoch
 Streuwert 6.31, horizontal: 7.62, vertikal: 4.66


Unterschrift des Schützen

Ergebnis:	369	(384.7)
Serien:	92 93 92 92	
Zähler:	14 21 5 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2304 (26), 1876 (37), 1721 (18)	
beste Teiler	229.8 (19.) 285.7 (34.) 401.7 (39.)	
Trefferlage	0.72 mm rechts, 3.06 mm hoch	
Streuwert	8.09, horizontal: 8.35, vertikal: 7.81	




Serie 1:

9.1 ↑	9.7 →	10.0 ↑	8.8 ↑	9.9 ↗
10.0 ↘	9.2 ↗	9.1 ↑	10.3 ↘	9.3 →
beste Teiler	484.1 (9.) 783.5 (3.) 798.2 (6.)			
Trefferlage	4.04 mm rechts, 6.56 mm hoch			
Streuwert	6.76, horizontal: 6.94, vertikal: 6.58			




Serie 2:

9.9 ↙	10.0 ↑	10.4 *	9.3 ↘	9.9 ←
9.1 ↗	9.6 ←	8.8 ↙	10.7 *	10.2 ↑
beste Teiler	229.8 (19.) 421.8 (13.) 579.0 (20.)			
Trefferlage	3.37 mm links, 1.45 mm hoch			
Streuwert	7.22, horizontal: 7.19, vertikal: 7.26			



Serie 3:

10.3 ←	10.4 *	9.3 ↓	9.0 ↗	9.8 ↘
8.1 →	10.0 ↑	9.8 ↑	9.1 ↗	9.1 ↓
beste Teiler	415.0 (22.) 536.7 (21.) 761.3 (27.)			
Trefferlage	4.96 mm rechts, 0.71 mm hoch			
Streuwert	8.86, horizontal: 8.54, vertikal: 9.16			





Serie 4:

10.2 ↙	9.3 ↑	9.1 ←	10.6 *	8.9 ↑
9.9 ↘	8.6 ↘	9.4 ←	10.4 *	10.1 ↘
beste Teiler	285.7 (34.) 401.7 (39.) 581.4 (31.)			
Trefferlage	2.73 mm links, 3.53 mm hoch			
Streuwert	7.97, horizontal: 8.08, vertikal: 7.86			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.5)
 Serien: 92 91 94 94
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2387 (6), 2363 (14), 2251 (16)
 beste Teiler 133.8 (40.) 224.1 (36.) 232.8 (19.)
 Trefferlage 1.05 mm links, 3.60 mm hoch
 Streuwert 7.73, horizontal: 6.93, vertikal: 8.46




Serie 1:
 9.7 ↙ 9.8 ↗ 9.2 ↑ 10.3 ↘ 10.1 ↓
 8.0 ↑ 9.0 ← 10.3 → 9.8 ↘ 9.7 ↗
 beste Teiler 489.4 (8.) 500.7 (4.) 704.0 (5.)
 Trefferlage 0.48 mm links, 5.33 mm hoch
 Streuwert 8.17, horizontal: 7.40, vertikal: 8.88



Serie 2:
 10.0 ↗ 9.7 ↑ 10.6 * 8.0 ↑ 9.2 ↑
 8.1 ↑ 9.2 ↘ 9.7 ↙ 10.7 * 9.7 →
 beste Teiler 232.8 (19.) 272.9 (13.) 783.8 (11.)
 Trefferlage 1.27 mm rechts, 9.13 mm hoch
 Streuwert 7.28, horizontal: 5.39, vertikal: 8.77



Serie 3:
 9.3 ↘ 8.3 ↘ 10.2 ↙ 10.7 * 9.8 →
 10.6 * 10.5 * 9.3 → 10.5 * 9.4 ↘
 beste Teiler 235.2 (24.) 301.5 (26.) 342.0 (29.)
 Trefferlage 0.56 mm rechts, 1.28 mm hoch
 Streuwert 7.69, horizontal: 7.09, vertikal: 8.24





Serie 4:
 9.9 ↙ 9.6 ← 9.4 ↘ 9.7 ↙ 10.1 ↓
 10.7 * 9.0 ← 10.1 → 9.8 ← 10.8 *
 beste Teiler 133.8 (40.) 224.1 (36.) 687.9 (38.)
 Trefferlage 5.56 mm links, 1.33 mm tief
 Streuwert 5.38, horizontal: 6.48, vertikal: 3.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.6)
 Serien: 91 89 92 90
 Zähler: 14 15 10 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2495 (18), 2343 (12), 2328 (31)
 beste Teiler 173.2 (21.) 405.4 (20.) 431.1 (38.)
 Trefferlage 5.47 mm rechts, 2.02 mm tief
 Streuwert 8.66, horizontal: 9.32, vertikal: 7.94




Serie 1:
 9.6 ↓ 10.0 ↖ 10.0 ← 8.5 ↗ 10.3 ↘
 8.7 → 10.3 ↖ 8.6 ↓ 10.0 ↓ 8.7 ↘
 beste Teiler 490.2 (7.) 528.5 (5.) 762.9 (9.)
 Trefferlage 3.30 mm rechts, 1.30 mm tief
 Streuwert 9.47, horizontal: 9.91, vertikal: 9.00



Serie 2:
 9.7 ↙ 8.0 ↘ 10.1 ↖ 9.5 ↗ 8.9 →
 9.4 → 9.2 ↓ 7.8 ↘ 10.3 ↗ 10.4 *
 beste Teiler 405.4 (20.) 537.7 (19.) 716.7 (13.)
 Trefferlage 7.87 mm rechts, 3.55 mm tief
 Streuwert 8.83, horizontal: 9.16, vertikal: 8.49



Serie 3:
 10.7 * 9.7 ↘ 10.4 * 9.3 ↘ 9.5 ↙
 9.6 ← 8.2 ↗ 9.8 ↖ 10.4 * 9.3 ↓
 beste Teiler 173.2 (21.) 456.8 (29.) 459.1 (23.)
 Trefferlage 1.65 mm rechts, 2.03 mm tief
 Streuwert 8.33, horizontal: 8.22, vertikal: 8.43



Serie 4:
 8.0 → 9.5 → 10.0 ↓ 9.2 ↑ 8.3 →
 9.9 → 8.5 → 10.4 * 10.0 ↓ 9.9 →
 beste Teiler 431.1 (38.) 746.2 (33.) 757.5 (39.)
 Trefferlage 9.06 mm rechts, 1.21 mm tief
 Streuwert 8.06, horizontal: 9.20, vertikal: 6.71

Unterschrift des Schützen